


Sign width varies by destination(s). Sign width varies in even foot increments.
 If sign width is an issue, reduce edge or text spacing or use Series D.
 Arrows are to be centered over each lane.
 * Center entire legend package horizontally on each panel or sub-panel.

CODE: E4-103ax
SIZE: Varies x 120"
 Freeway

For use at major interchanges.
 Use with E1-5 series exit number plaque.
 If multiple route shields are used, space horizontally at 18".



E4-103ax (freeway);
 12.00" Radius, 2.00" Border, White on Green;
 State Highway 00 M1-5c; "Destination" E;
 12.00" Radius, 2.00" Border, Black on Yellow;
 "EXIT" E specified length; Arrow 16-20 Type B - 25.00" 60°;
 "ONLY" E specified length;

Colors:

Upper Panel: Legend & Border: White (Reflective)
 Background: Green (Reflective)

Lower Panel: Legend & Border: Black (Non-Reflective)
 Background: Yellow (Reflective)

All dimensions are in inches


Designed By: R. C. Moeur

Issue Date: December 2016

Sign width varies by destination(s). Sign width varies in even foot increments.
 If sign width is an issue, reduce edge or text spacing or use Series D.
 Arrows are to be centered over each lane.
 * Center entire legend package horizontally on each panel or sub-panel.

CODE: E4-103ax
SIZE: Varies x 120"
 Freeway

For use at major interchanges.
 Use with E1-5 series exit number plaque.



E4-103ax (freeway);
 12.00" Radius, 2.00" Border, White on Green;
 State Highway 00 M1-5c; "NORTH" E; "Destination" E;
 12.00" Radius, 2.00" Border, Black on Yellow;
 "EXIT" E specified length; Arrow 16-20 Type B - 25.00" 60°;
 "ONLY" E specified length;

Colors:

Upper Panel: Legend & Border: White (Reflective)
 Background: Green (Reflective)

Lower Panel: Legend & Border: Black (Non-Reflective)
 Background: Yellow (Reflective)

All dimensions are in inches


Designed By: R. C. Moeur

Issue Date: December 2016

Sign width varies by destination(s). Sign width varies in even foot increments.
 If sign width is an issue, reduce edge or text spacing or use Series D.
 Arrows are to be centered over each lane.
 * Center entire legend package horizontally on each panel or sub-panel.

CODE: E4-103ax
SIZE: Varies x 120"
 Freeway

For use at major interchanges.
 Use with E1-5 series exit number plaque.



E4-103ax (freeway);
 12.00" Radius, 2.00" Border, White on Green;
 US 00 M1-4c; "SOUTH" E; State Highway 00 M1-5c;
 "Destination" E;
 12.00" Radius, 2.00" Border, Black on Yellow;
 "EXIT" E specified length; Arrow 16-20 Type B - 25.00" 60°;
 "ONLY" E specified length;

Colors:

Upper Panel: Legend & Border: White (Reflective)
 Background: Green (Reflective)

Lower Panel: Legend & Border: Black (Non-Reflective)
 Background: Yellow (Reflective)

All dimensions are in inches


Designed By: R. C. Moeur

Issue Date: December 2016

Sign width varies by destination(s). Sign width varies in even foot increments.
 If sign width is an issue, reduce edge or text spacing or use Series D.
 Arrows are to be centered over each lane.
 * Center entire legend package horizontally on each panel or sub-panel.

CODE: E4-103ax
SIZE: Varies x 120"
 Freeway

For use at major interchanges.
 Use with E1-5 series exit number plaque.
 If multiple route shields are used, space horizontally at 18".



E4-103ax (freeway);
 12.00" Radius, 2.00" Border, White on Green;
 "TO" E; State Highway 00 M1-5c; "NORTH" E; "Destination" E;
 12.00" Radius, 2.00" Border, Black on Yellow;
 "EXIT" E specified length; Arrow 16-20 Type B - 25.00" 60°;
 "ONLY" E specified length;

Colors:

Upper Panel: Legend & Border: White (Reflective)
 Background: Green (Reflective)
 Lower Panel: Legend & Border: Black (Non-Reflective)
 Background: Yellow (Reflective)

All dimensions are in inches


Designed By: R. C. Moeur

Issue Date: December 2016

Sign width varies by destination(s). Sign width varies in even foot increments.
 If sign width is an issue, reduce edge or text spacing or use Series D.
 Arrows are to be centered over each lane.
 * Center entire legend package horizontally on each panel or sub-panel.

CODE: E4-103ax
SIZE: Varies x 120"
 Freeway

For use at major interchanges.
 Use with E1-5 series exit number plaque.



E4-103ax (freeway);
 12.00" Radius, 2.00" Border, White on Green;
 US 00 M1-4c; "TO" E; State Highway 00 M1-5c; "Destination" E;
 12.00" Radius, 2.00" Border, Black on Yellow;
 "EXIT" E specified length; Arrow 16-20 Type B - 25.00" 60°;
 "ONLY" E specified length;

Colors:

Upper Panel: Legend & Border: White (Reflective)
 Background: Green (Reflective)

Lower Panel: Legend & Border: Black (Non-Reflective)
 Background: Yellow (Reflective)

All dimensions are in inches


Designed By: R. C. Moeur

Issue Date: December 2016

Sign width varies by destination(s). Sign width varies in even foot increments.
 If sign width is an issue, reduce edge or text spacing or use Series D.
 Arrows are to be centered over each lane.
 * Center entire legend package horizontally on each panel or sub-panel.

CODE: E4-103ax
SIZE: Varies x 120"
 Freeway

For use at major interchanges.
 Use with E1-5 series exit number plaque.



E4-103ax (freeway);
 E1-101a (freeway); 12.00" Radius, 2.00" Border, White on Green;
 "NORTH" E; US 00 M1-4c; State Highway 00 M1-5c; "EAST" E;
 "Destination" E;
 12.00" Radius, 2.00" Border, Black on Yellow;
 "EXIT" E specified length; Arrow 16-20 Type B - 25.00" 60°;
 "ONLY" E specified length;

Colors:

Upper Panel: Legend & Border: White (Reflective)
 Background: Green (Reflective)
 Lower Panel: Legend & Border: Black (Non-Reflective)
 Background: Yellow (Reflective)

All dimensions are in inches

Designed By: R. C. Moeur


Issue Date: December 2016

Sign width varies by destination(s). Sign width varies in even foot increments.
 If sign width is an issue, reduce edge or text spacing or use Series D.
 Arrows are to be centered over each lane.

CODE: E4-103ax
SIZE: Varies x 120"
 Freeway

* Center entire legend package horizontally on each panel or sub-panel.

For use at intermediate or minor interchanges.
 Use with E1-5 series exit number plaque.
 If multiple route shields are used, space horizontally at 15".



E4-103ax (freeway);
 12.00" Radius, 2.00" Border, White on Green;
 State Highway 00 M1-5c; "Destination" E;
 12.00" Radius, 2.00" Border, Black on Yellow;
 "EXIT" E specified length;
 Arrow 16-20 Type B - 25.00" 60°;
 "ONLY" E specified length;

Colors:

Upper Panel: Legend & Border: White (Reflective)
 Background: Green (Reflective)
 Lower Panel: Legend & Border: (Black (Non-Reflective))
 Background: Yellow (Reflective)

All dimensions are in inches

Designed By: R. C. Moeur


Issue Date: December 2016

Sign width varies by destination(s). Sign width varies in even foot increments.
 If sign width is an issue, reduce edge or text spacing or use Series D.
 Arrows are to be centered over each lane.

CODE: E4-103ax
SIZE: $\frac{\text{Varies} \times 120''}{\text{Freeway}}$

* Center entire legend package horizontally on each panel or sub-panel.

For use at intermediate or minor interchanges.
 Use with E1-5 series exit number plaque.



E4-103ax (freeway);
 12.00" Radius, 2.00" Border, White on Green;
 State Highway 00 M1-5c; "NORTH" E;
 "Destination" E;
 12.00" Radius, 2.00" Border, Black on Yellow;
 "EXIT" E specified length;
 Arrow 16-20 Type B - 25.00" 60°;
 "ONLY" E specified length;

Colors:

Upper Panel: Legend & Border: White (Reflective)
 Background: Green (Reflective)
 Lower Panel: Legend & Border: (Black (Non-Reflective))
 Background: Yellow (Reflective)

All dimensions are in inches

Designed By: R. C. Moeur


Issue Date: December 2016

Sign width varies by destination(s). Sign width varies in even foot increments.
 If sign width is an issue, reduce edge or text spacing or use Series D.
 Arrows are to be centered over each lane.

CODE: E4-103ax
SIZE: Varies x 120"
 Freeway

* Center entire legend package horizontally on each panel or sub-panel.

For use at intermediate or minor interchanges.
 Use with E1-5 series exit number plaque.



E4-103ax (freeway);
 12.00" Radius, 2.00" Border, White on Green;
 US 00 M1-4c; "SOUTH" E; State Highway 00 M1-5c;
 "Destination" E;
 12.00" Radius, 2.00" Border, Black on Yellow;
 "EXIT" E specified length;
 Arrow 16-20 Type B - 25.00" 60°;
 "ONLY" E specified length;

Colors:

Upper Panel: Legend & Border: White (Reflective)
 Background: Green (Reflective)
 Lower Panel: Legend & Border: (Black (Non-Reflective))
 Background: Yellow (Reflective)

All dimensions are in inches


Designed By: R. C. Moeur

Issue Date: December 2016

Sign width varies by destination(s). Sign width varies in even foot increments.
 If sign width is an issue, reduce edge or text spacing or use Series D.
 Arrows are to be centered over each lane.
 * Center entire legend package horizontally on each panel or sub-panel.

CODE: E4-103ax
SIZE: Varies x 120"
 Freeway

For use at intermediate or minor interchanges.
 Use with E1-5 series exit number plaque.
 If multiple route shields are used, space horizontally at 15".



E4-103ax (freeway);
 12.00" Radius, 2.00" Border, White on Green;
 "TO" E; State Highway 00 M1-5c; "NORTH" E;
 "Destination" E;
 12.00" Radius, 2.00" Border, Black on Yellow;
 "EXIT" E specified length;
 Arrow 16-20 Type B - 25.00" 60°;
 "ONLY" E specified length;

Colors:

Upper Panel: Legend & Border: White (Reflective)
 Background: Green (Reflective)
 Lower Panel: Legend & Border: (Black (Non-Reflective))
 Background: Yellow (Reflective)

All dimensions are in inches

Designed By: R. C. Moeur


Issue Date: December 2016

Sign width varies by destination(s). Sign width varies in even foot increments.
 If sign width is an issue, reduce edge or text spacing or use Series D.
 Arrows are to be centered over each lane.

CODE: E4-103ax
SIZE: Varies x 120"
 Freeway

* Center entire legend package horizontally on each panel or sub-panel.

For use at intermediate or minor interchanges.
 Use with E1-5 series exit number plaque.



E4-103ax (freeway);
 12.00" Radius, 2.00" Border, White on Green;
 US 00 M1-4c; "TO" E; State Highway 00 M1-5c;
 "Destination" E;
 12.00" Radius, 2.00" Border, Black on Yellow;
 "EXIT" E specified length;
 Arrow 16-20 Type B - 25.00" 60°;
 "ONLY" E specified length;

Colors:

Upper Panel: Legend & Border: White (Reflective)
 Background: Green (Reflective)
 Lower Panel: Legend & Border: (Black (Non-Reflective))
 Background: Yellow (Reflective)

All dimensions are in inches

Designed By: R. C. Moeur


Issue Date: December 2016

Sign width varies by destination(s). Sign width varies in even foot increments.
 If sign width is an issue, reduce edge or text spacing or use Series D.
 Arrows are to be centered over each lane.

CODE: E4-103ax
SIZE: Varies x 120"
 Freeway

* Center entire legend package horizontally on each panel or sub-panel.

For use at intermediate or minor interchanges.
 Use with E1-5 series exit number plaque.



E4-103ax (freeway);
 E1-101a (freeway); 12.00" Radius, 2.00" Border, White on Green;
 "NORTH" E; US 00 M1-4c; State Highway 00 M1-5c; "EAST" E; "Destination" E;
 12.00" Radius, 2.00" Border, Black on Yellow;
 "EXIT" E specified length; Arrow 16-20 Type B - 25.00" 60°;
 "ONLY" E specified length;

Colors:

Upper Panel: Legend & Border: White (Reflective)
 Background: Green (Reflective)
 Lower Panel: Legend & Border: (Black (Non-Reflective))
 Background: Yellow (Reflective)


All dimensions are in inches

Designed By: R. C. Moeur


Issue Date: December 2016

Match width of E4 series sign panel.
Center arrows above each lane. Adjust spacing as needed.


CODE: Exit Only sub-panels
for E4 series signs
SIZE: Varies x 36"
Freeway



E4 Exit Only panel (one-lane exit);
12.00" Radius, 2.00" Border, Black on Yellow;
"EXIT" E specified length;
Arrow 16-20 Type B - 60°;
"ONLY" E specified length;



E4 Exit Only panel (two-lane exit);
12.00" Radius, 2.00" Border, Black on Yellow;
Arrow 16-20 Type B - 60°; "EXIT ONLY" E;
Arrow 16-20 Type B - 60°;



E4 Exit Only panel (three-lane exit);
12.00" Radius, 2.00" Border, Black on Yellow;
Arrow 16-20 Type B - 60°; "EXIT" E; Arrow 16-20 Type B - 60°; "ONLY" E;
Arrow 16-20 Type B - 60°;

Colors:

Legend & Border: Black (Non-reflective)
Background: Yellow (Reflective)

All dimensions are in inches


Designed By: R. C. Moeur

Issue Date: December 2016


Match width of E4 series sign panel.

Green/yellow border should be above the lane line separating the option and exit-only lanes.
Center arrows above each lane. Adjust spacing as needed.

CODE: Exit Only sub-panels for E4 series signs
SIZE: Varies x 36"
Freeway



E4 Exit Only panel (one lane option, one lane exit);
12.00" Radius, 2.00" Border, White on Green;
Arrow 16-20 Type B - 60°;
12.00" Radius, 2.00" Border, Black on Yellow;
"EXIT" E specified length; Arrow 16-20 Type B - 60°;
"ONLY" E specified length;



E4 Exit Only panel (one lane option, two lane exit);
12.00" Radius, 2.00" Border, White on Green;
Arrow 16-20 Type B - 60°;
12.00" Radius, 2.00" Border, Black on Yellow;
Arrow 16-20 Type B - 60°; "EXIT ONLY" E; Arrow 16-20 Type B - 60°;

Colors:

Legend & Border: Black (Non-reflective) or White (Reflective)
Background: Yellow or Green (Reflective)

All dimensions are in inches

Designed By: R. C. Moeur

Issue Date: December 2016