Click here for I 40 Index



STATE OF ARIZONA
STATE HIGHWAY DEPARTMENT

RIGHT OF WAY PLAN OF THE

KINGMAN — ASHFORK

STATE HIGHWAY

PROJECT NO. I-40-2(19)118

YAVAPAI

COUNTY



NOTE:

THE SOLID DOT, AS SHOWN BELOW, DOES NOT DESIGNATE A R/W MARKER BUT REPRESENTS AN ANGLE POINT OR CHANGE OF DIRECTION IN THE R/W LINE & IS FOR OFFICE USE ONLY



CONVENTIONAL SIGNS

	NEW	EXIST
HIGHWAY CENTER LINES		
STATE AND NATIONAL LINES		
CITY LIMITS		
COUNTY LINE		
TOWNSHIP AND RANGE LINES		
SECTION LINES		
HIGHWAY R/W LINE (NEW)		
RAILROAD R/W LINE		
PROPERTY LINE		
LOT AND PROPERTY LINE (WITHIN EXISTING R/W)		
RAILROAD		
COMMON R.R. AND EXIST. HWY. R/W		
ACCESS TO BE DENIED		
ACCESS OPEN		
PARCEL ITEM No's		
FOREST, NAT'L. MONUMENTS, AND INDIAN BOUNDARY		
LAND GRANT BOUNDARY		
R/W MARKER (EXISTING)		
HIGHWAY R/W LINE (EXISTING)		
SUBDIVISION OR LOT LINE		
EXISTING CONTROLLED ACCESS		

TELEPHONE LINE	
POWER LINE	
WATER LINE	
GAS LINE	
SEWER LINE	
STORM DRAIN	
UNDERGROUND TEL. CABLE	
BARBED WIRE FENCE & OTHER	
CHAIN LINK FENCE	
POWER TRANSMISSION LINE	
TELEPHONE & POWER LINE	
POWER POLE WITH TRANSFORMER	
DOWN GUY	
LIGHT POLE	
FIRE HYDRANT	
WATER METER	
WATER VALVE	
MANHOLE	
EXIST. ROAD OR TRAVELED WAY	
GAS METER / GAS VALVE	
TRAFFIC FLOW ARROW	
PROPERTY LIMIT ARROW	
PROPERTY ANCHOR BAR	

FINALIZED

FED. ROAD DIV. NO.	STATE	PROJECT NO.	SHEET NO.	TOTAL SHEETS
7	ARIZ.	I-40-2(19)118	1	17

RIGHT OF WAY MAP NO. D-13-T-366

ALIGNMENT, RIGHT OF WAY, AND CONTROL OF ACCESS APPROVED IN ACCORDANCE WITH HIGHWAY PLANS.
SHEET 1 THRU 14
DATE 6-30-1964
ASSISTANT STATE ENGINEER

APPROVED IN ACCORDANCE WITH RESOLUTION DATED: 7-24, 1964, MINUTES OF THE ARIZONA HIGHWAY COMMISION RES. NO.: 64-89

A.F.E. NO. 40A28

STATE ENGINEER

FINALIZED

RW/PLANS FILE SET

ARIZONA HIGHWAY COMMISSION
APPROVED FOR RIGHT-OF-WAY ACQUISITION
STATE HIGHWAY ENGINEER
DEPUTY STATE ENGINEER 6-30-64
DATE

DEPARTMENT OF COMMERCE
BUREAU OF PUBLIC ROADS
APPROVED
DIVISION ENGINEER DATE

REDUCED SIZE
DO NOT SCALE

KINGMAN - ASHFORK HIGHWAY
SELIGMAN - EAST SECTION
YAVAPAI COUNTY

Click here for I 40 Index

REVISIONS			PROJECT NO.	I-40-2(19)118
DATE	BY		DRAWING NO.	D-13-T-366
1-18-71	MC	C.O.2502 Added Par. 13-003-A	SHEET NO.	2 OF 17
9-2-71	T.N.S.	C.O.2668 Revised Areas of Par. 13-003-A	DRAWN BY	C.L. & C.B.
8-3-72	H.MILLS	C.O.3377 Finalized	DATE COMP.	6-28-64
			SCALE	

BENHAM ENGINEERING COMPANY INC.
PHOENIX, ARIZONA

Registered Professional Engineer (Civil) CERTIFICATE EXPIRES WILSON C. CHARLES Dec. 31, 19 64 ARIZONA U.S.A.

CHECKED BY: PRALLEY

HARD COPY 6316 M1

ACQUISITION RECORD — OWNERSHIP RECORD

COMMISSION APPROVAL	TYPE & DATE OF INSTRUMENT	RECORDED DATE	RECORDED BOOK	RECORDED PAGE	PARCEL NUMBER	OWNER	DESCRIPTION	TOTAL AREA	AREA REQUIRED GROSS INCLUDING EXISTING R/W	AREA REQUIRED NET EXCLUDING EXISTING R/W	EASEMENT AREA	REMAINDER LEFT	REMAINDER RIGHT	SHEET NUMBER
					13-003	Hugh L. Campbell et al.	Lot 6, Lot 7, S.E¼ S.W¼ & S½ S.E¼ Sec.6 T.22 N., R.5W., N.E. ¼ Sec. 7, T.22 N., R. 5 W.	1314.6	—	60.6	None	611.6	602.4	4-6
							S.W.¼ Sec. 9 T.22 N., R.5 W.	479.9	—	7.1	6.6	464.1	2.1	8-9
							N.W.¼, S.W.¼ & S.E.¼ Sec. 15 T.22 N., R.5W.	639.5	—	39.3	None	394.5	205.7	10-12
							N.½ Sec. 23 T.22 N., R.5 W.	640.2	—	20.5	None	20.6	599.1	13-14
1-31-67	F.O.C. 3-22-71	4-14-71	653	700-17										
					13-004	State of Arizona	N.W.¼, S.W.¼ & S.E.¼ Sec. 8 T.22 N., R.5 W.	639.9	—	42.1	4.3	363.4	230.1	6-9
							N.W.¼, N.E.¼ & S.E.¼ Sec. 16 T.22 N., R.5 W.	640.0	—	35.8	0.	112.8	491.3	9-11
							S.½ Sec. 14 T.22 N., R.5 W.	640.0	—	21.4	None	601.9	16.7	12-14
1-31-67	F.O.C. 3-22-71	4-14-71	653	700-17										
					13-004-L1	Grazing Lease to Hugh L. Campbell	N.W.¼, S.W.¼ & S.E.¼ Sec. 8 T.22 N., R.5 W.	639.9	—	—	—	—	—	6-9
							N.W.¼, N.E.¼ & S.E.¼ Sec. 16 T.22 N., R.5 W.	640.0	—	—	—	—	—	9-11
							S.½ Sec. 14 T.22 N., R.5 W.	640.0	—	—	—	—	—	12-14
	Same as 13-004													
1-31-67	F.O.C. 8-3-73	8-27-73	864	8-26	13-003A	Hugh L. Campbell et al.	Pt Lots 6 & 7 Sec. 6, T.22 N., R.5 W.	1254.0	—	128.6±	None	608.0	633² 639²	4 & 5

FINALIZED

RW/PLANS FILE SET

Click here for I 40 Index

KINGMAN - ASHFORK HIGHWAY
SELIGMAN - EAST SECTION
YAVAPAI COUNTY

	REVISIONS			PROJECT NO.	I-40-2(19)118
C.O	DATE	BY	Descp.	DRAWING NO.	D-13-T-366
1028	8/24/66	R.R.	Changed bearing in Equa Ahd to S 7°57'30"E at begin of project	SHEET NO.	3 OF 17
2502	1-1970	M.C.	Added New R/W (1970) & Ltr. & 300' t	DRAWN BY	C.L. & C.B.
2668	9-2-70	T.N.S.	Revised New R/W North of Frontage Rd Sta. 8+00	DATE COMP.	2-10-64
3377	8-3-72	H. MILLS	Finalized	SCALE	1"= 1000'
3770	11-26-73	S.T.L.	Added Abandonment Note.		

BENHAM ENGINEERING COMPANY INC.
PHOENIX, ARIZONA

Registered Professional Engineer (Civil) CERTIFICATE EXPIRES WILSONBAY CHARLES DEC. 31, 19 74 ARIZONA U.S.A.

CHECKED BY. Bradley

HARD COPY. 6318 MI.

Existing U.S. Hwy. 66 has been abandoned per Res. # 72-10, to Yavapai Co. dated 1-31-72, and Recorded in Book 726 of Official Records, Pages 79-82 of the Yavapai Co. Recorder.

FINALIZED

RW/PLANS FILE SET

To Ashfork 10 Miles

To Seligman ½ Mile

T23N R5W
T22N R5W
T22N R6W

Lot 1 Lot 2 Lot 3 Lot 4

Exist. U.S. Hwy. 66

A.T.&S.F. Railroad 2 Tracks

Future Crossroad Constr. by Other

Begin Kingman-Ashfork Highway Project F-028-1(4)

El Paso Booster Sta.

Sta. 6370

S. 77°00'28"E. Bk.
BRG. EQUA.
S. 76°57'30"E. Ahd.

Old County Dirt Road, 100' R/W

30" El Paso Nat'l. Gas Line

24" El Paso Nat'l. Gas Line

Sta. 6400

Sta. 6450

Sheet 1 Sheet 2 Sheet 3 Sheet 4 Sheet 5 Sheet 6 Sheet 7 Sheet 8 Sheet 9 Sheet 10 Sheet 11 Sheet 12 Sheet 13 Sheet 14 Sheet 15 Sheet 16 Sheet 17

Power Line Crossing

Tele Crossing

Frontage Rd.

Median ℄ P.C. 6379+55.97

(New R/W 1970)

Median ℄ P.C. 6423+38.53 Bk.
6423+98.53 P.O.T. Ahd.

EQUA.

SELIGMAN INTERCHANGE
Side Rd. Under

Sta. 6439+20

1-40-2(20)118
BEGIN CONST. PROJ.

Westbound Lane

Eastbound Lane

Median

Drainage Easements

Sta. 6500

Sta. 6550

Sta. 6600

Sta. 6650

Sta. 6680+00 R.O.T.

To Ashfork

Med. ℄ Curve Data
Δ = 15°51'37" Lt.
D = 0°15'00"
R = 22918.31
T = 3192.47
L = 6344.11
E = 211.28

Med. ℄ P.C. 6519+17.44

Med. ℄ P.T. 6582+61.55 Bk.
P.O.T. 6582+61.55 Ahd.

EQUA.

PADRE RESERVOIR

Rail Road Canyon

BRG. EQUA. S. 70°53'27"E. Bk.
S. 70°50'06"E. Ahd.

S. 70°53'27"E.

1-40-2(20)118
END CONST. PROJ.

Dirt Water Tank

16" Four Corners Nat'l. Gas Line

34" El Paso Nat'l. Gas Line

30" Trans-Western Gas Line

Power Line Crossing

Med. ℄ Curve Data
Δ = 21°55'40" Rt.
D = 0°30'00"
R = 11459.16
T = 2219.94
L = 4385.56
E = 213.06

Sta. 6387+10.85 R.O.S.T.
Sta. 6387+17.16 Med. ℄ R.O.C.

BEGIN R/W PROJ.
1-40-2(19)118

Sta. 6635+79 t R.O.T.

END R/W PROJ.
1-40-2(19)118

VICINITY MAP
SCALE 1"= 1000'

REDUCED SIZE
DO NOT SCALE

Click here for I 40 Index

C.O.#3337A 8-30-72 H.HILL Finalized

REVISIONS				PROJECT NO.	I-40-2(19)118
C.O.	DATE	BY	Descp.	DRAWING NO.	D-13-T-366
1228	9-24-71	R.R.	Added Brg. Equa. on Sect. Line & Changed Drawing # from 336 to 366. Also added #1 Gate Rt. on Plans	SHEET NO.	4 OF 17
				DRAWN BY	C.L. & C.B.
			line, and gate to Ch. 6+00.	DATE COMP.	6-26-64
2602	1-8-70	Mr.	Added New R/W 1970 & New Front Rd.	SCALE	1"=100'
2668	9-2-70	T.N.S.	Revised New R/W NORTH of Front Rd. Sta. 8+00		

BENHAM ENGINEERING COMPANY INC.
PHOENIX, ARIZONA

CHECK BY: Fuller

HARD COPY: 6316 MI

KINGMAN - ASHFORK HIGHWAY
SELIGMAN - EAST SECTION
YAVAPAI COUNTY

SEE SHEET 5 FOR INSET

FINALIZED

Found Mound of Stones Marked Sec. Cor. (One)

T22N R6W | T22N R5W

36 | 31 | 1 | 6

1/4 Cor. Found 1" I.P. with brass cap U.S.G.L.O. 1912

2640.85'

5290.43'

5 Strand Barb Wire Fence

18' Wide County Road (Dirt)

13-003

P.O.T. 6370+00.00

Hub & Tack

El Paso Nat'l. Gas Booster Station

Gas Line R/W

El Paso Natl. Gas Lines

30" G 30" G 30" G 30" G 30" G 30" G 30" G 30" G 30" G 30"
24" G 24" G 24" G 24" G 24" G 24" G 24" G 24" G 24" G

P.O.T. 6387+65

County Road

Lot 6

New 5 Wire Fence Line

13-003-1

N.16°57'30"W. 93.56'

Gas Line R/W

No Access

New R/W 1970

New Type #1 gates

New Special Game Fence

New R/W

N.16°38'16"E. Sta. 6386+73.47 ℄ (Radial Brg.)

Exist. R/W

L=107.04'

77°16'25"

D=9°16'Rt. 16'Brk.

Slope Limits

150' 22' 96'

W.B. ℄

Survey ℄ Median ℄ BRG. EQUA. S.76°57'30"E. Ahd. = S.77°00'28"E. Bk.

16' 16' 54' 54'

26.03

E.B. ℄

156.59'

No Access

Exist. R/W

New #1 Gate

S.E. ¼ S.E. ¼

6370 | 6375 | 6380 | 6385 | 6390

Sta. 6387+10.85 P.O.S.T.
Sta. 6387+17.16 Med. & P.O.C.

P.C. 6379+53.97
5/8" I. Pin

(Radial Brgs.)
N.16°51'27"E. Sta. 6387+17.16 ℄
N.17°05'00"E. Sta. 6387+62.32 ℄
N.17°10'32"E. Sta. 6387+80.74 ℄

5 Strand Barb Wire Fence

N.0°18'55"E. 1398.33'

50' Wide R/W 1970

Match

New Special Game Fence

Lot 7

60'

13-003-A

RW/PLANS
FILE SET

1-40-2(31) 112
END R/W PROJ.
SEE R/W MAP D-13-T-367

1-40-2(19) 118
BEGIN R/W PROJ.

Detail

262.00'

Fd 2" I.P. with Brass cap 1912 U.S.G.L.O.

P.O.T. 0+40.00
Begin New Frontage Rd.

Found 3" I.P. with brass cap 1912 U.S.G.L.O.
Tie From Sec. Cor. 634.25'

NOTE: See sheet 5 for details of New Frontage Rd.

See Detail

W.B. Curve Data	℄ Curve Data	E.B. Curve Data
Δ = 21° 55' 40"	Δ = 21° 55' 40"	Δ = 21° 55' 40"
D = 0° 29.8593'	D = 0° 30' 00"	D = 0° 30.1420'
R = 11,513.16'	R = 11,459.16'	R = 11,405.16'
T = 2230.40'	T = 2219.94'	T = 2209.48'
L = 4406.22'	L = 4385.56'	L = 4364.90'
E = 214.05'	E = 213.05'	E = 212.05'

REDUCED SIZE DO NOT SCALE

14 Ga. G.I. Barbs @ 5" intervals
12½ Ga. G.I. Barbed Line Wire

7'-0" | 1'-2" | 8½" | 8½" | 8½" | 8½" | 8½" | 8½" | 2'-6"

℄ Std. twisted wire stays 9½ Ga. Galv. (42" Long)

Bottom Wire Twisted Barbless

5'-4" 5'-4" 5'-4"

16'-0"

TYPICAL SECTION
SPECIAL GAME FENCE

All other Details Same as Std. C-16, 5 Wire

KINGMAN - ASHFORK HIGHWAY
SELIGMAN - EAST SECTION
YAVAPAI COUNTY

REVISIONS				PROJECT NO.	I-40-2(19)118
C.O.	DATE	BY	Descp.	DRAWING NO.	D-13-T-366
1228	6/24/66	R.R.	Removed #2 Gate & Added new #1 Gate on R/W Line on Rt Sta 6396+00 Added gate to Ctl Grd. Rt Sta. 6389+	SHEET NO.	5 OF 17
2502	1-20-70	M.C.	Added New R/W Lt 6385+ 6397+6	DRAWN BY	C.L. & C.B.
"	"	"	Added New Front Rd & R/W Rt	DATE COMP.	6-26-64
2668	11-2-70	T.N.S.	Revised New R/W North of Front. Rd Sta. 8+00	SCALE	1"=100'
3577	8-30-74	W. MILLS	Finalized		

BENHAM ENGINEERING COMPANY INC.
PHOENIX, ARIZONA

FINALIZED

HARD COPY. 6316 MI CHECK BY. RMillery

¢ Curve Data
Δ = 21°55'40"
D = 0°30'00"
R = 11459.16'
T = 2219.94'
L = 4385.56'
E = 213.05'

N.E.¼ S.W.¼

P.I. 6401+73.91
5/8" I. Pin

Gas Line R/W

120'

Lot 6

6390

6395

6400

6405

6410

6415

6420 Line

13-003

El Paso Nat'l. Gas Lines
30" 24" G G 30" 24" G G 30" 24" G

Approximate ½ Line

P.O.S.T. 1029.4 Ahd. P.I.

(Radial Brg.) N. 29°46'18" E. 150' Lt. Med. ¢ Sta. 6413+00

Approximate ½ Sec. Line

S.W.¼ S.E.¼

93569' New 5 Wire Fence

N 76°57'30" W

New R/W 19 TO Ex ist. R/W Gas Line

New No 2 Gate & 1000 Gate 5 to C-16

New 2-10'X8' Box Culv.
Cattle Pass

13-003-A

L = 912.66 R = 11609.16'

150' Lt. Med. ¢ 6398+00
L.T.B. S 68°19'41" E.

B.M. "F"

New R/W

New Special Game Fence L = 2661.16' R = 11,609.16'

S.61°00'10" E.
1419.90(R)

Ramp 4

Slope Limit

W.B. ¢

Survey ¢ Median ¢

E.B. ¢

Frontage Road

New Special Game Fence

L = 2473.00' R = 11,249.16

Frontage Road

Ramp 3

687.36(R)
S.54°18'31" E.

L = 1248.06'

R = 11,249.16

Obliterate Pavement
Exist. Fence & Gate to be Removed

Exist. 2-10'x8'x56' Box Culv. (Cattle Pass)

Lot 7

Match

60'

New 5 Unit Cattle Guard With Gate

New 5 Wire Fence

N 66°31'51" E.

917.98'

R = 477.47'
L = 327.06'
Frontage Rd. Curve Data
Δ = 45°00'00" Rt.
D = 12°00'00"
R = 477.47'
L = 375.00'

P.C. 6°16.94

P.T. 12+51.94 New Front Rd
220.18+94.88 Exist Front Rd

Mid Point 6401+46.75
¢ Median 5/8" I. Pin

L.T.B. N 66°28'05" W

Found 3" I.P. with brass cap 19½ 1 ft. above ground U.S.G.L.O.

S. 89°30' 10" E.

T22N R5W

T22N R6W

POT 0+40.00
Begin New Frontage Rd

634.25'
Tie From Sec. Cor.

1643.63 to P.O.S.T. 6387+10.85

I-5 Strand Berb Wire Fence
76409 N 0°18'55" E

16' Wide County Road (Lot)

E.B. Curve Data
Δ = 21°55'40"
D = 0°30.1420'
R = 11,405.16'
T = 2209.48'
L = 4364.90'
E = 212.05'

W.B. Curve Data
Δ = 21°55'40"
D = 0°29.8593'
R = 11,513.16'
T = 2230.40'
L = 4406.22'
E = 214.05'

5284.45' Sec. Cor. to Sec. Cor.
3353.20' Sec. Cor. to P.O.T. Sta. 6424+61.31 Med. ¢ S. 89°30' 10" E.
2868.00' to R/W Rt.

¼ Cor. Not Found

(Radial Brg.) N. 33°16' 18" E. Match 260' Rt. Med. ¢ Sta. 6420+00

AT&SF R.R.

REDUCED SIZE DO NOT SCALE

RW/PLANS FILE SET

Click here for I 40 Index

KINGMAN - ASHFORK HIGHWAY
SELIGMAN - EAST SECTION
YAVAPAI COUNTY

REVISIONS				PROJECT NO.	I-40-2(19) 118
C.O.	DATE	BY	Descp.	DRAWING NO.	D-13-T-366
1228	5/24/82	R.R.	Added a new #1 Gate Rt. Sta. 6428± in Frontage Rd. Fence on South. Also added Gate to Ctl. Grd. Rt. Seligman Interchange.	SHEET NO.	6 OF 17
				DRAWN BY	C.L. & C.B.
3577	8-30-82	H. MILLS	Finalized	DATE COMP.	6-26-64
6081	10-19-82	LB	Cut Back Access Control to Crossroad STA 10+73.95 Add New Ramp 1 I-40, Remove Old Ramp	SCALE	1"=100"

BENHAM ENGINEERING COMPANY INC.
PHOENIX, ARIZONA

FINALIZED

CHECKED BY: Rhuller

HARD COPY 6316 MI

SELIGMAN INTERCHANGE
SIDE ROAD UNDER

Sta. 15+16.59 ℄ Crossroad

100' Rt. ℄ Crossroad Sta. 13+00

P.O.T. 10+73.95 End Access Control

P.O.T. 11+38.81 Hub & Tack

℄ R.P.T. 6423+39.53 Back = E.B. P.T. 6423+18.87 Back = W.B. P.T. 6423+60.19 Ahd. EQUA.

P.O.T. 6425+39.53 Ahd.

P.O.T. 6424+61.31

S.W. 1/4 S.E. 1/4

S.E. 1/4 S.E. 1/4

S.34°58'10"W. 216.59(M)

S.89°30'10"E. 5284.45' Sec. Cor. to Sec. Cor.

Found Stone Not Marked 5" Below Ground

N.W. 1/4 N.W. 1/4

N.01°16'35"E. 5160.00' 1314.09(M)

N.02°25'10"E. 411.16' 268.17

344.29'

S.55°01'50"E.

1130.55'(M)

330' Lt. Med. ℄ Sta. 6432+00

146.12'

S.30°48'10"E 438.63'(M)

150' Lt. Med. ℄ Sta. 6436+00

N.E. 1/4 N.E. 1/4

New Game Fence

S.61°00'10"E. 1419.90'(M)

250' Lt. Med. ℄ Sta. 6427+00

7+32.45 Sec. Line

766.59'(M)

389.85'

Ramp-4

410.85'

410.85' Calc.

121.78'

34°28'30"

338.69'

3 Span Overpass

Ramp-3

185.20'

54.51'

648.99'(M)

S.44°47'20"E.

New Game Fence

2868.00' to Sec. Cor.

(Radial Brg.) N.33°16'18"E.

Match 260' Rt. Med. ℄ Sta. 6420+00

N.W. 1/4 N.E. 1/4

390' Rt. Med. ℄ Sta. 6427+00

P.O.T. 0+00 5/8" I. Pin

390' Rt. Med. ℄ Sta. 6429+00

250' Rt. Med. ℄ Sta. 6429+00

P.O.T. 5+00 Crossroad = P.O.T. Med. ℄ Sta. 6428+00

Sta. 6433+00

Ramp 1

Ramp-2

Slope Limit

1004.99'(M)

S.60°44'28" E.

New R/W

982.56'(M)

E.B. ℄

New Special Game Fence

150' Rt. Med. ℄ Sta. 6439+00

Approximate 1/16 Line

Approximate 1/16 Line

S.E. 1/4 N.E. 1/4

6448+82.56

1/4 Cor. Not In Match

Found Mound of Stones Not Marked

36" Pipe Culvert

New R/W New Special Game Fence

1082.54'(R)

Slope Limit

56°18'25"

W.B. ℄

Survey ℄ Median ℄

182.29'(R)

6446+82.54'

P.O.T. 6447+82.55

Sec. Line

Line

6420 6425 6430 6435 6440 6445 6450

13-003 13-004 13-004 T-1

I-40-2(32)112 END CONST. PROJ. | I-40-2(20)118 BEGIN CONST. PROJ.

W.B. Curve Data	℄ Curve Data	E.B. Curve Data
Δ=21°55'40"	Δ=21°55'40"	Δ=21°55'40"
D=0°29.8593'	D=0°30'00"	D=0°30.1420'
R=11,513.16'	R=11,459.16'	R=11,405.16'
T=2230.40'	T=2219.94'	T=2209.48'
L=4406.22'	L=4385.56'	L=4364.90'
E=214.05'	E=213.05'	E=212.05'

Ⓐ New 4 Unit Cattle Guard Std. C-16 (With Gate)
Ⓑ New 3 Unit Cattle Guard Std. C-16 (No Gates)

SEE SHEET 5 FOR INSET

Click here for I 40 Index

KINGMAN-ASHFORK HIGHWAY
SELIGMAN-EAST SECTION
YAVAPAI COUNTY

REVISIONS		
DATE	BY	
8-30-64	H. MILLS	Finalized CO #3377

PROJECT NO.	I-40-2(19) 118
DRAWING NO.	D-13-T-366
SHEET NO.	7 OF 17
DRAWN BY	C.L. & C.B
DATE COMP.	6-26-64
SCALE	1"=100'

BENHAM ENGINEERING COMPANY INC.
PHOENIX, ARIZONA

CHECKED BY. Pulley

HARD COPY. 6316 MI

FINALIZED

Registered Professional Engineer — Certificate No. — WILLIAM E. CHARLES — Date — Arizona U.S.A.

SEE SHEET 5 FOR INSET

N.W. 1/4 N.W. 1/4

13-004 L-1 | 13-004

Approximate 1/16 Line

Approximate 1/16 Line

S.E. 1/4 N.W. 1/4

13-004 L-1 | 13-004

Approximate 1/4 Line

N.W. 1/4 S.E. 1/4 Line

6450 Line

New No. 2 Gate & Flood Gate Std. C-16

New 10'X8' Box Culv. Cattle Pass

6455

P.O.T. 6457+18.40 Hub & Tack

6460

New R/W

6465

P.O.T. 6466+93.99 Hub & Tack

New Special Game Fence

6470

P.O.T. 6475+14.88 5/8" I. Pin

6475

5 Std. Barb Wire Fence

6480

150' 22' 96' 16' 16' 54' 54' 96' 22' 150'

W.B. ℄

Survey ℄ Median ℄

S. 55° 01' 50" E.

E.B. ℄

Slope Limit

Slope Limit

New R/W

New Special Game Fence

New No. 2 Gate & Flood Gate Std. C-16

New 10'X8' Box Culv. Cattle Pass

13-004 L-1 | 13-004

Approximate 1/4 Line

Match

Match

S.W. 1/4 N.W. 1/4

N.E. 1/4 S.W. 1/4

13-004 L-1 | 13-004

3845.91' to P.O.T. 3847+82.55

5160.00'

N. 01° 16' 35" E.

1/4 Cor. Not In

8

7

T22N R5W

Sec. Cor. Found Mound of Stone, None Marked

7 8 17 18

Click here for I 40 Index

RW/PLANS FILE SET
REDUCED SIZE DO NOT SCALE

KINGMAN - ASHFORK HIGHWAY
SELIGMAN - EAST SECTION
YAVAPAI COUNTY

REVISIONS		
DATE	BY	
8-30-72	H. MILLS	Finalized Co.#3377

PROJECT NO.	I-40-2(19) 118
DRAWING NO.	D-13-T-366
SHEET NO.	8 OF 17
DRAWN BY	C.L. & C.B.
DATE COMP.	6-26-64
SCALE	1" = 100'

BENHAM ENGINEERING COMPANY INC.
PHOENIX, ARIZONA

CHECKED BY. Blakley

HARD COPY. 6316 MI

SEE SHEET 9 FOR INSET

FINALIZED

Registered Professional Engineer — Certificate Expires — Wm. Scott Carlisle — Dec. 31, 19[illegible] — Arizona U.S.A.

13-004 L-1 | 13-004

13-003

1/4 Cor. Found Stone Marked 1/4 (Has been disturbed)

9 | 8 | 16 | 17

Approximate 1/16 Line

N.E. 1/4 S.E. 1/4

N.W. 1/4 S.E. 1/4

Line

6480 | 6485 | 6490 | 6495 | 6500 | 6505 | 6510

P.O.T. 6484+27.00

P.O.T. 6486+27.59

Hub & Tack

P.O.T. 6496+63.23

5/8" I. Pin

P.O.T. 6498+78.00

P.O.T. 6502+70.00

P.O.T. 6502+83.96

Hub & Tack

2113.11'

N.01°35'25"E.

New 6-10'X8' Box Culv. Cattle & Vehicle Pass

Drainage Easement

150' Lt. 6509+50

6507+87.62

P.O.T. 6508+86.45

Sec. Line

150' Lt. 6509+50

New No. 2 Gate & Flood Gate Std. C-16

New 10'X8' Box Culv. Cattle Pass

Remove & Salvage Fence Within R/W.

New R/W

New Special Game Fence

No.1 Gate Locked

Slope Limit

W.B. ℄

Survey ℄ Median ℄

S. 55°01'50" E.

Ranch Road

No Access

Remove & Salvage Fence Within R/W

56°37'15"

150' | 22' | 96' | 16'16" | 54'54"

E.B. ℄

Slope Limit

No Access

New R/W

No.1 Gate Locked

New Special Game Fence

5 Strand Barb Wire Fence

S.E. 1/4 S.E. 1/4

150' Rt. 6504+50

Flood Gate

6509+85.28

New 6-10'X8' Box Culv. Cattle & Vehicle Pass

Drainage Easement

Match

450' Rt. 6504+50

450' Rt. 6511+00

Found Stone Marked 4 Notches S, 5 Notches E.

Dirt Water Tank

Match

Approximate 1/4 Line

Approximate 1/16 Line

Four Corners Nat'l. Gas Line

S.W. 1/4 S.E. 1/4

13-004 L-1 | 13-004

RW/PLANS FILE SET

REDUCED SIZE DO NOT SCALE

Click here for I 40 Index

KINGMAN – ASHFORK HIGHWAY
SELIGMAN – EAST SECTION
YAVAPAI COUNTY

W.B. Curve Data	℄ Curve Data	E.B. Curve Data
Δ = 15° 51' 37"	Δ = 15° 51' 37"	Δ = 15° 51' 37"
D = 0° 15.0354'	D = 0° 15' 00"	D = 0° 14.9647'
R = 22,864.31'	R = 22,918.31'	R = 22,972.31'
T = 3184.95'	T = 3192.47'	T = 3199.99'
L = 6329.16'	L = 6344.11'	L = 6359.06'
E = 220.76'	E = 221.28'	E = 221.80'

REVISIONS		
DATE	BY	
8-30-72	H. MILLS	Finalized C.O.# 3377

PROJECT NO.	I-40-2(19) 118
DRAWING NO.	D-13-T-366
SHEET NO.	9 OF 17
DRAWN BY	C.L. & C.B.
DATE COMP.	6-26-64
SCALE	1"=100'

BENHAM ENGINEERING COMPANY INC.
PHOENIX, ARIZONA

CHECKED BY: Stauffer

HARD COPY 6316 MI

Found Mound of Stones (Has been disturbed)

Registered Professional Engineer (Civil) — Certificate Expires — WILSON D. CHARLES — DEC. 31, 19 64 — ARIZONA U.S.A.

FINALIZED

700' Lt. 6509+50 — 700' Lt. 6514+50 — Drainage Easement

P.O.T. 651I+82.68 — Hub & Tack — New 6-10'X8' Box Culv. Cattle & Vehicle Pass — New Type 2 Gate — ℄ Flood Gate

150' Lt. 6509+50 — 6510 — Line — 6515 — 150' Lt. 6514+50 — New Special Game Fence

S.W. ¼ S.W. ¼ — 13-003 — 6520 — P.C. 6519+17.44 — ⅝" I. Pin — (Radial Brg.) 652I+63.57 ℄ N.34°21'14"E.

L=244.55' — R=22,768.31' L=532.88' — 1129.82'(R) — S.55°01'50"E. — 290.57'

New 6'X4' Box Culv. — (Radial Brg.) N.33°00'47"E. — 150' Lt. 6527+00 — 165' Lt. 6527+00 — P.O.C. 6528+20.90 — 1558.90' — S.86°24'40"E.

6525 — 6530 — 2417.50' — 13-004 L-1 — 13-004 — Approximate ¼ Line — 34" G

New R/W — R=22,753.31' L=694.96' — (Radial Brg.) N.3°15'47"E. — 165' R 6534+00 — 6535 — 150' Lt. 6534+00 — R=22,768.31' L=3575.94' — 6540 — Line

W.B. ℄ — Survey ℄ Median — E.B. ℄ — ℄ Slope Limit — 165' — 150' — 165' — 150' — 22' — 96' — 54" — 16' — 16' — 150'

682.72'(R) — 31°22'55"(R) — 288.06' — 249.44'(R) — Slope Limit — R=23,068.31' L=5238.06' — New Special Game Fence

Rt. E.B. Sta 6538 — New Modified No. 1 Gate (Locked)

150' Rt. 651I+00 — New 6-10'X8' Box Culv. Cattle & Vehicle Pass — 858.60' — 535.09' — N.01°35'25"E. — 6509+85.28 Match — 13-004 L-1 — 13-004

Drainage Easement — 8 — 9 — 16 — 17 — Found Stone Marked 2 Notches S., 5 Notches E.

450' Rt. 651I+00 — T22N R5W — N.W. ¼ N.W. ¼ — 6516+68.00 — P.O.T. 6519+13.92 Sec. Line — El Paso Natl. Gas Line — 34" G

Approximate ¼ Line — P.O.S.T. 6528+05.05 — N.E. ¼ N.W. ¼ — Match — 30" G — Trans Western Gas Line — 30" G

RW/PLANS FILE SET — REDUCED SIZE U.S. WEST SOURCE

Click here for I 40 Index

KINGMAN – ASHFORK HIGHWAY
SELIGMAN – EAST SECTION
YAVAPAI COUNTY

W.B. Curve Data	℄ Curve Data	E.B. Curve Data
Δ = 15°51'37"	Δ = 15°51'37"	Δ = 15°51'37"
D = 0°15.0354'	D = 0°15'00"	D = 0°14.9647'
R = 22,864.31'	R = 22918.31'	R = 22,972.31'
T = 3184.95'	T = 3192.47'	T = 3199.99'
L = 6329.16'	L = 6344.11'	L = 6359.06'
E = 220.76'	E = 221.28'	E = 221.80'

REVISIONS			PROJECT NO.	I-40-2(19)118
DATE	BY		DRAWING NO.	D-13-T-366
8-30-64	H. MILLS	Finalized - O.#3317	SHEET NO.	10 OF 17
			DRAWN BY	C.L. & C.B.
			DATE COMP.	8-26-64
			SCALE	1"=100'

BENHAM ENGINEERING COMPANY INC.
PHOENIX, ARIZONA

CHECKED BY Bailey

HARD COPY 6316 MI

SEE SHEET 9 FOR INSET

FINALIZED

T 22 N R 5 W

Sec. Cor. 15 Not In 9 10 16

Registered Professional Engineer — Certificate Expires — WILSON D. CHARLES — DEC. 31, 19 64 — ARIZONA U.S.A.

13-003

Approximate Sec. Line Due North

13-004 L-1 | 13-004

N.W. ¼ N.E. ¼

P.O.C. 6544+93 Gas Line

6540 Line

Lt. W.B. Sta. 6544 New Modified No.1 Gate (Locked)

Drainage Easement N. 27°19'32" E.

400' Lt. 6549+75

N. 62°47'58" W., 38.25' (R)

Point 6550+89.50

400' Lt. 6550+75

30" Trans Western Gas Line

Approximate ¼ Line

5/8" Iron Pin

150' Lt. 6549+75

150' Lt. 6550+75

6550

6555

6560

6565

6570

S.E. ¼ N.E. ¼

P.O.C. 6563+11.00 5 Wire Power Line Crossing 25° Left

6569+99.45 N. 22°15'21.5" E. (Radial Brg.)

P.O.C. 6570+60.84 Sec. Line

36" Casing By Others

New R/W

New Special Game Fence

L = 3575.94' R = 22,768.31'

Slope Limit

W.B. ℄

Survey ℄ Median ℄

E.B. ℄

L = 5238.06' R = 23,068.31'

150' 96' 22' 54' 16'

New 42" Pipe Culvert

New 60" Pipe Culvert

Match

N. 28°52'52" E.

P.O.S.T. 6543+19.40 Gas Line

Approximate ¼ Line

S.W. ¼ N.E. ¼

P.I. 655+09.91 Hub & Tack

Approximate ¼ Line

P.O.S.T. 858.7 Ahd. P.I. Power Line

N.E. ¼ S.E. ¼

P.O.S.T. 2003.14' Ahd. P.I. Approx. Sec. Line

REDUCED SIZE DO NOT SCALE

RW/PLANS FILE SET

Click here for I 40 Index

KINGMAN - ASHFORK HIGHWAY
SELIGMAN - EAST SECTION
YAVAPAI COUNTY

REVISIONS			PROJECT NO.	1-40-2(19) 118
DATE	BY		DRAWING NO.	D-13-T-366
9-30-64	H. MILLS	Finalized C.E. 3377	SHEET NO.	11 OF 17
			DRAWN BY	C.L. & C.B.
			DATE COMP.	6-26-64
			SCALE	1"=100'

BENHAM ENGINEERING COMPANY INC.
PHOENIX, ARIZONA

CHECKED BY: Pulley

HARD COPY 6316 MI

SEE SHEET 9 FOR INSET

FINALIZED

1/4 Cor. Not Found

15

S.E. 1/4 N.W. 1/4

S.W. 1/4 N.W. 1/4

13-003

℄ P.T. 6582+61.55 Back =
E.B. P.T. 6582+76.50 Back =
W.B. P.T. 6582+46.60 Back =
Equa. P.O.T. 6582+61.55 Ahead

Approximate 1/4 Line

Approximate 1/4 Line

6569+99.45
N.22°15'21.5"E.
(Radial Brg.)

P.O.C. 6570+60.84
Sec. Line

6570

6575

6580

6585

6590

6595

6600

New No. 2 Gate ℄
Flood Gate Std. C-16

New 10'X8' Box Culv.
Cattle Pass

New R/W

New Special Game Fence

Slope Limit

W.B. ℄

Survey ℄ Median ℄ S. 70°53'27"E.

E.B. ℄

L = 1253.79' R = 22,768.31'

L = 1147.57' R = 23,068.31'

New 60" Pipe Culvert

1/4 Cor. Found Stone
Marked 1/4 (been disturbed)

150'
96'
22'
16'
54'
16'
18"

P.O.S.T. 2003.14' Ahd. P.I.
Approx. Sec. Line

6571+21.40
N.21°57'34"E.
(Radial Brg.)

13-004 T-1

13-004

Approximate Sec Line

Sec. Cor. Not In

16 15 21 22

T 22 N R 5 W

N.W. 1/4 S.W. 1/4

N.E. 1/4 S.W. 1/4

Approximate 1/16 Line

Match

Match

W.B. Curve Data	℄ Curve Data	E.B. Curve Data
Δ = 15°51'37"	Δ = 15°51'37"	Δ = 15°51'37"
D = 0°15.0354'	D = 0°15'00"	D = 0°14.9647'
R = 22,864.31'	R = 22,918.31'	R = 22,972.31'
T = 3184.95'	T = 3192.47'	T = 3199.99'
L = 6329.16'	L = 6344.11'	L = 6359.06'
E = 220.76'	E = 221.28'	E = 221.80'

Click here for I 40 Index

REDUCED SIZE
DO NOT SCALE

RW/PLANS
FILE SET

KINGMAN - ASHFORK HIGHWAY
SELIGMAN - EAST SECTION
YAVAPAI COUNTY

CHECKED BY Ramsey

HARD COPY 6316 MI

REVISIONS	
DATE	BY
8-30-65	H. MILLS Finalized CO # 3377

PROJECT NO.	I-40-2(19) 118
DRAWING NO.	D-13-T-366
SHEET NO.	12 OF 17
DRAWN BY	C.L. & C.B.
DATE COMP.	6-26-64
SCALE	1"=100'

BENHAM ENGINEERING COMPANY INC.
PHOENIX, ARIZONA

FINALIZED

Registered Professional Engineer (Limited) Certificate Expires Wilson D. Charles Dec. 31, 19 64 Arizona U.S.A.

N.W. 1/4 S.E. 1/4 | N.E. 1/4 S.E. 1/4 | N.W. 1/4 S.W. 1/4

1/4 Cor. Found Mound of Stones, None Marked

15 14

Due North 1747.56'

6600 Line | 6605 | 6610 | 6615 | 6620 | 6625 | 6630 Line

P.O.T. 6605+89.44 5/8" I. Pin

P.O.T. 6612+62.52 Hub & Tack

P.O.T. 6627+42.27 Sec. Line

P.O.T. 6628+53.08 5/8" I. Pin

13-003

New R/W | New Special Game Fence

Slope Limit | W.B. ℄

S. 70° 53' 27" E.

Survey ℄ Median ℄

150' | 96' | 22' | 54' | 16'

Slope Limit | E.B. ℄

New R/W | New Special Game Fence

Approximate 1/16 Line

Approximate 1/4 Line

Approximate 1/16 Line

Approximate Sec. Line

Match | Match

S.W. 1/4 S.E. 1/4

S.E. 1/4 S.E. 1/4

S.W. 1/4 S.W. 1/4

13-004-I-1 | 13-004

15 22 | 14 23

1/4 Cor. Not Found

T 22 N R 5 W

Sec. Cor. Not In

REDUCED SIZE DO NOT SCALE

RW/PLANS FILE SET

Click here for I 40 Index

KINGMAN – ASHFORK HIGHWAY
SELIGMAN – EAST SECTION
YAVAPAI COUNTY

REVISIONS		
DATE	BY	
9-30-64	M.H. WILLS	Finalized CO#3377

PROJECT NO.	I-40-2(19) 118
DRAWING NO.	D-13-T-366
SHEET NO.	13 OF 17
DRAWN BY	C.L. & C.B.
DATE COMP.	6-26-64
SCALE	1"=100'

BENHAM ENGINEERING COMPANY INC.
PHOENIX, ARIZONA

CHECKED BY: Bailey

HARD COPY 6316 MI

SEE SHEET 12 FOR INSET

FINALIZED

Registered Professional Engineer and Land Surveyor
CERTIFICATE EXPIRES
WILBUR D. CHARLES
DEC. 31, 19
ARIZONA U.S.A.

N.W. ¼ S.W. ¼
Approximate ¼16 Line
Line
P.O.T. 6633+45.66
Hub & Tack
6630
6635
6640
P.O.T. 6643+88.33
5/8" I. Pin
6645
S.E. ¼ S.W. ¼
13-004
13-004 L-1
150' Lt. 6648+00
205' Lt. 6648+00
6650
New Type 2 Gate
205' Lt. 6653+00
150' Lt. 6653+00
6655
Approximate ¼ Line
¼ Cor. Found One Stone Not Marked
6657+52.02
P.O.T. 6658+87.30
Hub & Tack
6660
Line
New Special Game Fence
New R/W
Slope Limit
W.B. ℄
S. 70°53' 27" E.
Survey ℄ Median ℄
E.B. ℄
150'
22'
96'
54'
16'
205'
190'
220'
208.30'
14
23
S.W. ¼ S.W. ¼
150' Rt. 6635+50
190' Rt. 6635+50
Match
Approximate Sec. Line Due East
T22N R5W
15
14 Sec. Cor. Not In
22
23
N.W. ¼ N.W. ¼
190' Rt. 6645+00
220' Rt. 6645+00
Approximate ¼16 Line
138" Str. Plate Pipe Cattle Pass
New Type 2 Gate
13-003
220' Rt. 6653+00
150' Rt. 6653+00
P.O.T. 6654+87.00 Sec. Line
N.E. ¼ N.W. ¼
N.W. ¼ N.E. ¼
Match

REDUCED SIZE
DO NOT SCALE

RW/PLANS
FILE SET

Click here for I 40 Index

KINGMAN - ASHFORK HIGHWAY
SELIGMAN - EAST SECTION
YAVAPAI COUNTY

REVISIONS		
DATE	BY	
2-15-66	Nac.	Bearing equation set at med. sta. 8680+00.00 (C.O. No. 1368)
9-30-74	H. MILLS	Finalized C.O. #3377

PROJECT NO.	I-40-2(19) 118
DRAWING NO.	D-13-T-366
SHEET NO.	14 OF 17
DRAWN BY	C.L. & C.B.
DATE COMP.	6-26-64
SCALE	1"=100'

BENHAM ENGINEERING COMPANY INC.
PHOENIX, ARIZONA

FINALIZED

Registered Professional Engineer and Land Surveyor Certificate Expires WILLARD D. CHARLES Dec. 31, 19 ARIZONA U.S.A.

CHECKED BY Bailey

HARD COPY 6316 MI

S.W. 1/4 S.E. 1/4

T22N R5W

S.E. 1/4 S.E. 1/4 Approximate Sec. Line

Sec. Cor. Not Found

13 24 23 14

END R/W PROJ. I-40-2(19) 118

BEGIN R/W PROJ. I-40-2(22) 124
SEE R/W PLANS D-13-T-365

13-004 L-1

13-004

Line

P.O.T. 6662+70.43 Hub & Tack

P.O.T. 6672+03.89 Hub & Tack

P.O.T. 6675+76.67 Hub & Tack

P.O.T. 6683+79± Sec. Line

6660 6665 6670 6675 N.E. 1/4 N.E. 1/4 6680 6685

New R/W

New Special Game Fence

W.B. ℄

Slope Limit

S. 70° 53' 27" E.

Survey ℄ Median ℄

E.B. ℄

150' 22' 96' 16' 16' 54'

Match

N.W. 1/4 N.E. 1/4

13-003

13-003

Approximate 1/16 Line

SEE SHEET 12 FOR INSET

BRG. EQUA. S 70°53'27"E Bk. = S 70°30'06"E Ahd.

Approximate Sec. Line

Approximate 1/16 Line

I-40-2(20) 118 END CONST. PROJ.

I-40-2(23) 124 BEGIN CONST. PROJ.

24 Sec. Cor. Not Found

23 25 26

REVISED FILE SET

REDUCED SIZE DO NOT SCALE

Click here for I 40 Index