FINALIZED C.O.5440, 8-24-79-R.L.R.



STATE OF ARIZONA
STATE HIGHWAY DEPARTMENT

RIGHT OF WAY PLAN OF THE

DUNCAN-ALPINE
STATE HIGHWAY

PROJECT NO. S-218-706

GREENLEE
COUNTY

FED. ROAD DIV. NO.	STATE	PROJECT NO.	SHEET NO.	TOTAL SHEETS
7	ARIZ.	S-218-706	1	12

RIGHT OF WAY MAP NO. D-6-T-106

ALIGNMENT, RIGHT OF WAY,
APPROVED IN ACCORDANCE WITH HIGHWAY PLANS.
SHEET 4 THRU 12
DATE Aug 24, 1964 [signature]
ASSISTANT STATE ENGINEER

APPROVED IN ACCORDANCE WITH RESOLUTION DATED:
25 Sept. 1964, MINUTES OF THE ARIZONA
HIGHWAY COMMISION RES. NO: 64-77

A.F.E. NO. 75001

NOTE:

THE SOLID DOT, AS SHOWN BELOW, DOES NOT DESIGNATE A R/W MARKER BUT REPRESENTS AN ANGLE POINT OR CHANGE OF DIRECTION IN THE R/W LINE & IS FOR OFFICE USE ONLY.


N
R29E
R30E
R30E
R31E
R31E
R30E
R31E
DUNCAN
To Lordsburg
To Safford
Gila
Gila River
SHELDON
S.P.R.R.
Sta 341+90±
Sta 580+23±
S-218-706
4.5 Miles
Bitter Creek
Rock Camp Creek
China Camp Creek
Stable Mesa
Stable Creek
Bonita Creek
Big Dry Creek
Dry Creek
Bonita Creek
Bonita Creek
Big Dry Creek
Big Dry Creek
Big Dry Creek
To Mule Creek
Bonita Creek
Bonita Creek
Bonita

DUNCAN - ALPINE HWY.

SAND WASH - NORTH

GREENLEE. CO.

Click here for SR 75 Index

REVISIONS			
C.O.	DATE	BY	DESCRIPTION
1684	8-24-79	E.Ross	Added Parcel 6-18-1.
1910	5-1-68	M.	Revised Areas Par. 6-013.
5440	8-24-79	R.L.R.	FINALIZED.

REVISIONS			
C.O.NO	DATE	BY	DESCRIPTION
482	12-23-64	E.L.R.	Deleted 6-024, 6-025; 6-026 & 6-027.
488	12-28-64	E.L.R.	Chgd 6-025-1 D.E. from 0.2 To 0.3 Ac.
"	"	"	Added Items 6-026 & 6-027 as Constr. Easements Only.
762	8-18-65	E.L.R.	Added Item 6-013-A.
—	—	—	—
919	12-15-65	E.L.R.	Revised 6-029 Added ease area - 0.2 AC.

PROJECT NO.	S-218-706
DRAWING NO.	D-6-T-106
SHEET NO.	2 OF 12
DRAWN BY	E.L. ROGERS
DATE COMP.	8-10-64
SCALE	1" = 100'

CHECKED BY: John Shumaker

HARD COPY 6363 M.S.

*Eugene & Rosalie N. Harrington, et ux

OWNERSHIP RECORD

ACQUISITION RECORD

PARCEL NUMBER	OWNER	DESCRIPTION	TOTAL AREA	AREA REQUIRED GROSS INCLUDING EXISTING R/W	AREA REQUIRED NET EXCLUDING EXISTING R/W	EASEMENT AREA	REMAINDER LEFT	REMAINDER RIGHT	SHEET NUMBER	COMMISSION APPROVAL	TYPE & DATE OF INSTRUMENT	RECORDED DATE	RECORDED BOOK	RECORDED PAGE
6-013	State of Arizona (S.L.D.)	SW¼NE¼ Sec. 34 T7S R3IE	12.0.0	~~6.5~~ 6.4 Ac.	3.2 Ac.				5					
		NW¼NW¼ Sec. 27 T7S R3IE	40.0	~~9.4~~ 9.3 Ac.	~~6.3~~ 6.2 Ac.				7	4-22-69	R/W Grant 5-15-69	B-24-79	102	282-283
		SE¼ SE¼ Sec. 16 T7S R3IE	248.1		~~1.7~~ 1.8 Ac.	~~0.3 Ac.~~			9 & 10					
		Lot 3, NE¼SW¼ & E½NW¼ Sec. 3, & Pt. W½NE¼ Sec. 16 T7S, R3IE.	442.1	Easement	only	~~2.62 Ac.~~			11 & 12	4-22-69	R/W Grant 5-15-69	8-24-79	102	280-281
6-013-L-1	R.J. & Hattie Golding H/W G.L. 1502-N	SW¼NE¼ Sec. 34 T7S R3IE	240.0						5	7-7-65	P.R.L. 12-29-64	NOT	RECORD	ED
6-013-L-2	R.E. & Margaret Mc Bride H/W G.L. 6 1240-L	NW¼NW¼ Sec. 27 T7S R3IE	40.0						7	7-7-65	P.R.L. ~~12-29-64~~	NOT	RECORD	ED
6-013-L-3	W. D. Mc Keon G.L. # 282	SE¼SE¼ Sec. 16 T7S R3IE	248.1						9 & 10	7-7-65	P.R.L. 12-30-64	NOT	RECORD	ED
6-014	U.S.A. B.L.M.	NW¼NE¼ Sec. 34 T7S R3IE	200.0	5.3	2.8	0.4			5	1-20-65	R/W Grant 1-8-65	1-27-65	16	97-98
		Lot 3, SW¼SE¼, NE¼SW¼ & SE¼NW¼ Sec. 27 T7S R3IE	473.3	13.6	10.7	0.3			6-7					
		SW¼SW¼, NW¼W¼ & SW¼NW¼ Sec. 22 T7S R3IE	640.0		3.9	1.6			8-9	1-8-65	R/W Grt. 10-29-64	1-19-65	16	82-83
6-015	James C. Gordon et. ux.	Pt. Lot 1. Sec. 34 T7S R3IE	22.6		0.8		22.3		5	12-18-64	W.D. 11-17-64	1-27-65	16	99-100
6-016	Chas. H & Ruth E. Boswell H/W & Geo. T. Bowles, Single.	SW¼NW¼ Sec. 27 T7S R3IE	40.0	3.4	1.7		35.2	1.4	7	12-18-64	W.D. 11-10-64	2-3-65	16	139
6-017	R.E. & Margaret Mc Bride H/W	Pt. SE¼SE¼ Sec. 21 T7S R3IE	12.73		0.9		11.83		8	6-21-65	W.D. 11-10-64	11-1-65	17	533-534
6-018	Bob Gee & Phillips Staley et ux	Pt. NE¼SE¼ Sec. 21 T7S R3IE	1.0		0.2		0.8		8	1-8-65	W.D. 11-24-64	1-27-65	16	101-102
6-019	J.L. Phillips et. ux.	Pt. NE¼SE¼ Sec. 21 T7S R3IE	3.2.		0.2	0.3	2.7		8	12-18-64	W.D. 11-12-64	2-10-65	16	171-172
6-019-1	J.L. Phillips et. ux.	Pt. NE¼SE¼ Sec. 21 T7S R3IE	20.3		1.3		19.0		8	12-18-64	W.D. 11-12-64	2-10-65	16	171-172
6-020	Geo. Acres	Pt. NE¼SE¼ Sec. 21 T7S R3IE	2.7		0.1	0.2	2.4		8	12-18-64	W.D. 11-19-64	2-11-65	16	176-177
6-021	Norman E. Crockett et ux.	SE¼NE¼ Sec. 21 T7S R3IE	40.0	9.4	6.4		25.0	5.6	8-9	1-20-65	W.D. 11-12-64	3-3-65	16	248-249
6-022	David & Russell Edson C.P.	Pt. NE¼NE¼ Sec. 21 T7S R3IE	38.8		6.6		5.9	26.3	9	11-30-65	F.D.C. 4-6-66	4-29-66	18	428-430
6-023	~~Theodore Ramsey Jr. et ux.~~	Pt. SW¼SE¼ Sec. 16 T7S R3IE	42.6	6.7	3.5		35.2	0.7	9 & 10	1-8-65	W.D. 11-18-64	2-10-65	16	165-166
~~6-024~~	~~Charles H. Whitaker~~	~~Pt. SW¼SE¼ Sec. 16 T7S R3IE~~	~~14.4~~		~~0.1~~		~~13.3~~		10		DELETED	10-5-64		
~~6-025~~	~~S.B. Bennett et ux.~~	~~Pt. NW¼SE¼ Sec. 16 T7S R3IE~~	~~7.9~~		~~0.3~~		~~7.6~~		10		DELETED	10-5-64		
6-025-1	S.B. Bennett et ux.	Pt. NW¼SE¼ Sec. 16 T7S R3IE	12.1			0.3	11.8		10	12-18-65	T.E. & D.E. esm't's 11-11-64	1-7-65	16	34-36-36A
~~6-026~~	~~Joe DeLeon et ux.~~	~~Pt. NW¼SE¼ Sec. 16 T7S R3IE~~	~~2.4~~		~~0.3~~		~~2.1~~		10		DELETED	10-5-64		
~~6-027~~	~~Charlie G. Wagley et ux.~~	~~Pt. NW¼SE¼ Sec. 16 T7S R3IE~~	~~5.0~~		~~0.1~~		~~4.5~~		10		DELETED	10-5-64		
6-028	Wm & Wilma Lee H/W	Pt. NW¼SE¼ Sec. 16 T7S R3IE	4.9		0.8	0.3		3.8	10	6-21-65	W.D. 11-20-64	7-9-65	17	100-101
6-029	Wm H. & Hilda Mc Clain H/W	Pt. NW¼SE¼ Sec. 16 T7S R3IE	~~7.072~~		0.8	0.2		6.2	10	3-12-65	W.D. 8-9-66	8-31-66	19	346-347
6-026	Joe DeLeon et ux.	Pt. NW¼SE¼ Sec. 16 T7S R3IE		CONSTR.	EASEMENT ONLY				10			NOT	RECORD	ED
6-027	Charlie G. Wagley et ux.	Pt. NW¼SE¼ Sec. 16 T7S R3IE		CONSTR.	EASEMENT ONLY				10			NOT	RECORD	ED
6-016-A	Chas. H. & Ruth E. Boswell H/W et al.	Pt. of SW¼NW¼ Sec. 27 T.7S. R.3IE.		Constr.	Easement Only.				7			NOT	RECORD	ED
6-013-A	State of Arizona (S.L.D.)	Pt. NW¼NW¼ Sec. 27 T. 7S R3IE	unknown		0.4				7	4-22-69	R/W Grant 5-15-69	8-24-79	102	280-281
6-IA-1	Ida Sexton & Howard Sexton	Pt. Lot 5 Sec. 9, T.7S. R.3IE.							12					

FINALIZED

DIETZGEN 100 IMPERIAL 180 2-69

DUNCAN–ALPINE HWY.
SAND WASH – NORTH
GREENLEE COUNTY

CHECKED BY John E. Gillespie

HARD COPY 6363-M3

INDEX TO EXISTING R/W

INDEX		SEC.	TWP.	RANGE	ACQUIRED FROM	TYPE	BOOK	PAGE	WIDTH	YEAR	PARCEL #
A	W1/2 SE1/4	34	7 S	31 E	STATE	APPLICATION			200'	1964	D-464
B	W1/2 NE1/4	34	7 S	31 E	STATE	APP.# 267			100'	1936	
C	S1/2 NW1/4 & S1/2	27	7 S	31 E	PUBLIC DOMAIN	NO RECORD					
D	NW1/4 NW1/4	27	7 S	31 E	STATE	APP.# 267			100'	1936	
E	NE1/4 NE1/4	28	7 S	31 E	V. P. GOULD ET. UX.	EASE.	8	23&24	100'	1935	
F	SE1/4 SE1/4	21	7 S	31 E	M.J. DANIELS	EASE.	8	22&23	100'	1935	
G	NE1/4 SE1/4	21	7 S	31 E	C.F. HILL ET. UX.	EASE.	8	24&25	66'	1935	
H	NE1/4 SE1/4	21	7 S	31 E	J.L. PHILLIPS ET. UX.	EASE	8	30&31	100'	1935	
I	SE1/4 NE1/4	21	7 S	31 E	STATE	APP.# 267			100'	1936	
J	NE1/4 NE1/4	21	7 S	31 E	A.N. CAMPBELL	EASE.	8	19&20	100'	1935	
K	NW1/4 NE1/4	21	7 S	31 E	J.K. CHILTON ET. UX.	EASE.	8	18&19	100'	1935	
L	SW1/4 SE1/4	16	7 S	31 E	J.M. MOORE ET. AL.	EASE.	8	28-30	100'	1935	
M	NW1/4 SE1/4	16	7 S	31 E	G.H. COSPER ET. UX.	EASE.	8	20-22	100'	1935	
N	W1/2 NE1/4	16	7 S	31 E	STATE	APP.# 413 G-N-S			200'	1940	
O	LOT 8	16	7 S	31 E	G.H. COSPER ET. UX.	EASE	9	60	200'	1939	
P	LOT 3	9	7 S	31 E	D. SEXTON	EASE	9	61	200'	1938	
Q	E1/2 NW1/4 & NE1/4 SW1/4	9	7 S	31 E	STATE	APP.# 413 G-N-S			200'	1940	
R	LOT 5	9	7 S	31 E	IDA SEXTON WIDOW	EASE	9	266	200'	1940	

REVISIONS				PROJECT NO.	S-218-706
C.O.NO.	DATE	BY	DESCRIPTION	DRAWING NO.	D-6-T-106
482	10-5-64	E.L.R	Deleted R/W L.T. 495+79 to 513+23. Deleted L-024, L-025	SHEET NO.	3 OF 12
5440	8-3-65	E.L.R	G-026 & G027. Chg. D.E. G-025-1 TO 0.3 AC.	DRAWN BY	E.L. ROGERS
		R.L.R	FINALIZED.	DATE COMP.	2-6-64
				SCALE	1"=1000'

FINALIZED

SURVEY			CURVE DATA			SPIRAL CURVES		
CURVE NO.	Δ	D	R	T	L	a	Δ	L
1	18° 31' 45" RT.	1°	5729.58'	934.62'	1852.92'			
2	36° 56' 50 LT.	1°	5729.58'	1914.16'	3694.72'			
3	36° 01' 55" RT.	1° 30'	3819.72'		2535.46'	1/2	2° 15'	300'
4	26° 30' 00" LT.	1° 30'	3819.72'		1766.67'	1/2	2° 15'	300'
5	17° 08' 35" RT.	1° 00'	5729.58'	863.61	1714.31'			
6	6° 15' 55" LT.	0° 30'	11459.16'	827.96'	1653.06'			
7	1° 23' 15" RT.	0° 06'	57295.78'	693.78'	1387.50'			
8	7° 53' 00" RT.	2° 00'	2864.79'		394.17'	2/3	3° 00'	300'

AS BUILT CURVE DATA					
CURVE NO.	Δ	D	R	T	L
9	18° 24' 30" RT.	2°	2864.79'	464.3'	920.40'
10	20° 07' 15" LT.	3°	1909.86'	338.8'	670.60'
11	24° 21' 00" LT.	6°	955.00'	206.0'	405.80'
12	21° 49' 30" RT.	2°	2864.79'	552.4'	1091.20'
13	27° 24' 00" RT.	3° 20'	1719.0'	419.5'	822.0'
14	13° 12' 00" LT.	2° 40'	2148.8'	248.6'	495.0'
15	11° 25' 30" LT.	3°	1910.0'	191.1	380.8'
16	19° 39' 00" RT.	6°	955.0'	165.4'	327.5'
17	16° 14' 00" LT.	2° 30'	2291.83'	326.9'	649.3'

TOTAL CURVE (4)
Δ = 31° 00' 00" LT.
R+O = 3820.70'
T = 1209.56'
L = 2366.67'

TOTAL CURVE (3)
Δ = 42° 31' 55"
R+O = 3820.70'
T = 1637.01'
L = 3135.46'

TOTAL CURVE (8)
Δ = 13° 53' 00" RT.
R+O = 2866.10'
T = 498.94'
L = 994.17'



VICINITY MAP

SCALE: 1"=1000'

REDUCED SIZE DO NOT SCALE

Click here for SR 75 Index

DIETZGEN 330 IMPERIAL 400 8-66

DUNCAN – ALPINE HWY.
SAND WASH – NORTH
GREENLEE CO.

Click here for SR 75 Index

REVISIONS				PROJECT NO.	S-218-706
C.O.	DATE	BY	DESCRIPTION	DRAWING NO.	D-6-T-106
5440	8-24-64	R.L.R.	FINALIZED.	SHEET NO.	4 OF 12
				DRAWN BY	E.L. ROGERS
				DATE COMP.	8-10-64
				SCALE	1" = 100'

FINALIZED

CHECKED BY, Robert L. Rogers

HARD COPY ____ 6363 ft 3

Fd. Sto. Marked ¼.

EQUA.

P.O.T. STA. 315+64.4 (As Built.)

S 20° 48' 20" W

1533.55 Ahd. P.I. P.O.S.T. Sec. T1E.

← TO Duncan

391.04'

MILE POST 385 3/4 +60

P.O.T. 319+67.28 W.P.S.S. 13 B.K. = P.O.T. 317+03.93 S218(10) B.K. = P.O.T. 317+03.93 S218-106 Ahd. P.O.T.

Lt. Sta. 317+03.93 to 340+00 Exist 4 Wire Fence. Remove & Salvage.

EXIST. 50'x150' Drain. Ease.

150 Lt. Sta. 324+00 New #1 gate

Exist Type-2 Gate s. Remove.

EXIST. R/W

Exist Fence

New Fence

Surv. & Const. ℄

State Route 75 N 21° 43' 20" W

34' Rdwy.

New 10'x2' Channel

150 Lt. Sta 325+50

El. Paso Nat. Gas Lines

New 4 Wire Fence

EXIST. R/W

Surv. & Const. ℄

NEW 10'x2' D.I.D.

EXIST R/W

New 10'x2' Channel

150 Rt. Sta 323+00

150 Rt. Sta 325+00

New 4 Wire Fence

Sta. 324+72 Exist 5'x4'x29.5' Box Culv. Extend Rt. 8' & Lt. 11'

EXIST. 50'x200' Drain. Ease.

Exist Curve.
Δ = 29° 07' 30" Rt.
D = 0° 45' 00"
R = 7639.44'
T = 1984.59'
L = 3883.33'
E = 253.33'

1208.0'
2743.36'

T 7S R 3 1E

S-218 (10) END CONST. PROJ.

POT. 317+03.93

S-218 (12) ~~506~~ BEG. CONST. PROJ.

SW4 SE4

T 7S R 3 1E

NW4 SE4

SE4 SE4

NW4 SE4

Approx. 1/16 Line

Approx. 1/16 Line

Approx. Mid Sec. Line

Note:- 200' R/W (100' each side of ℄) acquired in 1964. This R/W is subject to the R/W for the El Paso Natural Gas Line, Therefore the Hwy R/W on the westerly side will be fenced 70' from ℄.

℄ Surv. & Const. ℄

Edge of new pav't.

Exist. Pimt.

TYPICAL SECTION
Sta. 317+03 to ~~340+00~~ 338+00
Scale 1" = 100'

Fd. Sec. Cor. Mound of Stones old 4"x4" Post.

REDUCED SIZE DO NOT SCALE

OHEYDEN 120 IMPERIAL 600 6-65

DUNCAN - ALPINE HWY.

SAND WASH - NORTH

GREENLEE CO.

Click here for SR 75 Index

REVISIONS				PROJECT NO.	5-218-706
CO#	DATE	BY	DESCRIPTION	DRAWING NO.	D-6-T-106
1910	5-1-68	MF	Added Distances Along Line & Exist. R/W	SHEET NO.	5 OF 12
5440	9-3-73	R.L.R.	Parcel No. 013 FINALIZED	DRAWN BY	E.L. ROGERS
				DATE COMP.	8-10-64
				SCALE	1" = 100'

FINALIZED

CHECKED BY _____

HARD COPY 6363 M3

T7S R31E

SE¼ NW¼ | NW¼ SE¼ | SW¼ NE¼ | NW¼ NE¼

Sec. 34 | Sec. 27 | Sec. 33 | Sec. 28 | Sec. 35 | Sec. 26

Assumed Mid Sec. Line

Lt. Sta. 340+00 to 360+00 Exist. 4 Wire Fence. Remove & Solvage.

Sta. 340+38 5'x4'x29.5 Box Culv. Extend 7.5' Lt. & 8.0' Rt.

New Cattle Guard With Gate

El. Paso Nat. Gas Lines

Exist. R/W

New R/W

Exist. 24'x34' C.M.P. Remove & Solvage.

Exist. 30'x36' C.M.P. Remove & Solvage.

Sta. 355+30 New 36"x92' Pipe Culv.

OBLITERATE

℄ As Built Hwy. ℄ Survey & Const.

34' Rdwy.

New 10'x2' D&D

New 10'x32' D&D

L=1358.92'

L=843.95'

L=1281.36'

R=2914.79'

R=5629.58'

N21°43'20"W

N0°42'40"W 1339.59'

L.T.B. N4°32'36"W

L.T.B. N0°30'51"W

New #1 Gate

New #2 Gate

New 4 Wire Fence

24' Detour

Exist. 7'x5'x44' Box Culv. Remove.

Exist. 7'x7'x44' Box Culv. Remove.

100' Lt. 369+29.59

P.O.T. 369+22.90 Sec. Line

P.C. 369+34.54

Fd. ½ cor. Md. of Sto.

M.P. 386

N3°11'35"W

New Bank Prot.

Exist. R/W

New 10'x300' Channel

New 10'x32' D&D

Sta. 363+45 New 2-10'x4'x84'-6" Box Culvs.

50'x350' Drainage Easem't.

Rt. Sta. 344+06 to 370+00 Exist. 4 Wire Fence. Remove & Solvage.

AS BUILT CURVE DATA
Δ = 18°24'30" Rt.
D = 2°00'00"
R = 2864.79'
T = 464.3'
L = 320.4'

SURVEY & CONST. CURVE DATA
Δ = 18°31'45" Rt.
D = 1°00'00"
R = 5729.578'
T = 934.62'
L = 1852.92'

P.C. 342+53.6' As Built

P.O.T. 321+90±

N89°41'23"W(C)

Assumed Mid Sec. Line

MATCH LINE

S-218(9) END R/W PROJ. C-6-T-101

S-218-706 BEG. R/W PROJ.

Assumed ¼ Line S89°34'32"E(C)

N85°40'52"E 50.00'

360+00

361+42.53 P.T.

P.C. 359+03.9 As Built

Fd. 3"x18"x 30" Malapai Sto. above ground Marked 1-slash N. 2 slashes E.

S89°22'03"E 2634.16' 2566.4'

6-013 | 6-013 L-1 | 6-014 | 6-015

REDUCED SIZE DO NOT SCALE

DIETZGEN 150 IMPERIAL 200 9-63

DUNCAN - ALPINE HWY.

SAND WASH - NORTH

GREENLEE CO.

REVISIONS				PROJECT NO.	5-218-706
C.O.	DATE	BY	DESCRIPTION	DRAWING NO.	D-6-T-106
5440	9-24-64	R.L.A.	FINALIZED.	SHEET NO.	6 OF 12
				DRAWN BY	E.L. ROGERS
				DATE COMP.	8-10-64
				SCALE	1" = 100'

FINALIZED

CHECKED BY: John L. Hoffmeister

HARD COPY 6363 M.

Sec. Cor. Not in.

33 28 34 27

LINE

P.O.T. 369+22.90 Sec. Line

P.C. 369+34.54

370

1/4 Cor. Mound of stone

N 7°11'35" W

EXIST. R/W

New R/W

Surv. & const. ℄

M.P. 386

OBLITERATE

New 4 Wire Fence

New 24' Detour.

MATCH

2634.14

2536.14

Rt. Sta. 370+00 to 400+00
Exist. 4 Wire Fence
Remove & Salvage.

S 89°22'05" E

Fd. 3"x18"x30" Molapoi Stone above ground. Marked 1 slash N. 2 slashes E.

34 27 35 26

SW¼SE¼

LOT 3

6-014

375

EQUA.

AS BUILT 05"
Δ = 20°07' ~~75~~" Lt.
D = 3°00'00"
R = 1909.86'
T = 338.8'
L = 670.6'

As Built 381+97.1 POT. AHD. 381+97.1 P.T. B.K. As Built

PC 375+24.5 As Built

380

100' Lt. 379+67.80

New 10'x2'x80' Channel

SURVEY ℄ CURVE DATA.
Δ = 36°56'50" Lt.
D = 1°00'00"
R = 5729.58'
T = 1812.16'
L = 3694.72'

380+00
Lt. Sta. ~~370+00~~ to A00+00
Exist 4 Wire Fence
Remove & Salvage.

Mt. States Tel. & Tel. Co.

New 10'x2'x200' D.F. & D.

Sta. 383+10
New 36"x82' Pipe Culv.

150' Rt. Sta 383+00

150' Rt. Sta 385+00

Approx. Mid. Sec. Line

New 50'x200' Drain. Ease.

Approx 1/16 Line

385

Exist. 36"x42' C.M.P. Remove & Salvage.

New 4 Wire Fence

OBLITERATE

32' Roway

NE¼SW¼

390

Exist. 7'x5'x40'-3" Box Culv. Remove Deck.

N 23°31'15" W.

EXIST. R/W

Surv. & const. ℄

New R/W

New 10'x2'x3'-6" Cut & Dike

New 10'x4'x300' Channel

45' New Bank Protection

75' New Bank Protection

Sta. 389+70
New 10'x7'x~~53~~ 396' Box Culv.
Skd. 30°Lt.

New 4 Wire Fence

6-014

395

Exist. 30"x35' C.M.P. Remove & Salvage.

100' Lt. 399+42.63

LINE

400

Sta. 396+94
New 42"x~~74~~ Pipe Culv.

Approx. Mid. Sec. Line

SE¼NW¼

MATCH

(27)

REDUCED SIZE DO NOT SCALE

DIETZGEN 126 IMPERIAL 200 5-63

Click here for SR 75 Index

DUNCAN - ALPINE HWY.

SAND WASH - NORTH

GREENLEE CO.

REVISIONS			
C.O.	DATE	BY	DESCRIPTION
519	11-14-63	J.B.	Added Temp. Const. Ease. from P.O.C. 417 to P.O.C. 421
591	5-14-64	D.T.L.	Added temp Const Easemt @ Sta. 410+00
"	"	"	Also added parcel 6-016-A.
762	8-18-64	E.L.R.	Added parcel 6-013-A.
1917	5-1-68	M.P.	Added Bridge Data Along West Edge of Dr.
1440	3-29-66	M.P.	Revised R/W
2-79	1-2-69	M.P.	Showed Abandonment Zip and added Note Res 65-75

PROJECT NO.	S-218-706
DRAWING NO.	D-6-7-106
SHEET NO.	7 OF 12
DRAWN BY	E.L. ROGERS
DATE COMP.	8-10-64
SCALE	1" = 100'

CHECKED BY: Steve Haynes

HARD COPY 6363 M-I

Sur. & Curve Data
Δ = 36°56'50" Lt.
D = 1°00'00"
R = 5729.58'
T = 1914.16'
L = 3694.72'

AS BUILT CURVE
Δ = 24°21'00" Lt.
D = 6° 00'00"
R = 955.0'
T = 206.0'
L = 405.8'

6-016

6-014

6-013 A

6-013 L-2

Match Line.

400

405

410

415

420

425

430

100' Lt. 399+42.63

P.C. 405+31.9 As Built

P.T. 406+29.26

P.T. 409+37.7 As Built

Wash

New Cattle Guard With Gate

Exist. 30"x44'-6" C.M.P. Remove-Salvage.

25'x 300' Temp. Const. Easement.

Sta. 410+71
Exist. 24"x38' C.M.P.
Extend 14 Lt & 36' Rt.

100' Lt. 413+10.69

New 10'x8'x50' Channel.

Sta. 412+90
New 30"x88' Pipe Culv.

420+23
Exist. 24"x46'
To Remain.

420+80
New 30"x74' Pipe Culv.

425+25
Exist. 2-30"x40' C.M.P.
To Remain.

Assumed Sec. Line

N0°55'11"E

T7S R31E

SW¼ NW¼

NW¼ NW¼

NE¼ NE¼

SE¼ NW¼

SW¼ NW¼

SW¼ SW¼

Fd Sec. Cor. Malapai Stone.
10"x6"-8" above ground
Marked 2 slashes S. side

Sec. Cor. 3.25' West of Semi Tan.

Fd ¼ Cor Malapai Stone
9"x9"x17" above ground
Marked ¼ cor on N. side.

OBLITERATE

Exist. R/W

New R/W

Dyke in place. Remove

Exist. R/W

New 4 Wire Fence

N 23° 31' 15" W

N 47° 58' 15" W

N 40° 08' 25" W

N 39° 23' 42" W

N 14° 32' 15" W

N 26° 02' 45" W

N 63° 57' 15" E

N 29° 21' 31" W

N 22° 43' 35" W

N 15° 47' 52" W

N 89° 02' 30" W

Sta. 407+40
New 3-10'x6'x58'6" Box Culv.

Lt & Rt. 400+00 to 420+00
4-Wire Fence
Remove & Salvage.

Exist. 3-10'x6'x25'6" Box Culv.
Remove Deck & Inside Walls.

Hart 15 Exist. Bank Prot.

SPIRAL
a = 1/2
Δ = 2°15'00"
L = 300'

Sta. 414+00
New 24"x56' C.M.P.

414+50
Sta. 413+66
New 30"x88' C.M.P.

AS BUILT CURVE
Δ = 21°43'30" Rt.
D = 2° 00'00"
R = 2865'
T = 552.4'
L = 1091.2'

TOTAL CURVE
Δ = 42° 31' 55" Rt.
R+O = 3820.70'
T = 1637.01'
L = 3135.46'

Sta. 417+20
New 24"x88' Pipe Culv.

MAIN CURVE
Δ = 38° 01' 55" Rt.
D = 1° 30' 00"
R = 3819.72'
T = 1314.43'
L = 2535.46'

425+00
New 42"x88' Pipe Culv.

429 +~~00~~ 32
New 42"x104' Pipe Culv.

New Grader Road
Temp. Const. Easement

32' Rdwy.

New 4 Wire Fence

70 T.V. Transmitter

Exist. 22' Bit. Surf.

Exist. 24' Bit. Surf.

To Remain.

As Built

423+00

427+19.8 P.T.

427+91.98 P.O.C.

Lee Tan Brg. N 15°20'47" W

L.T.B. N38°51'29"W

L.T.B. N29°21'31"W

L.T.B. N22°43'35"W

L.T.B. N15°47'52"W

100' Lt. P.O.C. 418+57.86

Note:
Abandoned: See Resolution # 65-75
Dated 9-17-65
Recorded 9-28-65
Bk 1 17, pp 390-392

Assumed 1/16 Line

Approx. 1/16 Line

Match Line.

FINALIZED

Click here for SR 75 Index

DUNCAN-ALPINE HWY.
SAND WASH-NORTH
GREENLEE CO.

Note: Abandoned see Note Sheet #7.

Click here for SR 75 Index

REVISIONS				PROJECT NO.	5-218-706
C.O.No.	DATE	BY	DESCRIPTION	DRAWING NO.	D-6-7-106
461	7-14-64	E.L.R.	Chgd. P.O.C. to 427+91.98; Sec. Line B.F.D to N 0°07'05" E, 2639.94'; T.S. to 442+51.65, S.C. to 445+51.65; Culv. at Sta. 436+20 L. to 92'	SHEET NO.	8 OF 12
482	10-1-64	E.L.R.	S/O. 401+26.94 To 402+31.63 Lt Cut back R/W To 75'	DRAWN BY	E.L. ROGERS
MAO	9-24-64	R.L.R.	FINALIZED	DATE COMP.	8-10-64
			Showing Abandonment ZIP and	SCALE	1" = 100'
	"	"	Survey Note		

Exist. ℄ 30"x36" C.M.P. To Remain.

℄ State Route #75

Exist. R/W

22' Bit. Pavm't. To Remain

Exist. R/W

P.O.T. 432+33.9 Sec. Line.

Conc. Blk. Res.

Rd. Sec. Cor. Molapai Stone 10"x6"-6" above ground. Marked 2 slashes on S. side; 3 slashes W. side.

Sta. 431+50 New 30"x88' Pipe Culv.

Corral

New R/W Loc. Tan. N 9°15'45" W

New #1 Gate L=643.35' R=3819.72'

P.O.C. 427+91.98

Surv. ℄ Const. ℄

New R/W

Sta. 429+00 New 42"x104' Pipe Culv.

Sta. 436+20 New 24"x88' Pipe Culv.

New #1 Gate

Sta. 438+50 New 10'x8'x67.5' B.C. Cattle Pass

Remove Exist. Fence within R/W

Windmill & Well

Canopy Shed

Res.

New #1 Gate

N 1°38'19" E 303.90'

N 0°07'05" E

T.S. 442+51.65

New #1 Gate

N 1°38'50" E

S.C. 445+51.65

L.T.B. N 0°08'30" E

200' Lt. P.O.C. 446+00

New Drain. Ease.

New Bank Prot.

N 1°39'46" E 145.43'

L.T.B. N 0°08'30" E 148.06'

To Sec. Cor. 2639.94' To 1/4 Cor.

Surv. ℄ Const. ℄

Loc. Tan. N 8°35'03" W

New Bank Prot.

New #1 Gate

Sta. 440+35 New 36"x88' Pipe Culv.

438+24.54 C.S.

441+24.54 S.T.

Goat Camp Wash

New 10'x6'x 105' Channel

250' Rt. P.O.S. 443+00

250' Rt. P.O.C. 447+50

Sta. 444+90 # 2 Span R.C. Slab Bridge. 34' Clear Rdwy.

New Drain. Ease.

New 4 Wire Fence

P.O.C. 452+77.20

Approx. 1/16 Line

As Built Curve
Δ = 27°24'00" Rt.
D = 3°20'00"
R = 1719.0'
T = 419.5'
L = 822.0'

SPIRAL
Q = 1/2
Δ = 2° 15'00"
L = 300'

MAIN CURVE
Δ = 26° 30' 00" Lt.
D = 1° 30'00"
R = 3819.72'
L = 1766.67'

TOTAL CURVE
Δ = 31°00'00" Lt.
R+0 = 3820.70'
T = 1209.56'
L = 2366.67'

1/4 Cor. Fd. Molopia Sto. 6"x8"x9" Marked 1/4 on East. Preserve

Sta. 458+80 108' New 30"x 130' Pipe Culv.

New R/W

P.O.C. 454+55.21

210.99'

225.87' And. P.I.

New R/W

Approx. 1/16 Sec. Line

TOTAL CURVE
Δ = 42° 31' 55" Rt.
R+0 = 3820.70'
T = 1637.0'
L = 3135.46'

MAIN CURVE
Δ = 38° 01' 55" Rt.
D = 1° 30' 00"
R = 3819.72'
L = 2535.46'
T = 1316.43'

SPIRAL
Q = 1/2
Δ = 2° 15' 00"
L = 300'

TYPICAL SECTION
Sta. 430+00 TO 460+00
Scale 1" = 100'

℄ Surv. & Const. ℄
Edge of new pvmt.

New R/W
N 2°23'30" E 127.11'
S 87°36'30" E 25'
N 87°36'30" W 25'
N 1°38'50" E 60'±
No Scale

G-013 G-020 G-017 G-019 G-021 G-018

FINALIZED

DUNCAN - ALPINE - HWY.

SAND WASH - NORTH

GREENLEE CO.

REVISIONS				PROJECT NO.	S-218-706
C.O. No.	DATE	BY	DESCRIPTION	DRAWING NO.	D-G-T-106
461	10-64	E.L.R.	Chgd. C.S. 70+23+18.32 & S.T. To 466+18.32	SHEET NO.	9 OF 12
1910	5-1-68	MM	As-Constructed Data, Plan & Quis.	DRAWN BY	E.L. ROGERS
5440	9-24-79	R.L.B.	FINALIZED	DATE COMP.	8-10-64
5442	9-21-81	W.W.M.	Showed Abandonment ZIP and added Note.	SCALE	1" = 100'
"	"	"			

CHECKED BY, Robert Burgess

HARD COPY. 6363 M.I.

P.C. 465+57.5

Approx 1/16 Line ↗

P.T. 470+52.5 Bk =
P.O.T. 470+52.7 Ahd.

Exist. 24"x36' C.M.P. To Remain

Exist. 24"x34' C.M.P. To Remain

Exist. 24"x34" C.M.P. To Remain

P.C. 476+25.4

AS BUILT CURVE
Δ = 11° 25' 30" Lt.
D = 3° 00' 00"
R = 1910.0
T = 191.1' L = 380.8'

P.T. 480+06.2

AS BUILT CURVE
Δ = 19° 39' Rt.
D = 6° 00' 00"
R = 955.0'
T = 165.6'
L = 327.5'

Exist. 7'x7' Box Culv. To Remain.

TOTAL CURVE
Δ = 31° 00' 00" Lt.
R = 3820.70'
T = 1209.56'
L = 2366.67'

MAIN CURVE DATA
Δ = 26° 30' 00"
D = 1° 30' 00"
R = 3819.72'
L = 1766.67'

Exist. SR 75 To Remain
22' Bit. Surf.

T75 R31E

SE4 NE4

SW4 SE4

1/4 Cor. Not in.

G-021

G-022

G-023

460

465

470

475

480

485

490

Sta. 461+88
New 10'x8'x100' Box Culv.
Cattle Pass

SPIRAL
a = 1/2
Δ = 2° 15' 00"
L = 300'

C.S. 463+18.32

S.T. 466+18.32

Remove Exist. Fence Within R/W.

New #2 Gate

Gravel Borrow Pit Fill Within R/W

New #1 Gate

Exist. R/W

N 3° 35' 15" W

Sheldon Cemetery
100' Lt.
P.O.C. 489+16.95

New R/W

Surv. & Const. ℄

34' Rdwy.

N 28° 36' 30" W

Exist #2 gate Remove.

Remove Exist. Dyke Within R/W

P.O.C. 483+31.7

New R/W ℄
L = 703.35'

E. 342935

Assumed N. Line

Sta. 458+80
New 30" x 108' Pipe Culv.

Sta. 465+50
New 24" x 128' Pipe Culv.

Approx. 1/16 Line N

E. Surv. & Const. ℄
Edge of Pavement
11'
11'

TYPICAL SECTION
Sta. 460+00 TO Sta. 490+00
Scale 1"=100'

Pump

Dirt Tank

New C.G. w/Gate

Sta. 481+00
New 36" x 86' Pipe Culv.

Sta. 482+12
New 24" x 100' Pipe Culv.

New 8" x 100' Conduit for gas line.

Sta 486+00
New 10'x8'x21'-6" Box Culv.
Cattle Pass

473+00.53 P.C.

490+14.84 P.T.

Match Line

Abandoned See Note Sheet # 7.

Approx. Sec. Line

Assumed Sec. Line

CURVE DATA
Δ = 17° 08' 35" Rt.
D = 1° 00' 00"
R = 5729.58'
T = 863.61'
L = 1714.31'

Sec. Cor. Not in.

FINALIZED

Click here for SR 75 Index

DUNCAN-ALPINE HWY.

SAND WASH-NORTH

GREENLEE CO.

REVISIONS			
CO. NO.	DATE	BY	DESCRIPTION
482	10-5-64	E.L.R.	Deleted new R/W Lt. 489+19 to 512+. Cut back & adjusted S.T. C's. Deleted 30'x40' Culv. Lt. Sta. 500+80. Adjusted D.E. TO Exist R/W. Inc'd acres To 0.3 Ac.
488	10-15-64	R. Hinman	Added Gravel Easem'ts - Sta 500+50, Sta. 502+50
519	11-4-64	E.L.R.	Revised 6-029. Added case area=0.2 Ac.
5040	5-1-65	MC	Added Stage Const. Data for 6-031
5-402	6-2-65	WALA	Added Lt.
5-402	12-30	WALA	Showed Abandonment ZIP and added Note
"	"	"	

PROJECT NO.	S-218-706
DRAWING NO.	D-6-T-106
SHEET NO.	10 OF 12
DRAWN BY	E.L. ROGERS
DATE COMP.	8-10-64
SCALE	1" = 100'

CHECKED BY. [illegible]

HARD COPY 6363 M.I.

Approx. Mid Sec. Line

T 7 S R 31 E

SW4 SE4 — NW4 SE4 — SW4 NE4 — SE4 SE4 — NE4 SE4

6-023 — 6-026 Deleted 10-5-64 — 6-029 Deleted 10-5-64 — 6-027 — 6-025 — 6-013 — 6-013 L-1 — 6-028 — 6-029

Curve Data.
Δ = 8°15'55" Lt.
D = 0°30'00"
R = 11,459.16'
T = 827.96'
L = 1653.06'

As Built Curve.
Δ = 16°14' Lt.
D = 2°30'00"
R = 2291.83'
T = 326.3'
L = 649.5'

490 — 495 — 500 — 505 — 510 — 515 — 520

Sheldon Cemetery
100' Lt.
POC. 489+16.95

PC. 491+56.58

Exist. 22' Bit. Pav't.

Exist. S.R. 75

Exist. R/W

To Remain

OBLITERATE

N 11° 27' 55" W

703.35'
E-362358

Exist. Cattle Guard Remove & Salvage.

New 2 Unit C.G. w/gate

100' Lt.
POC. 495+78.23

New 4 Wire Fence

New #1 Gate

PC. 500+36 As Built

10' Gravel Rd.

Exist. Cattle Guard Remove & Salvage

Lt. Sta. 489+10 to 510+00
4 Wire Fence.
Remove & Salvage.

N6°30'W 261.29'

N85°34'E 129.52'

1½ Plastic Gas Line

Exist 30'x24' C.M.P. To Remain

S87°56'E 277.01'

506+85.3 P.T. As Built Const. Easem'ts

New C.G. w/gate

New #1 Gate

150' Lt. & Sta. 500+50 E

China Camp Ct.

CHORD - N17°40'57" W - 38.62'

New Drain. Ease.

130' Lt. & Sta. 504+50 E

RADIAL N 72°04'03" E 100.00'

RADIAL N 17°55'57" W 100.00'

P.T. 508+09.64

Exist. 30'x60' & 18'x16' C.M.P. Remove & Salvage.

Sta. 508+19
New 24"x82' Pipe Culv.

Const. Easem't

Approx.

Exist. 4 Span R.C. Slab Bridge, widen to 34' Clear Rdwy.

Wash

Remove Exist. Fence Within R/W

New #1 Gate

Exist. Bank Prot.

Surv. & Const. ℄

N 19° 43' 50" W

EXIST. R/W

Exist. Bank Prot.

632'± (R)

Exist R/W
I.T.B. N17°55'57"W

New #1 Gate
50' N72°04'03"E

New #2 Gates
50' N72°04'03"E
150' Rt.
Sta. 502+50

R = 11533.16'

202.42'
S17°55'57"E

New C.G. w/gate

New Drain. Ease.
150' Rt.
Sta. 504+50

New R/W

Exist. Cattle Guard. Remove & Salvage.

Approx. Fence line

New C.G. w/gate

New 1 @ 24'x60' Dyke
Dyke to be Reconstruct

Bank Prot. Exist

New 4 Wire Fence

Sanders

Match Line

Sta. 491+45
~~New 24"x44' C.M.P.~~

Sta. 493+40
~~New 24"x32' C.M.P.~~

490+14.84 P.T.

H.S. 15
141.12'
New 4 Wire Fence

Rt. Sta. 495+75 to 510+00
4 Wire Fence.
Remove & Salvage.

Sta. 503+88
Exist. 6-10'x8'x25'-6" Box Culv.
Extend Rt. & Lt.

396'± (R)

590' (R)

Assumed 1/16 Line

PROPERTY LINE PURPORTED BY OWNER.
Parcel 6-029

Gas Line to be Removed by others

Approx. 1/16 Line

Note: Abandoned See Note Sheet #7.

FINALIZED

Click here for SR 75 Index

DUNCAN – ALPINE HWY.

SAND WASH – NORTH

GREENLEE CO.

REVISIONS				PROJECT NO.	S-218-706
C.O.#	DATE	BY	DESCRIPTION	DRAWING NO.	D-6-T-106
1940	5-1-65	MC	Added Bridge & Wash Down Encr. Pr. 5271	SHEET NO.	11 OF 12
5940	8-1-69	R.L.R.	FINALIZED.	DRAWN BY	E.L. ROGERS
				DATE COMP.	8-10-64
				SCALE	1" = 100'

FINALIZED

CHECKED BY Richard H. Hargrave

HARD COPY 6363 M1

T7S R31E

Sec. Cor. Fd. Granite Sto. 4 Slashes S. 4 Slashes E.

Exist. 48"x104' C.M.P. Remove & Salvage.

Sta. 540+10 New 48"x94' Pipe Culv.

New #1 gate

New C.G. w/gate

Remove Exist. Fence Within R/W

Exist. 24"x108' C.M.P. Remove & Salvage.

Meander Line

S 89° 44' 52" W 2648.46'

N 19° 43' 50" W

N 18° 20' 35" W

EXIST. R/W

Remove

34' R/way.

Surv. & Const. ℄

P.O.T. 540+56.15

M.P. 389

New & Exist. Bank Prot.

0.23 Ac.

L.T.B. N19°29'10"W R=57195.78'

N70°30'50"E Sta. 526+00 150' Rt.

L=199.65' L=199.48' R=57145.78'

N.70°42'50"E Sta. 528+00 150' Rt.

New 4 Wire Fence

L.T.B. N19°17'10"W

New 50'x200' Dr. Ease.

Sta. 521+73 New 24"x 104' Pipe Culv.

Sta. 527+22 Exist. 6'x7'x6'-6" Box Culv. Extend 8'-9" Lt. 7'-6" Rt.

Exist. 36"x96' C.M.P. Remove & Salvage.

Sta. 533+98 New 36"x96' Pipe Culv.

523+55.56 P.C.

531+19 P.C. As Built

536+55 P.T. As Built

537+43.06 P.T.

321.65

1/4 Cor Fd. 3/4" Iron Rod.

Exist. 18"x92' C.M.P. Remove & Salvage.

Exist. 24"x91' C.M.P. Remove & Salvage.

Exist. 30"x96' C.M.P. Remove & Salvage.

Exist. 24"x58' C.M.C. Remove & Salvage.

Sta. 542+36 New 24"x88' Pipe Culv.

Sta. 544+70 New 24"x84' Pipe Culv.

Sta. 546+50 New 30"x84' Pipe Culv.

Sta. 550+16 New 24"x74' Pipe Culv.

Match Line

Approx. 1/16 Line

Approx. Mid Sec. Line

SW¼NE¼

NW¼NE¼

LOT 7

LOT 8

LOT 3

6-013

℄ Curve Data.
Δ = 1° 23' 15" Rt.
D = 0° 06' 00"
R = 57295.78'
T = 693.78'
L = 1387.50'

As Built Curve.
Δ = 1° 21' Rt.
D = 0° 15' 00"
R = 22,917.91'
L = 540.0'
T = 270.0'

TYPICAL SECTION
Sta. 520+00 TO Sta. 550+00
Scale 1"=100'

℄ Surv. & Const.
Edge of New Pav't.

REDUCED SIZE DO NOT SCALE

Click here for SR 75 Index

DUNCAN-ALPINE HWY.

SAND WASH - NORTH

GREENLEE CO.

REVISIONS				PROJECT NO.	S-218-706
C.O.	DATE	BY	DESCRIPTION	DRAWING NO.	D-6-T-106
1684	6-29-67	E.Ross	Added Parcel Bubble 6-1A-1	SHEET NO.	12 OF 12
1910	5-1-68	M.C.	Added Bmgs & Dists. Around Drain Ease.	DRAWN BY	E.L. ROGERS
5440	8-26-71	R.L.R.	FINALIZED	DATE COMP.	8-10-64
				SCALE	1" = 100'

FINALIZED

CHECKED BY: John Flanagan

HARD COPY 6363 M.I.

Meander Line

Exist. 24"x56' C.M.P. Remove & Salvage.

Sta. 522+54.39
Exist. 6'x7'x49'-6" Box Culv.
Extend 5.0' Lt. & 6.5' Rt.

Lt. Sta. 550+00 to 581+00
Exist. 4 Wire Fence.
Remove & Salvage.

Exist. 24"x96' C.M.P. Remove & Salvage.

Approx. Lite Line

T7S R31E

Exist. 2-36"x80' C.M.P. Remove & Salvage.

Sta. 570+60
New 42"x82' Pipe Culv.

Exist 18"x46' C.M.P. Remove & Salvage.

Sta. 577+81.26
Exist. 5 span R.C. Slab Bridge.
Widen. To Remain. 24' Clear Rdwy. - Widen to 34' Clear Rdwy.

Approx. 1/16 Line

6-1A-1

New Drain Ease.
150' Lt. Sta. 552+00
150' Lt. Sta. 553+00
0.11 Ac.
S 71°39'25" W 50.00'
N 71°39'25" E 50.00'
EXIST. R/W

Exist. Gate Remove.

New #1 Gate

New Drain Ease.
0.14 Ac.
S 71°39'25" W 50.00'
200.00'
130' Lt. Sta. 561+50
130' Lt. Sta. 563+50
N 71°39'25" E 200.00'
30.00'

Surv. & Const. ℄
34' Rdwy.
N 18°20'35" W

New 10'x2'x70 Channel

New #2 Gate.

S 71°39'25" W 30.00'
200.00'
N 71°39'25" E 200.00'
30.00'
130' Rt. Sta. 561+50
130' Rt. Sta. 563+50
0.14 Ac.
New Drain Ease.

New 4 Wire Fence

Sta. 562+21.27
Exist. 5'x4'-6"x33'-6" Box Culv.
Extend 5.0' Lt. & 6.5' Rt.

Sta. 568+78.54 T.S.

Survey Spiral.
D = 2/3
Δ = 3°00'00"
L = 300'

Sta. 571+78.54 S.C. As Built

MAIN
Surv. & Curve
Δ = 7°59'00" Rt.
D = 2°00'00"
R = 2864.79'
L = 394.17'
T = 197.39'
Total
Δ = 13°59'00" Rt.
R+O 2866.10'
T = 498.96'
L = 994.17'
As Built Main.
Δ = 3°54' Rt.
D = 2°00'00"
R = 2865.00'
T = 245.32'
L = 495.00'
Total
Δ = 13°54'00"
T = 449.3'

Exist. Bank Prot.

Exist. #1 Gate To Remain.

Remove
N 14°27'35" W
EXIST. R/W

Remove
N 14°27'35" W 76.85'

Sta. 575+72.71 C.S.

Sta. 579+98 C.S. As Built

Sta. 581+00 P.O.T.

Sta. 550+16
New 24"x74' Pipe Culv.

New Drain. Easement. 1.38 Ac.
S 71°39'25" W 300.00'
N 71°39'25" E 300.00'
S 18°20'35" E 300.00'
300' Rt. Sta. 551+00
300' Rt. Sta. 554+00
New Bank Prot.

Rt. Sta. 550+00 to 581+00
Exist. 4 Wire Fence
Remove & Salvage.

℄ Surv. & Const.
Edge of new Pavt.
TYPICAL SECTION
Sta. 550+00 TO Sta. 581+00
Scale 1" = 100'

Sta. 568+05
New 24"x86' Pipe Culv.
Skew 45° Lt.
New Drop Inlet Rt.

As Built Spiral
Δ = 1°00'00"
L = 200
D = 2°00'00"
Δ = 2°00'00"
y = 2.33'
X = 199.38'

As Built Spiral
Δ = 1°00'00"
L 200
D 2°00'00"
Δ 2°00'00"
y 2.33'
X 199.38'

Surv. Spiral
D = 2/3
Δ = 3°00'00"
L = 300'

0.68 Ac.

New 50'x 230' Channel

NEW DRAIN EASE.

230' Rt. Sta. 577+00

250' Rt. Sta. 579+00

S-218-706
END R/W PROJ.

(12)
S-218-506
END CONST. PROJ.

Match

Approx. Mid Sec. Line

Approx. Mid Sec. Line

REDUCED SIZE DO NOT SCALE

DIETZGEN, 330 IMPERIAL 210 11-62

Click here for SR 75 Index