C.O. 4472, 3-9-76-R.L.R. FINALIZED

FED. ROAD DIV. NO.	STATE	PROJECT NO.	SHEET NO.	TOTAL SHEETS
7	ARIZ.	F-008-2-802	1	9

RIGHT OF WAY MAP NO. D-13-T-373

ALIGNMENT AND RIGHT OF WAY APPROVED IN ACCORDANCE WITH HIGHWAY PLANS.
SHEET 1 THRU 9
DATE 7-25-66
ASSISTANT STATE ENGINEER

APPROVED IN ACCORDANCE WITH RESOLUTION DATED: 5 Aug 1966, MINUTES OF THE ARIZONA HIGHWAY COMMISSION RES. NO. 66-62

A.F.E. NO. 66033

STATE OF ARIZONA
STATE HIGHWAY DEPARTMENT



RIGHT OF WAY PLAN OF THE
KINGMAN-ASHFORK-HWY.
STATE HIGHWAY
PROJECT NO. F-008-2-802
YAVAPAI COUNTY

Click here for SR 40B Index



CONVENTIONAL SIGNS

- HIGHWAY CENTER LINE (New) (Existing)
- HIGHWAY R/W LINE (New) (Existing)
- CONTROLLED ACCESS (Denied) (Open) (Existing)
- R.R. R/W COMMON to HIGHWAY R/W (Existing)
- R.R. R/W LINE
- TOWNSHIP and RANGE LINE
- SECTION LINE
- 1/4 LINE or MID. SEC. LINE
- 1/16 LINE
- PROPERTY LINE (not part of a Subdivision)
- SUBDIVISION or LOT LINE
- ORIGINAL LOT LINE
- STATE and NATIONAL BOUNDARIES
- COUNTY LINE
- CITY LIMITS
- LAND GRANTS BOUNDARIES
- FOREST, NATIONAL MONUMENTS, MILITARY BASES and INDIAN RESERVATION
- SURVEY MEANDER LINE
- NEW R/W CONTROL POINT
- EXISTING R/W CONTROL POINTS
- EXISTING R/W MARKER
- PARCEL NUMBER (7-001)

- RAILROAD TRACK
- POWER LINE
- POWER TRANSMISSION LINE
- TELEPHONE LINE
- COMBINATION TELEPHONE & POWER LINE
- UNDERGROUND TELEPHONE CABLE
- WATER LINE
- GAS LINE (Show size of line in terms of spaces)
- SEWER LINE
- STORM DRAIN
- CHAIN LINK FENCE
- BARBED WIRE FENCE (coil out type)
- STREET LIGHT on ext. arm
- WATER METER
- WATER VALVE
- FIRE HYDRANT
- GAS METER
- GAS VALVE
- DOWN GUY
- MANHOLE (existing)
- ROAD (existing)
- PROPERTY ANCHOR BARS
- PROPERTY LIMITS ARROWS
- TRAFFIC FLOW ARROWS
- CANAL, CHANNEL or DITCH
- BRIDGE
- BOX CULVERTS
- CATTLE GUARD
- RIVER

ARIZONA HIGHWAY COMMISSION
APPROVED FOR RIGHT-OF-WAY ACQUISITION
STATE HIGHWAY ENGINEER
DEPUTY STATE ENGINEER — DATE 7-5-66

DEPARTMENT OF COMMERCE
BUREAU OF PUBLIC ROADS
APPROVED:
DIVISION ENGINEER — DATE

KINGMAN – ASHFORK HWY.
EAST SELIGMAN CONNECTION SEC.
YAVAPAI COUNTY

Click here for SR 40B Index

REVISIONS				PROJECT NO.	F-008-2-802
C.O. No.	DATE	BY	DESCRIPTION	DRAWING NO.	D-13-T-373
1224	8-18-66	D.G.M.	Changed Area 13-146 from 0.3 to 0.5	SHEET NO.	2 of 9
1256	9-26-66	D.G.M.	Deleted Parcel 13-151 and Part Of 13-146. Change Owner Of 13-148. Added Parcel 13-148-1. Revised Areas Of Parcels 13-146, 149, 150 & 13-152.	DRAWN BY	Kowacz
1291	9-30-66	LCK	Revised remainders - parcel 13-149.	DATE COMP.	7-27-66
2127	1-23-69	M.B.	Chng. area required in pcls. 13-146 & 148	SCALE	—
4472	3-9-76	R.L.R.	FINALIZED.		

CHECKED BY Wagner Test

HARD COPY 6316 M2

* Plus additional land in Yavapai County

* Plus additional land in Yavapai and Coconino Counties

OWNERSHIP RECORD

ACQUISITION RECORD

PARCEL NUMBER	OWNER	DESCRIPTION	TOTAL AREA	AREA REQUIRED GROSS INCLUDING EXISTING R/W	AREA REQUIRED NET EXCLUDING EXISTING R/W	EASEMENT AREA	REMAINDER LEFT	REMAINDER RIGHT	SHEET NUMBER	COMMISSION APPROVAL	TYPE & DATE OF INSTRUMENT	RECORDED DATE	RECORDED BOOK	RECORDED PAGE
13-145	Hugh L. Campbell S.& S.	Pt. E1/2, S. of R.R. Sec. 6, T.22N. R.5W.	625.9*		12.5		295.2	318.2	4-5	1-22-71	F.O.C. 3-22-71	4-14-71	653	700-717
		Pt. W1/2 W1/2, S. of R.R. Sec. 5, " "												
13-146	A. T. & S. F. R.R.	Pt. NE1/4 SE1/4 Sec. 6, " "			0.5				4,5		Constr. & Maint. Agrmt & Ease. 12-13-71			642-648
		Pt. SW1/4 NW1/4 Sec. 5, " "			~~0.6~~				6&7	7-14-72		8-14-72	770	
		Pt. Lot 3 & 4 Sec. 6, " "	18.8		4.7		14.1	~~80.0~~						
13-147	Boquillas Cattle Co. Inc.	Pt. W1/2 W1/2 N. of R.R. Sec. 5, " "	323.9*		4.7		17.7	301.5	5	1-4-67	F.O.C. 5-1969	6-4-69	552	559-562
13-148	Phillips Petroleum Co.	Pt. Lot 2,3 Sec. 6, " "	3.5		0.8		2.7		6	4-14-67	W.D. 2-20-67	5-10-67	443	435-436
13-149	William C. & Mary Conatser	Pt. Lot 2, Lot 1 Sec. 6, " "	64.2		10.7		22.0	31.5	6	3-28-67	W.D. 1-30-67	4-28-67	442	181-182
13-150	Carl P. & Gertrude Smith	Pt. Lot 2 Sec. 6, " "	4.9		0.9		2.4	1.6	6	1-31-67	W.D. 12-7-66	2-23-67	431	598-599
13-152	Boquillas Cattle Co. Inc.	Pt. Lot 2,3 & 4 Sec. 6, T.22N. R.5W.	21.7		7.3		0.5	13.9	6-7	1-4-67	F.O.C. 5-1969	6-4-69	552	559-562
13-153	State of Arizona	SE1/4 SE1/4 SE1/4 Sec. 36, T.23N. R.6W.	10.0	0.7	0.2			9.3	7	~~2-24-75~~	~~Pt. 7-18-75~~	Not Recorded		
13-153-L1	A.C. Whiting (lease No. 63-S)	SE1/4 SE1/4 SE1/4 Sec. 36, T.23N. R.6W.	10.0						7	1-17-67	Rel. E 1-4-67			
13-154	Earnest & Beryl Whiting H/W	SW1/4 SE1/4 SE1/4 Sec. 36, T.23N. R.6W.	7.3	2.4	73		0.8	4.1	7	4-14-67	W.D. 12-29-66	5-10-67	443	417-418
13-148-1	Bill & Aura Lee Hall H/W	Pt. Lot 2 Sec. 6, T.22N. R.5W.	2.5		0.6		1.9		6	1-4-67	F.O.C. 4-13-68	5-10-68	492	231-233

KINGMAN—ASHFORK HWY.

EAST SELIGMAN CONNECTION SEC.

YAVAPAI COUNTY.

REVISIONS				PROJECT NO.	F-008-2-802
C.O. No.	DATE	BY	DESCRIPTION	DRAWING NO.	D-13-T-373
1224	4-18-66	O.G.M.	Eliminated El Paso N. G. Co. Label from R.R. R/W	SHEET NO.	3 OF 9
1639	7-17-67	R.R.	Revised sizes of Gas Lines to show 24" on	DRAWN BY	ROGERS
"	"	"	Split at 30" on North. Added Ending of Const.	DATE COMP.	7-27-66
"	"	"	& R/W Projects at Sta. 15+16.59	SCALE	1" = 500'
2127	1-23-69	M.B.	Added 2(N) cutback @ R.R. crossing		
4472	3-9-76	R.L.R.	FINALIZED		



VICINITY MAP

SCALE 1" = 500'

Click here for SR 40B Index

INDEX TO EXISTING R/W

Index	Subdivision	Sec.	Twp.	R.	Acq. From	Type	Book	Page	Width	Year	Parcel No.
A	Part of	1	22N	6W	A.T. & S.F. R.R.	Easement	26682		Varies	1931	1128
B	Part of	6	22N	5W	A.T. & S.F. R.R.	Easement	26682		Varies	1931	1128
C	Part of	586	22N	5W	Ashfork Livestock Co.	Easement	151 Deeds	555-556	100'	1931	1130

KINGMAN — ASHFORK HWY.

EAST SELIGMAN CONNECTION. SEC.

YAVAPAI COUNTY

REVISIONS				PROJECT NO.	F-008-2-802
C.O. No	DATE	BY	DESCRIPTION	DRAWING NO.	D-13-T-373
1224	8-18-66	D.G.M.	Changed P.B.R./W Near Sta. 40 To Be 50'	SHEET NO.	4 OF 9
"	"	"	Each Side 8" Water Line	DRAWN BY	ROGERS
1639	7-17-67	R.R.	Added beg. Const. Proj of 15+16.59 Also	DATE COMP.	7-27-66
"	"	"	End of Const. F/R/W Projs.	SCALE	1" = 100'
4472	3-9-76	R.L.R.	FINALIZED.		

CHECKED BY. Hansen 9-11-66

HARD COPY. 6316 M2

Sec. Cor. Fd. 3" I.P. With Brass Cap 1' Above Ground. U.S.G.L.O. 1912

T22N R5W

P.O.T. 6424+61.31 Sec. Line

P.O.T. 7+32.45 Sec. Line

410.86'

Sta 5+00 Crossrod P.O.T. = 6428+00 Mon. & I-40-2(19)118

I-40-2(19)118 N 55° 01' 50" W

Median ℄ I-40-2(19)118 N 55° 01' 50" W

6427+00 Med. ℄ I-40-2(19)118 250' Lt.

Sta. 15+16.59 100' Lt.

EXIST. R/W

Approx. ℄ Line

El Paso Nat. Gas Co. Line

D.I.T. Rd.

Rt. & Lt. Sta. 15+16 to Sta. 40+00 3500 Ft. New 4 Wire Fence. Std. C-16.

℄ Curve Data.
Δ = 19°35'30" Lt.
D = 1°15'00"
R = 4583.66'
T = 791.39'
L = 1567.33'

NE¼ SE¼

Sta. 38+50 x 57'6" New 2-10'x8' Conc. Box. Cattle Pass

New #2 Gate

New #1 Gate

310.58' New R/W

P.C. 31+69.89

R = 4483.66' L = 1533.13'

P.O.T. 18+80.6

CONST. ℄ N 34° 56' 10" E

P.O.T. 18+57.6

Slope Limit

100'

New R/W 310.58'

R = 4683.66' L = 1601.52'

Remove Fence Within R/W.

New #2 Gate

Sta. 13+00 100' Rt.

Sta. 15+16.59 100' Rt.

EXIST. R/W

RAMP CURVE
Δ = 79° 12'
D = 6°00'
R = 954.93'
T = 789.99'
L = 1320.00'

I-10

S 89° 58' 10" E 1540.40'

Section Line 5284.45'

I-40-2(20) END CONST. PROJ.

I-40-2(19)118 END R/W PROJ. D-13-T-366

EQUATION: Sta 20+00 Ramp = Sta 15+16.59 Crossrod

EQUATION: Sta 15+16.59 = Sta 0+00 F-008-2(2) Beg. Const. Proj.

F-008-2(2) Beg. Const. Proj.

F-008-2-802 Beg. R/W Proj.

SE¼ SE¼

13-145

EXIST. R/W ℄

EQUATION: Sta 21+57.28 P.O.T. Bk. = Sta 29+00 P.O.T. Ahd.

Fence

13-146

Meter Line

50' 50'

A.T.&S.F. R.R.

Fee R/W

Note: See Sheet 8 For Detail Of Water Line R/W

N 0° 50' 20" E 2754.10' To ¼ Cor.

Fd. Sta. Not Marked. 5" Below Ground

SELIGMAN INTERCHANGE



Click here for SR 40B Index

KINGMAN — ASHFORK HWY.

EAST SELIGMAN CONNECTION SEC.

YAVAPAI COUNTY

REVISIONS			
C.O. No.	DATE	BY	DESCRIPTION
1224	6-10-66	D.G.M.	Changed R.R.R/W Near Sta. 40 To Be 50' Each Side of Water Line
"	"	"	
1256	8-26-66	D.M.	Changed Parcel No. 4, 13-144
1291	10-3-66	L.C.K.	Revised R/W at RR crossing.
1347	11-28-66	L.C.K.	Chg L.T.B. at 100' Lt. of S.C. 54+41.74
1639	7-17-67	R.R.	Corrected spelling Santa Fe.
2127	1-23-68	M.B.	Added R/W cutback @ RR crossing
4472	3-9-76	R.L.R.	FINALIZED

PROJECT NO.	F-008-2-802
DRAWING NO.	D-13-T-373
SHEET NO.	5 OF 9
DRAWN BY	ROGERS
DATE COMP.	7-27-66
SCALE	1" = 100'

CHECKED BY: Lindgren 7-27-66

COPY 6316M2

HARD COPY

℄ CURVE DATA
Δ = 19°35'30" Lt.
D = 1° 15' 00"
R = 4583.66'
T = 791.39'
L = 1567.39'

NE4 SE4

Approx. Mid Sec Line

Rt ℄ Lt. Sta. 40+00 to Sta. 75+00
5550 Ft. New 4 Wire Fence
Std. C-16.

T22N R5W

SE4 NE4

Match Line

Sta. 38+50.1℄
New 2-10'x8'x4" Conc. Box.
Cattle pass.

6" A.T.&S.F. Fee R.W.

New #2 - Gate

POC. 39+11.40

R=4583.66'
L=1533.13'

New R/W
Slope Limit

New #2 Gate

New R/W

Fd. Sto. Not Marked
6" Below Ground

2754.10'
N 0°30'20" E

Note: See Sheet 8 For Detail Of Water Line R/W

R=4583.66'
L=1601.55'
LTB N 18°39'51" E

New 10'x2' Dyke

E ¼ Cor. Sec. 6
Found 10x8 Stone
5" above ground.
Marked ¼

POC. 44+74.3
191.49'

387.84'

289.74'

N 15°22'40" E

100' Slope Limit

289.76'

S 74°37'55" E
200.00'

Note: See Sheet 8 For Detail Of R.R. R/W

P.T. 47+37.22

POT. 51+19.96 New 1 Span
LO. St. Ginder R.R. Underpass
SANTA FE R.R.

Temp. Const. Easmt.
T.S. 51+81.74
Office

Exist. Hwy. ℄ R.R. R/W

U.S. HWY. 66
F.A. 66 B (752)

Exist Gate

Temp. Const. Easmt.
Rt. Sta. 51+66
New 24'x80' C.M.P.
C.B. as shown.

Exist. R.R. R/W

Remove fence

Exist. Hwy. 66

POT. 52+77.45
New 1 Span 55 Sk.
Girder Underpass

To Ashfork

CURVE DATA
CONST. ℄
TOTAL CURVE
Δ = 96° 20' 15" Lt.
R+0 = 884.66'
Ts = 1118.26'
Ls = 1782.11'
MAIN CURVE
Δc = 79° 26' 15"
D = 6° 30'
R = 881.47'
Lc = 1222.11'

CONST. ℄
D = 2½
Δs = 8° 27'
Ls = 260'
t = 129.91'

CONST. ℄
D = 2½
Δs = 8° 27'
Ls = 260'
t = 129.91'

S.C. 54+41.74
Office

L.T.B. N 65°33'40" E

S.C. 55+11.82
survey

199.70'

N 74°37'55" W
199.59'

New 10'x2' Dyke

Office ℄ Const. ℄

survey ℄

L.T.B. N 52°55'55" W

New 10'x2' Dyke

129.00'
S 15°29'05" W

Remove fence

L=1108.17'
R=981.47'

N 80°57'35" W

EQUA: 69+85.20 Surv. Ahd P.O.T.
69+23.85 Office Bk. S.T. =

70

Match Line.

Approx. Lot Line

New R/W

Slope Limit

N 80°57'35" W

New 10'x2' Dyke

75

100'

100'

68+75.72 S.T.
survey

L.T.B. N 72°30'35" W

66+63.85 C.S.
office

N 72°30'35" W 1245.01'

65

65+75.72 C.S.
survey

Sta. 63+62.67 P.O.C.
Sec. Line.

N 78° 08' 02" W 1217.47'

L=232.59'

Sec. Cor. Fd. 8x8 Stone 10"
Above Ground With Cross on top.

879.45'

N 3°30'50" W

265.61'

Remove woven wire
fence inside R/W.

P.O.C. Sta. 64+41.37
100' Rt.
Loc. Ton. Bear. N 57°45'51" W

Sec. Cor. Fd. -2" I.P.
With Brass Cap.
U.S.L.O. 1912.

S 89°24'00" E (Record)

T 23 N R 5 W
T 22 N R 5 W

LOT 1

LOT 4

60

55

50

45

Sta. 62+60.78 P.O.C.
100' Lt.
Loc. Ton. Bear. N 46°18'38" W

2560.96'

R=781.47'
L=726.13'

1217.08'

13-144
13-145
13-146
13-147
13-149

Click here for SR 40B Index

KINGMAN – ASHFORK HWY.
EAST SELIGMAN CONNECTION SEC.
YAVAPAI COUNTY.

REVISIONS			
C.O. No.	DATE	BY	DESCRIPTION
7256	8-26-66	D.G.M.	Added Parcel 13-148-1, Relocate Property
"	"	"	Lines Of Parcels 13-146, 148, 149 & 13-150, 152.
1291	10-5-66	L.C.R.	Added Rodeo Grnds., N. Line Sec. 6
1464	2-10-67	Nez.	Added Prop. limit arrows Par. 13-148-1. Added dist. 427.60' on E. bound. and changed 427.60' to 427.77' on W. bound. lines Par. 13-152.
1639	7-17-67	R.R.	Changed C.M.P. to R.C. Rt. Sta. 86+80
1720	9-18-67	E. Rojo	Added Turn outs Rt. & Lt. Sta. 81+50, 84+00, Lt. Sta. 84+75 & 86+00, 24'x40' CP Rt. Sta. 81+50 184100
"	"	"	
4472	3-9-76	R.L.R.	FINALIZED

PROJECT NO.	F-008-2-802
DRAWING NO.	D-13-T-373
SHEET NO.	6 OF 9
DRAWN BY	ROGERS
DATE COMP.	7-27-66
SCALE	1"=100'

T22N – R5W

℄ U.S. Hwy. 66

Approx. R/W U.S. Hwy. 66

Match Line

Approx. Lot Line

13-149

13-150

13-148

13-148-1

13-146

13-152

Res. & Museum

Front

Res.

NEW MOTEL

House

shed

12' Gate

Hog Pens

Lt. & Rt. Sta. 75+00 to Sta. 105+00
6000 F.T. New 4 Wire Line Fence
Std. C-16

Atchison Topeka & Santa Fe
Station Lot.

238.83'(Calc.)

360.28'-R

460.40'-R

25.00'-R

1529.45'-R

422.29'(Calc.)

688.06'

75 80 85 90 95 100 105

25' Lt. P.O.T. 101+14
Old Grave To Be Removed
By Others

N80°57'35"W 1027.12'

N74°37'52"E 1814.38'

Sta. 88+80 P.O.T. 84°06'
E 25 Cinder Road

℄ CONST.

P.O.T. 97+52.5
E 16' Road

Center Line Relocated Phone Line

Phone Line Removed

New R/W

Slope Limits

100'

Remove Fence

New 10'x2' Ditch

Soil Firing Range Back Stop
4.5' High Remove.

Sta. 84+00
New 24"x40' Pipe Culv. C.M.P.

Sta. 81+50
New 24"x40' Pipe Culv. C.M.P.

Sta. 88+65
New 36"x40' C.M.P. Pipe Culv.

Sta. 97+20 New 2 unit
cattle Guard w/ gate

Line By Boundary Agreement
Book 380 O.R. Pg. 270

Sta. 97+20.06 36"x36'
New 48"x27"x36" C.M.P. Arch.

Relocated Phone Line

427.77'

427.60'

S2°-23'-05"W-C
1088.81'

S2°24'W-R
1088.16'-R

A-Per Boundary Agreement

Per Boundary Agreement-R

2437.86'-R
S.89°24'00"E.-R.

House

Exist. #1. Gate

Abandoned Rodeo Grounds

metal barn

LOT 1 LOT 2 LOT 3



Click here for SR 40B Index

CHECKED BY:

HARD COPY, MICRO FILE

KINGMAN — ASHFORK HWY.
EAST SELIGMAN CONNECTION SEC.
YAVAPAI COUNTY

REVISIONS				PROJECT NO.	F-008-2-802
C.O. No.	DATE	BY	DESCRIPTION	DRAWING NO.	D-13-T-373
1291	10-5-66	L.S.R.	Added Engr. (Record) to N. Line Sec. 6	SHEET NO.	7 OF 9
1699	7-17-67	R.A.R.	Called Out N. Cor. 6-1 F. Added end of Const.	DRAWN BY	ROGERS
"	"	"	Proj. at Sta. 125+69.10.	DATE COMP.	7-27-66
1972	5-13-68	A.W.B.	Added metes & bounds for Par. 13-153	SCALE	1" = 100'
2122	1-23-69	M.B.	Revised detail on excess R/W — Detail "A"		
2472	3-9-70	R.L.R.	FINALIZED.		

CHECKED BY. _____

HARD COPY. _____

Click here for SR 40B Index

KINGMAN–ASHFORK HWY.

EAST SELIGMAN CONNECTION SEC.

YAVAPAI COUNTY

Click here for SR 40B Index

REVISIONS			
C.O. NO.	DATE	BY	DESCRIPTION
1224	8-18-66	D.G.M.	Changed R.R.R/W Near Sta 40 To Be 50'
"	"	"	Each Side Of 6" Water Line.
1291	10-3-66	L.C.K.	Revised R/W at R.R. crossing.
1347	11-28-66	L.C.K.	Added dist. on R.R. pipe line, R.R. parcel bubbles & pts 'A' and 'B' on RR property
"	"	"	In Detour Detail - Changed P.T. 12+83.63 to
1699	7-17-67	R.R.	189.63 Collected R.R. Overpass & Note on Shoofly.
"	"	"	
2127	1-23-69	M.B.	Added R/W cutback @ R.R. crossing.
4472	3-9-76	R.L.A.	FINALIZED.

PROJECT NO.	F-008-2-802
DRAWING NO.	D-13-T-373
SHEET NO.	8 Of 9
DRAWN BY	D.G. MATCHETTE
DATE COMP.	7-27-66
SCALE	1"=100'

CHECKED BY Maynard 7-26-66

HARD COPY