



NO	1	2010 EDITION
DESCRIPTION OF REVISIONS		
MADE BY	C. COLE	
DATE	03/10	
NO	3	4
DESCRIPTION OF REVISIONS		
MADE BY		
DATE		



CABINET INSTALLATION DETAIL
(Without Guardrail or Barrier)

NOTES:

1. The Type MPD cabinet shall have four (4) Cinch Type 141 or equal, 10 terminal barrier blocks to a separate panel. The barrier blocks shall be mounted in the vertical position. There will be no less than two (2) inches of spacing (center to center) between the barrier blocks. The panel with the barrier blocks will be mounted to the lower left panel of the cabinet. There will be no less than three (3) inches spacing from the barrier strip edge to the back panel or the front panel (door) of the cabinet. There will be no less than three (3) inches (or more than four (4) inches) spacing from the barrier strip edge and the bottom of the cabinet. the barrier strip panel mounting hardware shall not be visible on the outside surface of the cabinet.
2. The cabinet shall be located in area of all day sunshine, as directed by the engineer,
3. The location of the cabinet on the plans is preliminary; the Engineer shall make the final determination as to the location of the cabinet, including which side of the highway.
4. The Engineer may adjust the distance between the pull box and the edge of pavement base on field conditions, unless otherwise noted on the plans.



CABINET INSTALLATION DETAIL
(With Guardrail or Barrier)

NOT TO SCALE

DESIGN APPROVED	ARIZONA DEPARTMENT OF TRANSPORTATION INTERMODAL TRANSPORTATION DIVISION TRAFFIC SIGNALS AND LIGHTING STANDARD DRAWINGS	REVISION 03/10
SIGNATURE		DRAWING NO. T.S. 6-7
APPROVED FOR DISTRIBUTION	TRAFFIC DATA COLLECTION CABINET INSTALLATION DETAILS	SHEET NO. 1 OF 1
ON FILE		