

## MATERIALS TESTING MANUAL

### TABLE OF CONTENTS

Introduction (November 2, 2016)

Glossary of Terms (July 15, 2005)

#### **SERIES 100 SAMPLING** (December 4, 2015)

<a href="#">ARIZ 103b</a>	Sampling Bituminous Materials
<a href="#">ARIZ 104e</a>	Sampling Bituminous Mixtures
<a href="#">ARIZ 105f</a>	Sampling Soils and Aggregates
<a href="#">ARIZ 108</a>	Sampling Hydrated Lime and Lime Products
<a href="#">ARIZ 109</a>	Sampling Metallic Materials
<a href="#">ARIZ 110</a>	Sampling Miscellaneous Materials

AASHTO procedures commonly used in this series are shown below:

R 60	Sampling Freshly Mixed Concrete
T 127	Sampling and Amount of Testing of Hydraulic Cement
T 248	Reducing Samples of Aggregate to Testing Size

#### **SERIES 200 SOILS AND AGGREGATES** (November 2, 2016)

<a href="#">ARIZ 201d</a>	Sieving of Coarse and Fine Graded Soils and Aggregates
<a href="#">ARIZ 205c</a>	Composite Grading
<a href="#">ARIZ 210c</a>	Specific Gravity and Absorption of Coarse Aggregate
<a href="#">ARIZ 211e</a>	Specific Gravity and Absorption of Fine Aggregate
<a href="#">ARIZ 212f</a>	Percentage of Fractured Coarse Aggregate Particles
<a href="#">ARIZ 220</a>	Determination of Cement Content Required for Cement Treated Mixtures
<a href="#">ARIZ 221</a>	Moisture-Density Relations of Cement Treated Mixtures
<a href="#">ARIZ 222b</a>	Rock Correction Procedure for Maximum Density Determination of Cement Treated Mixtures
<a href="#">ARIZ 223</a>	Field Density of Cement Treated Mixtures by Sand Cone Method or by Rubber Balloon Method
<a href="#">ARIZ 225b</a>	Maximum Dry Density and Optimum Moisture of Soils by Proctor Method A
<a href="#">ARIZ 226</a>	Maximum Density and Optimum Moisture of Soils – Methods C and D
<a href="#">ARIZ 227d</a>	Rock Correction Procedure for Maximum Dry Density and Optimum Moisture Content Determination

# Materials Testing Manual

## Table of Contents

November 2, 2016

Page 2

<a href="#">ARIZ 229a</a>	Calibration of Standard Sand and Sand Cone
<a href="#">ARIZ 230a</a>	Field Density by the Sand Cone Method
<a href="#">ARIZ 232b</a>	Moisture-Density Relationship Using Typical Moisture-Density Curves (One Point Proctor) Method A
<a href="#">ARIZ 233d</a>	Flakiness Index of Coarse Aggregate
<a href="#">ARIZ 235</a>	Density and Moisture Content of Soil and Soil-Aggregate Mixtures by the Nuclear Method
<a href="#">ARIZ 236d</a>	Determining pH and Minimum Resistivity of Soils and Aggregates
<a href="#">ARIZ 237b</a>	Determining pH and Soluble Salts of Soils
<a href="#">ARIZ 238a</a>	Percent Carbonates in Aggregate
<a href="#">ARIZ 240a</a>	Sieve Analysis and Separation of Salvaged AC Pavement Particles for Recycled Asphaltic Concrete
<a href="#">ARIZ 241a</a>	Compressive Strength of Molded Cement Treated Base or Soil-Cement Specimens
<a href="#">ARIZ 242a</a>	Sand Equivalent Test for Mineral Aggregate for Asphaltic Concrete Friction Course
<a href="#">ARIZ 244</a>	Artificial Grading of Mineral Aggregate
<a href="#">ARIZ 245a</a>	Maximum Dry Density and Optimum Moisture of Soils by Proctor Alternate Method D
<a href="#">ARIZ 246b</a>	Moisture-Density Relationship using Typical Moisture-Density Curves (One Point Proctor) Alternate Method D
<a href="#">ARIZ 247b</a>	Particle Shape and Texture of Fine Aggregate Using Uncompacted Void Content
<a href="#">ARIZ 248</a>	Alternate Procedures for Sieving of Coarse and Fine Graded Soils and Aggregates
<a href="#">ARIZ 249</a>	Remolded Ring Samples for Direct Shear, Swell, and Consolidation
<a href="#">ARIZ 251a</a>	Combined Coarse and Fine Aggregate Specific Gravity and Absorption

AASHTO procedures commonly used in this series are shown below:

R 58	Dry Preparation of Disturbed Soil and Soil-Aggregate Samples for Test
T 19	Unit Weight and Voids in Aggregate
T 89	Determining the Liquid Limit of Soils
T 90	Determining the Plastic Limit and Plasticity Index of Soils
T 96	Resistance to Abrasion of Small Size Coarse Aggregate by use of the Los Angeles Machine
T 104	Soundness of Aggregate by Use of Sodium Sulfate or Magnesium Sulfate
T 135	Wetting-and-Drying Test of Compacted Soil-Cement Mixtures
T 136	Freezing-and-Thawing Tests of Compacted Soil-Cement Mixtures
T 176	Plastic Fines in Graded Aggregates and Soils by Use of the Sand Equivalent Test
T 190	Resistance to R-Value and Expansion Pressure of Compacted Soils

T 217	Determination of Moisture in Soils by Means of a Calcium Carbide Gas Pressure Moisture Tester
T 220	Determination of Strength of Soil-Lime Mixtures
T 248	Reducing Field Samples of Aggregates to Testing Size
T 255	Total Moisture Content of Aggregate by Drying
T 265	Laboratory Determination of Moisture Content of Soils

**SERIES 300 CONCRETE (November 2, 2016)**

<a href="#">ARIZ 308a</a>	Method of Adjusting Concrete Mixes for Variations in Moisture Content
<a href="#">ARIZ 309a</a>	Testing Impervious Materials and Compounds for Curing Concrete
<a href="#">ARIZ 310a</a>	Measuring Texture Depth of Portland Cement Concrete with Metal Tine Finish
<a href="#">ARIZ 311a</a>	Method of Test for Flow of Grout Mixtures (Flow Cone Method)
<a href="#">ARIZ 314c</a>	Compressive Strength of Cylindrical Concrete Specimens
<a href="#">ARIZ 315</a>	Precast Mortar Blocks Test
<a href="#">ARIZ 317a</a>	Obtaining and Testing Drilled Cores and Sawed Beams of Concrete
<a href="#">ARIZ 318a</a>	Estimating the Development of Concrete Strength by the Maturity Method

AASHTO procedures commonly used in this series are shown below:

T 22	Compressive Strength of Cylindrical Concrete Specimens
T 23	Making and Curing Test Specimens in the Field
T 97	Flexural Strength of Concrete (Using Simple Beam with Third-Point Loading)
T 119	Slump of Portland Cement Concrete
T 121	Weight per Cubic Foot, Yield, and Air Content (Gravimetric) of Concrete
T 126	Making and Curing Concrete Test Specimens in the Laboratory
T 152	Air Content of Freshly Mixed Concrete by the Pressure Method
T 231	Capping Cylindrical Concrete Specimens

ASTM procedures commonly used in this series are shown below:

C 39	Compressive Strength of Cylindrical Concrete Specimens
C 1064	Temperature of Freshly Mixed Concrete

**SERIES 400 BITUMINOUS MIXTURES (December 4, 2015)**

<a href="#">ARIZ 406d</a>	Moisture Content of Bituminous Mixtures
<a href="#">ARIZ 410f</a>	Compaction and Testing of Bituminous Mixtures Utilizing Four Inch Marshall Apparatus
<a href="#">ARIZ 411a</a>	Determination of Bituminous Distributor Truck Transverse Spread Rate
<a href="#">ARIZ 412b</a>	Density of Compacted Bituminous Mixtures by the Nuclear Method

<a href="#">ARIZ 413</a>	Extraction of Asphalt from Bituminous Mixtures by Soxhlet Extraction
<a href="#">ARIZ 415d</a>	Bulk Specific Gravity and Bulk Density of Compacted Bituminous Mixtures
<a href="#">ARIZ 416e</a>	Preparing and Splitting Field Samples of Bituminous Mixtures for Testing
<a href="#">ARIZ 417e</a>	Maximum Theoretical Specific Gravity and Density of Field Produced Bituminous Mixtures (Rice Test)
<a href="#">ARIZ 421</a>	Bituminous Material Content of Asphaltic Concrete Mixtures by the Nuclear Method
<a href="#">ARIZ 422</a>	Compaction and Testing of Bituminous Mixtures Utilizing 152.4 mm (Six Inch) Marshall Apparatus
<a href="#">ARIZ 424d</a>	Determination of Air Voids in Compacted Bituminous Mixtures
<a href="#">ARIZ 427a</a>	Asphalt Binder Content of Asphaltic Concrete Mixtures by the Ignition Furnace Method
<a href="#">ARIZ 428</a>	Asphalt Binder Content of Asphaltic Concrete Mixtures Containing Reclaimed Asphalt Pavement (RAP) by the Ignition Furnace Method

AASHTO procedures commonly used in this series are shown below:

T 164	Quantitative Extraction of Asphalt Binder from Hot Mix Asphalt (HMA)
T 312	Preparing and Determining the Density of Asphalt Mixture Specimens by Means of Superpave Gyrotory Compactor

**SERIES 500 BITUMINOUS MATERIALS (December 4, 2015)**

<a href="#">ARIZ 502b</a>	Percentage of Uncoated Particles Using Asphalt Emulsions
<a href="#">ARIZ 504</a>	Vacuum Recovery of Asphalt Emulsion Residue
<a href="#">ARIZ 505a</a>	Asphalt Rejuvenating Agent Residue Insoluble in Petroleum Ether
<a href="#">ARIZ 509a</a>	Rapid Determination of Asphaltenes and Chemical Reactivity of Asphalts
<a href="#">ARIZ 511</a>	Recovery of Asphalt from Extraction Solution
<a href="#">ARIZ 512b</a>	Residue by Evaporation

AASHTO procedures commonly used in this series are shown below:

M 82	Cutback Asphalt (Medium-Curing Type)
M 320	Performance Graded Asphalt Binder
R 28	Accelerated Aging of Asphalt Binder Using a Pressurized Aging Vessel (PAV)
T 44	Solubility of Bituminous Materials
T 48	Flash and Fire Points by Cleveland Open Cup
T 49	Penetration of Bituminous Materials
T 50	Float Test for Bituminous Materials
T 51	Ductility of Bituminous Materials
T 53	Softening Point of Bitumen (Ring and Ball Apparatus)
T 55	Water in Petroleum Products and Bituminous Materials by Distillation

T 59	Testing Emulsified Asphalts
T 72	Saybolt Viscosity
T 78	Distillation of Cut-Back Asphaltic (Bituminous) Products
T 79	Flash Point with Tag Open-Cup Apparatus for Use with Material Having a Flash Less Than 93.3 °C (200 °F)
T 102	Spot Test of Asphaltic Materials
T 201	Kinematic Viscosity of Asphalts
T 202	Viscosity of Asphalts by Vacuum Capillary Viscometer
T 228	Specific Gravity of Semi-Solid Bituminous Materials
T 240	Effect of Heat and Air on a Moving Film of Asphalt (Rolling Thin Film Oven Test)
T 301	Elastic Recovery Test of Bituminous Materials by Means of a Ductilometer
T 313	Determining the Flexural Creep Stiffness of Asphalt Binder Using the Bending Beam Rheometer (BBR)
T 314	Determining the Fracture Properties of Asphalt Binder in Direct Tension (DT)
T 315	Determining the Rheological Properties of Asphalt Binder Using a Dynamic Shear Rheometer (DSR)
T 316	Viscosity Determination of Asphalt Binder Using Rotational Viscometer

ASTM procedures commonly used in this series are shown below:

D 2007	Characteristic Groups in Rubber Extender and Processing Oils and Other Petroleum-Derived Oils by the Clay-Gel Absorption Chromatographic Method
D 5546	Viscosity Determination of Asphalt Binder Using Rotational Viscometer

**SERIES 600 CEMENT AND RELATED MATERIALS (July 15, 2005)**

AASHTO procedures commonly used in this series are shown below:

T 21	Organic Impurities in Fine Aggregates for Concrete
T 71	Effect of Organic Impurities in Fine Aggregate on Strength of Mortar
T 105	Chemical Analysis of Hydraulic Cement
T 106	Compressive Strength of Hydraulic Cement Mortar (Using 50 mm or 2-in. Cube Specimens)
T 107	Autoclave Expansion of Portland Cement
T 129	Normal Consistency of Hydraulic Cement
T 131	Time of Setting of Hydraulic Cement by Vicat Needle
T 133	Density of Hydraulic Cement
T 137	Air Content of Hydraulic Cement Mortar
T 153	Fineness of Portland Cement by Air Permeability Apparatus
T 162	Mechanical Mixing of Hydraulic Cement Pastes and Mortars of Plastic Consistency

ASTM procedures commonly used in this series are shown below:

C 25	Chemical Analysis of Limestone, Quicklime, and Hydrated Lime
C 110	Physical Testing of Quicklime, Hydrated Lime, and Limestone

**SERIES 700 CHEMICAL AND SPECIALTY (December 4, 2014)**

<a href="#">ARIZ 702a</a>	Testing of Paint, Varnish, Lacquer, and Related Material
<a href="#">ARIZ 714b</a>	Sampling and Sieving of Crumb Rubber
<a href="#">ARIZ 719c</a>	Heating and Drying Materials in Microwave Oven
<a href="#">ARIZ 725a</a>	Tensile Proof Dowel Test
<a href="#">ARIZ 726a</a>	Reflectance, Dry Opacity, and Yellowness Index of Traffic Paint
<a href="#">ARIZ 727a</a>	Chloride in Hardened Concrete
<a href="#">ARIZ 729b</a>	Exchangeable Sodium in Topsoil
<a href="#">ARIZ 732a</a>	Calcium Carbonate in Topsoil (Neutralization Potential of Topsoil)
<a href="#">ARIZ 733b</a>	Sulfate in Soils
<a href="#">ARIZ 734</a>	Determination of Portland Cement Content in Cement Treated Base Material
<a href="#">ARIZ 735a</a>	Testing of Thermoplastic Pavement Marking Material
<a href="#">ARIZ 736b</a>	Chloride in Soils
<a href="#">ARIZ 738</a>	Chloride in Concrete Admixtures
<a href="#">ARIZ 742</a>	Mean Macrotexure Depth of Milled Pavement
<a href="#">ARIZ 743</a>	Titanium Dioxide in Paints and Thermoplastics
<a href="#">ARIZ 744</a>	Rock Salt in Crash Barrel Sand

AASHTO procedures commonly used in this series are shown below:

T 26	Quality of Water To Be Used in Concrete
T 42	Preformed Expansion Joint Filler for Concrete Construction
T 65	Mass (Weight) of Coating on Iron and Steel Articles with Zinc or Zinc-Alloy Coatings
T 244	Mechanical Testing of Steel Products

AASHTO procedures commonly used in this series are shown below:

D 1155	Roundness of Glass Spheres
D 2240	Rubber Properties - Durometer Hardness
D 4491	Water Permeability of Geotextiles by Permittivity
E 18	Rockwell Hardness and Rockwell Superficial Hardness of Metallic Materials

**SERIES 800 DESIGN (February 22, 2013)**

<a href="#">ARIZ 801a</a>	Evaluation of Profiles
---------------------------	------------------------

<a href="#">ARIZ 802g</a>	Effect of Water on Strength of Compacted Bituminous Mixtures (Immersion Compression Test)
<a href="#">ARIZ 805b</a>	Centrifuge Kerosene Equivalent of Aggregate, Including K-Factor
<a href="#">ARIZ 806e</a>	Maximum Theoretical Specific Gravity of Laboratory Prepared Bituminous Mixtures (Rice Test)
<a href="#">ARIZ 807</a>	Design of Slurry Seal
<a href="#">ARIZ 814a</a>	Design of Asphaltic Concrete Friction Course
<a href="#">ARIZ 815d</a>	Marshall Mix Design Method for Asphaltic Concrete
<a href="#">ARIZ 819a</a>	Design of Exposed Aggregate Seal Coats
<a href="#">ARIZ 822</a>	Determination of Additive or Asphalt Blend Required for Modification of Asphalt Viscosity
<a href="#">ARIZ 825a</a>	Method of Test for Determining the Quantity of Asphalt Rejuvenating Agent Required for an Asphaltic Pavement
<a href="#">ARIZ 829a</a>	Evaluation of Pavement Smoothness
<a href="#">ARIZ 832a</a>	Marshall Mix Design Method for Asphaltic Concrete (Asphalt-Rubber) [AR-AC]
<a href="#">ARIZ 833</a>	Marshall Mix Design Method for Asphaltic Concrete with Reclaimed Asphalt Pavement (RAP)

**SERIES 900 MATERIALS QUALITY ASSURANCE PROGRAM (January 17, 2014)**

<a href="#">QA Program</a>	Materials Quality Assurance Program (January 17, 2014)
<a href="#">Appendix A</a>	Arizona Department of Transportation Local Public Agency Certification Acceptance Quality Assurance Requirements
<a href="#">Appendix B</a>	Final Certification of Materials for Consultant Administered Projects
<a href="#">Appendix C</a>	Sampling Guide Schedule
<a href="#">Appendix D</a>	Code of Federal Regulations (23 CFR 637, Subpart B) “Quality Assurance Procedures for Construction”

**SERIES 1000 CERTIFICATES (November 2, 2016)**

<a href="#">Certificates</a>	Certificate Requirements (November 2, 2016)
------------------------------	---

**APPENDIX**

<a href="#">Appendix A1</a>	Rounding Procedure (December 4, 2015)
<a href="#">Appendix A2</a>	Metric Guide (July 15, 2005)
<a href="#">Appendix A3</a>	Equipment Calibration and Verification (September 28, 2012)