

Sign width varies based on street name. Sign width varies in 6" increments.

If sign width is an issue, reduce edge or text spacing or use Series B.


CODE: D3-1a

SIZE: VAR x 9"
MINIMUM


* Center street name legend package horizontally to the right of the route shield.

For post-mount use only on roadways with a posted speed to 40 mph or less.

Without block number



D3-1a(conventional road - 6");
1.00" Radius, No border, White on Green;
State Highway 00 M1-5c;
1.00" Radius, No border, White on Green;
"000th" C; "Ave" C 50% spacing;



D3-1a(conventional road - 6");
1.00" Radius, No border, White on Green;
State Highway 00 M1-5c;
1.00" Radius, No border, White on Green;
"Street Name" C 50% spacing; "Rd" C 50% spacing;

ALL DIMENSIONS ARE IN INCHES



COLORS:

LEGEND & BORDER - WHITE (REFL)
BACKGROUND - GREEN (REFL)

ARIZONA DEPARTMENT OF TRANSPORTATION
TRAFFIC ENGINEERING GROUP

DRAWN:

R. C. MOEUR

DATE:

NOVEMBER / 2015

APPROVED:

SIGNATURE ON FILE

Sign width varies based on street name. Sign width varies in 6" increments.

If sign width is an issue, reduce edge or text spacing or use Series B.

CODE: D3-1a


SIZE: VAR x 9"

MINIMUM


* Center street name legend package horizontally to the right of the route shield.

For post-mount use only on roadways with a posted speed to 40 mph or less.

With block number



D3-1a(conventional road - 6");
 1.00" Radius, No border, White on Green;
 State Highway 00 M1-5c;
 1.00" Radius, No border, White on Green;
 "000th" C; "0000N" C; "Ave" C;



D3-1a(conventional road - 6");
 1.00" Radius, No border, White on Green;
 State Highway 00 M1-5c;
 1.00" Radius, No border, White on Green;
 "Street Name" C 50% spacing; "0000W" C; "Rd" C;

ALL DIMENSIONS ARE IN INCHES



COLORS:

LEGEND & BORDER - WHITE (REFL)
 BACKGROUND - GREEN (REFL)

ARIZONA DEPARTMENT OF TRANSPORTATION
 TRAFFIC ENGINEERING GROUP

DRAWN:

R. C. MOEUR

DATE:

NOVEMBER / 2015

APPROVED:

SIGNATURE ON FILE

Sign width varies based on street name. Sign width varies in 6" increments.

If sign width is an issue, reduce edge or text spacing or use Series B.


CODE: D3-1a

SIZE: VAR x 12"
STANDARD


* Center street name legend package horizontally to the right of the route shield.

For post-mount use on roadways with a posted speed of 45 mph or greater.

Without block number



D3-1a(conventional road - 8");
1.50" Radius, No border, White on Green;
State Highway 00 M1-5c;
1.50" Radius, No border, White on Green;
"000th" C; "Ave" C 50% spacing;



D3-1a(conventional road - 8");
1.50" Radius, No border, White on Green;
State Highway 00 M1-5c;
1.50" Radius, No border, White on Green;
"Street Name" C 50% spacing; "Rd" C 50% spacing;

ALL DIMENSIONS ARE IN INCHES



COLORS:

LEGEND & BORDER - WHITE (REFL)
BACKGROUND - GREEN (REFL)

ARIZONA DEPARTMENT OF TRANSPORTATION
TRAFFIC ENGINEERING GROUP

DRAWN:

R. C. MOEUR

DATE:

NOVEMBER / 2015

APPROVED:

SIGNATURE ON FILE

Sign width varies based on street name. Sign width varies in 6" increments.

If sign width is an issue, reduce edge or text spacing or use Series B.


CODE: D3-1a

SIZE: VAR x 12"
STANDARD

* Center street name legend package horizontally to the right of the route shield.

For post-mount use on roadways with a posted speed of 45 mph or greater.

With block number



D3-1a(conventional road - 8");
1.50" Radius, No border, White on Green;
State Highway 00 M1-5c;
1.50" Radius, No border, White on Green;
"000th" C; "0000N" C;
"Ave" C 50% spacing;



D3-1a(conventional road - 8");
1.50" Radius, No border, White on Green;
State Highway 00 M1-5c;
1.50" Radius, No border, White on Green;
"Street Name" C 50% spacing; "0000W" C;
"Rd" C 50% spacing;

ALL DIMENSIONS ARE IN INCHES



COLORS:
LEGEND & BORDER - WHITE (REFL)
BACKGROUND - GREEN (REFL)

ARIZONA DEPARTMENT OF TRANSPORTATION
TRAFFIC ENGINEERING GROUP

DRAWN: R. C. MOEUR DATE: NOVEMBER / 2015

APPROVED: SIGNATURE ON FILE

Sign width varies based on street name. Sign width varies in 6" increments. 120" max width.

If sign width is an issue, reduce edge or text spacing or use Series B.


CODE: D3-1a

SIZE: VAR x 18"
OVERHEAD

* Center street name legend package horizontally to the right of the route shield.

For overhead use on all types of roadways (except freeway mainline).

Without block number




D3-1a(overhead);

1.50" Radius, 0.50" Border, White on Green;

State Highway 00 M1-5c;

1.50" Radius, 0.50" Border, White on Green;

"000th" C; "Ave" C;



D3-1a(overhead);

1.50" Radius, 0.50" Border, White on Green;

State Highway 00 M1-5c;

1.50" Radius, 0.50" Border, White on Green;

"Street Name" C 50% spacing; "Rd" C;

ALL DIMENSIONS ARE IN INCHES



COLORS:

LEGEND & BORDER - WHITE (REFL)

BACKGROUND - GREEN (REFL)

ARIZONA DEPARTMENT OF TRANSPORTATION
TRAFFIC ENGINEERING GROUP

DRAWN:

R. C. MOEUR

DATE:

NOVEMBER / 2015

APPROVED:

SIGNATURE ON FILE

Sign width varies based on street name(s). Sign width varies in 6" increments. 120" max width.

If sign width is an issue, reduce edge or text spacing or use Series B.

CODE: D3-1a


On multi-line signs, horizontally center destination text groupings relative to one another.

SIZE: VAR x 36"
OVERHEAD

* Center entire legend package (shields, text, arrow) horizontally on each panel or sub-panel.

For overhead use on all types of roadways (except freeway mainline).

Without block number



Var* D3-1a(overhead);

1.50" Radius, 0.50" Border, White on Green;

Arrow 6" Type D1 - 9.75" 180°;

State Highway 00 M1-5c; "Alpha" C 50% spacing;

"Ave" C;

1.50" Radius, 0.50" Border, White on Green;

State Highway 99 M1-5c; "Bravo" C 50% spacing;

"Blvd" C; Arrow 6" Type D1 - 9.75" 0°;

ALL DIMENSIONS ARE IN INCHES



COLORS:

LEGEND & BORDER - WHITE (REFL)

BACKGROUND - GREEN (REFL)

ARIZONA DEPARTMENT OF TRANSPORTATION
TRAFFIC ENGINEERING GROUP

DRAWN:

R. C. MOEUR

DATE:

NOVEMBER / 2015

APPROVED:

SIGNATURE ON FILE

Sign width varies based on street name. Sign width varies in 6" increments. 120" max width.

If sign width is an issue, reduce edge or text spacing or use Series B.


CODE: D3-1a

SIZE: VAR x 18"
OVERHEAD

* Center street name legend package horizontally to the right of the route shield.

For overhead use on all types of roadways (except freeway mainline).

With block number




D3-1a(overhead);

1.50" Radius, 0.50" Border, White on Green;

State Highway 00 M1-5c;

1.50" Radius, 0.50" Border, White on Green;

"000th" C; "0000N" C; "Ave" C;



D3-1a(overhead);

1.50" Radius, 0.50" Border, White on Green;

State Highway 00 M1-5c;

1.50" Radius, 0.50" Border, White on Green;

"Street Name" C 50% spacing; "0000N" C; "Rd" C;

ALL DIMENSIONS ARE IN INCHES



COLORS:

LEGEND & BORDER - WHITE (REFL)

BACKGROUND - GREEN (REFL)

ARIZONA DEPARTMENT OF TRANSPORTATION
TRAFFIC ENGINEERING GROUP

DRAWN:

R. C. MOEUR

DATE:

NOVEMBER / 2015

APPROVED:

SIGNATURE ON FILE

Sign width varies based on street name(s). Sign width varies in 6" increments. 120" max width.

If sign width is an issue, reduce edge or text spacing or use Series B.

CODE: D3-1a


On multi-line signs, horizontally center destination text groupings relative to one another.

SIZE: VAR x 36"
OVERHEAD

* Center entire legend package (shields, text, arrow) horizontally on each panel or sub-panel.

For overhead use on all types of roadways (except freeway mainline).

With block number



D3-1a(overhead);

1.50" Radius, 0.50" Border, White on Green;

Arrow 6" Type D1 - 9.75" 180°;

State Highway 00 M1-5c; "Alpha" C 50% spacing;

"0000N" C; "Ave" C;

D3-1(overhead);

1.50" Radius, 0.50" Border, White on Green;

State Highway 99 M1-5c; "Bravo" C 50% spacing;

"0000W" C; "Blvd" C; Arrow 6" Type D1 - 9.75" 0°;

ALL DIMENSIONS ARE IN INCHES



COLORS:

LEGEND & BORDER - WHITE (REFL)

BACKGROUND - GREEN (REFL)

ARIZONA DEPARTMENT OF TRANSPORTATION
TRAFFIC ENGINEERING GROUP

DRAWN:

R. C. MOEUR

DATE:

NOVEMBER / 2015

APPROVED:

SIGNATURE ON FILE


Sign width varies based on street name. Sign width varies in even foot increments.
 If sign width is an issue, use Series C.

CODE: D3-1a
 SIZE: VAR x 24"
 FREEWAY


* Center street name legend package horizontally to the right of the route shield.

For post-mount use on freeway mainline. Not for overhead use.

Without block number



D3-1a(freeway-post mount);
 3.00" Radius, 1.00" Border, White on Green;
 State Highway 00 M1-5c;
 3.00" Radius, 1.00" Border, White on Green;
 "000th Ave" D 75% spacing;



D3-1a(freeway-post mount);
 3.00" Radius, 1.00" Border, White on Green;
 State Highway 00 M1-5c;
 3.00" Radius, 1.00" Border, White on Green;
 "Street Name Rd" D 75% spacing;

ALL DIMENSIONS ARE IN INCHES



COLORS:
 LEGEND & BORDER - WHITE (REFL)
 BACKGROUND - GREEN (REFL)

ARIZONA DEPARTMENT OF TRANSPORTATION
 TRAFFIC ENGINEERING GROUP

DRAWN: R. C. MOEUR DATE: NOVEMBER / 2015

APPROVED: SIGNATURE ON FILE


Sign width varies based on street name. Sign width varies in even foot increments.
 If sign width is an issue, use Series C.

CODE: D3-1a
 SIZE: VAR x 24"
FREEWAY


* Center street name legend package horizontally to the right of the route shield.

For post-mount use on freeway mainline. Not for overhead use.

With block number



D3-1a(freeway-post mount);
 3.00" Radius, 1.00" Border, White on Green;
 State Highway 00 M1-5c;
 3.00" Radius, 1.00" Border, White on Green;
 "000th" D 75% spacing;
 "0000N" D; "Ave" D;



D3-1a(freeway-post mount);
 3.00" Radius, 1.00" Border, White on Green;
 State Highway 00 M1-5c;
 3.00" Radius, 1.00" Border, White on Green;
 "Street Name" D 75% spacing; "0000N" D;
 "Rd" D;

ALL DIMENSIONS ARE IN INCHES



COLORS:
 LEGEND & BORDER - WHITE (REFL)
 BACKGROUND - GREEN (REFL)

ARIZONA DEPARTMENT OF TRANSPORTATION
 TRAFFIC ENGINEERING GROUP

DRAWN: R. C. MOEUR	DATE: NOVEMBER / 2015
-----------------------	--------------------------

APPROVED:
 SIGNATURE ON FILE

Sign width varies based on street name. Sign width varies in even foot increments.

If sign width is an issue, use Series B.


CODE: D3-1a

SIZE: VAR x 24"
FWY-OVERHEAD


* Center street name legend package horizontally to the right of the route shield.

For overhead use on freeway mainline.

Without block number



D3-1a(freeway-overhead);
3.00" Radius, 1.00" Border, White on Green;
State Highway 00 M1-5c;
3.00" Radius, 1.00" Border, White on Green;
"000th Ave" C 75% spacing;



D3-1a(freeway-overhead);
3.00" Radius, 1.00" Border, White on Green;
State Highway 00 M1-5c;
3.00" Radius, 1.00" Border, White on Green;
"Street Name Rd" C 75% spacing;

ALL DIMENSIONS ARE IN INCHES



COLORS:

LEGEND & BORDER - WHITE (REFL)
BACKGROUND - GREEN (REFL)

ARIZONA DEPARTMENT OF TRANSPORTATION
TRAFFIC ENGINEERING GROUP

DRAWN:

R. C. MOEUR

DATE:

NOVEMBER / 2015

APPROVED:

SIGNATURE ON FILE

Sign width varies based on street name. Sign width varies in even foot increments.

If sign width is an issue, use Series B.


CODE: D3-1a

SIZE: VAR x 24"
FWY-OVERHEAD

* Center street name legend package horizontally to the right of the route shield.

For overhead use on freeway mainline.

With block number



D3-1a(freeway-overhead);


3.00" Radius, 1.00" Border, White on Green;

State Highway 00 M1-5c;

3.00" Radius, 1.00" Border, White on Green;

"000th" C 75% spacing;

"0000N" D; "Ave" C;



D3-1a(freeway-overhead);

3.00" Radius, 1.00" Border, White on Green;

State Highway 00 M1-5c;

3.00" Radius, 1.00" Border, White on Green;

"Street Name" C 75% spacing; "0000N" D; "Rd" C;

ALL DIMENSIONS ARE IN INCHES



COLORS:

LEGEND & BORDER - WHITE (REFL)

BACKGROUND - GREEN (REFL)

ARIZONA DEPARTMENT OF TRANSPORTATION
TRAFFIC ENGINEERING GROUP

DRAWN:

R. C. MOEUR

DATE:

NOVEMBER / 2015

APPROVED:

SIGNATURE ON FILE