


Sign width varies based on street name. Sign width varies in even foot increments.
 If sign width is an issue, reduce edge or text spacing, use Series C, or use narrow D3-2.


CODE: D3-2
 SIZE: VAR x 18"
 MINIMUM

* Center entire legend package (text, arrow) horizontally on each panel or sub-panel.

For post-mount use only on roadways with a posted speed of 40 mph or less.



D3-2(conventional road - 6");
 3.00" Radius, 1.00" Border, White on Green;
 "000th Ave" D;



D3-2(conventional road - 6");
 3.00" Radius, 1.00" Border, White on Green;
 "Street Name Rd" D;

ALL DIMENSIONS ARE IN INCHES



COLORS:
 LEGEND & BORDER - WHITE (REFL)
 BACKGROUND - GREEN (REFL)

ARIZONA DEPARTMENT OF TRANSPORTATION
 TRAFFIC ENGINEERING GROUP

DRAWN: R. C. MOEUR	DATE: NOVEMBER / 2015
-----------------------	--------------------------

APPROVED:
 SIGNATURE ON FILE

Sign width varies based on street name. Sign width varies in even foot increments.
 If sign width is an issue, reduce edge or text spacing, use Series C, or use narrow D3-2.


CODE: D3-2
 SIZE: VAR x 18"
 MINIMUM

* Center entire legend package (text, arrow) horizontally on each panel or sub-panel.


For post-mount use only on roadways with a posted speed of 40 mph or less.

For destinations other than street names, use D1-1.

For opposite arrow, reverse spacing.



D3-2(conventional road - 6");
 3.00" Radius, 1.00" Border, White on Green;
 Arrow 6" Type D1 - 9.75" 180°; "000th Ave" D;



D3-2(conventional road - 6");
 3.00" Radius, 1.00" Border, White on Green;
 "Street Name Rd" D; Arrow 6" Type D1 - 9.75" 0°;

ALL DIMENSIONS ARE IN INCHES



COLORS:
 LEGEND & BORDER - WHITE (REFL)
 BACKGROUND - GREEN (REFL)

ARIZONA DEPARTMENT OF TRANSPORTATION
 TRAFFIC ENGINEERING GROUP


DRAWN: R. C. MOEUR DATE: NOVEMBER / 2015

APPROVED: SIGNATURE ON FILE

Sign width varies based on street name(s). Sign width varies in even foot increments.
 If sign width is an issue, reduce edge or text spacing, use Series C, or use narrow D3-2.
 On multi-line signs, horizontally center destination text groupings relative to one another.
 * Center entire legend package (text, arrow) horizontally on each panel or sub-panel.

CODE: D3-2
 SIZE: VAR x 36"
 MINIMUM

For post-mount use only on roadways with a posted speed of 40 mph or less.
 For destinations other than street names, use D1-2.



D3-2(conventional road - 6");
 3.00" Radius, 1.00" Border, White on Green;
 Arrow 6" Type D1 - 9.75" 180°; "Alpha Ave" D;
 3.00" Radius, 1.00" Border, White on Green;
 "Bravo Blvd" D; Arrow 6" Type D1 - 9.75" 0°;

ALL DIMENSIONS ARE IN INCHES



COLORS:
 LEGEND & BORDER - WHITE (REFL)
 BACKGROUND - GREEN (REFL)

ARIZONA DEPARTMENT OF TRANSPORTATION
 TRAFFIC ENGINEERING GROUP

DRAWN: R. C. MOEUR DATE: NOVEMBER / 2015

APPROVED: SIGNATURE ON FILE

Sign width varies based on destination(s). Sign width varies in 6" increments.


If sign width is an issue, use Series B.

CODE: D3-2

SIZE: VAR x 18"
MIN-NARROW

* Center entire legend package (text, arrow) horizontally on each panel or sub-panel.

For post-mount use only on roadways with a posted speed of 40 mph or less and a width-constrained condition (narrow median, etc.)



D3-2 (conventional road - 6" - narrow);
3.00" Radius, 1.00" Border, White on Green;
"000th" C; "Ave" C 50% spacing;



D3-2 (conventional road - 6" - narrow);
3.00" Radius, 1.00" Border, White on Green;
"Street Name Rd" D 50% spacing;

ALL DIMENSIONS ARE IN INCHES



COLORS:

LEGEND & BORDER - WHITE (REFL)
BACKGROUND - GREEN (REFL)

ARIZONA DEPARTMENT OF TRANSPORTATION
TRAFFIC ENGINEERING GROUP

DRAWN:

R. C. MOEUR

DATE:

NOVEMBER / 2015

APPROVED:

SIGNATURE ON FILE

Sign width varies based on destination(s). Sign width varies in 6" increments.

If sign width is an issue, use Series B.

CODE: D3-2


SIZE: VAR x 18"
MIN-NARROW

* Center entire legend package (text, arrow) horizontally on each panel or sub-panel.

For post-mount use only on roadways with a posted speed of 40 mph or less and a width-constrained condition (narrow median, etc.)

For destinations other than street names, use D1-1.

For opposite arrow, reverse spacing.



D3-2 (conventional road - 6" - narrow);
3.00" Radius, 1.00" Border, White on Green;
Arrow 4" Type D1 - 6.50" 180°; "000th" C;
"Ave" C 50% spacing;



D3-2 (conventional road - 6" - narrow);
3.00" Radius, 1.00" Border, White on Green;
"Street Name Rd" D 50% spacing; Arrow 4" Type D1 - 6.50" 0°;

ALL DIMENSIONS ARE IN INCHES



COLORS:

LEGEND & BORDER - WHITE (REFL)
BACKGROUND - GREEN (REFL)

ARIZONA DEPARTMENT OF TRANSPORTATION
TRAFFIC ENGINEERING GROUP

DRAWN:
R. C. MOEUR

DATE:
NOVEMBER / 2015

APPROVED:
SIGNATURE ON FILE

Sign width varies based on destination(s). Sign width varies in 6" increments.

If sign width is an issue, use Series B.

On multi-line signs, horizontally center destination text groupings relative to one another.


* Center entire legend package (text, arrow) horizontally on each panel or sub-panel.

CODE: D3-2

SIZE: VAR x 36"
MIN-NARROW

For post-mount use only on roadways with a posted speed of 40 mph or less and a width-constrained condition (narrow median, etc.)

For destinations other than street names, use D1-2.



Var* D3-2 (conventional road - 6" - narrow);

3.00" Radius, 1.00" Border, White on Green;

Arrow 4" Type D1 - 6.50" 180°;

"Alpha Ave" D 50% spacing;

3.00" Radius, 1.00" Border, White on Green;

"Bravo Blvd" D 50% spacing;

Arrow 4" Type D1 - 6.50" 0°;

ALL DIMENSIONS ARE IN INCHES



COLORS:

LEGEND & BORDER - WHITE (REFL)

BACKGROUND - GREEN (REFL)

ARIZONA DEPARTMENT OF TRANSPORTATION
TRAFFIC ENGINEERING GROUP

DRAWN:

R. C. MOEUR

DATE:

NOVEMBER / 2015

APPROVED:


SIGNATURE ON FILE

Sign width varies based on street name. Sign width varies in even foot increments.
 If sign width is an issue, reduce edge or text spacing, use Series C, or use narrow D3-2.


CODE: D3-2
 SIZE: VAR x 18"
 STANDARD

* Center entire legend package (text, arrow) horizontally on each panel or sub-panel.

For post-mount use on roadways with a posted speed of 45 mph or greater.



D3-2(conventional road - 8");
 3.00" Radius, 1.00" Border, White on Green;
 "000th Ave" D;



D3-2(conventional road - 8");
 3.00" Radius, 1.00" Border, White on Green;
 "Street Name Rd" D;

ALL DIMENSIONS ARE IN INCHES



COLORS:
 LEGEND & BORDER - WHITE (REFL)
 BACKGROUND - GREEN (REFL)

ARIZONA DEPARTMENT OF TRANSPORTATION
 TRAFFIC ENGINEERING GROUP

DRAWN: R. C. MOEUR	DATE: NOVEMBER / 2015
-----------------------	--------------------------

APPROVED:
 SIGNATURE ON FILE

Sign width varies based on street name. Sign width varies in even foot increments.
 If sign width is an issue, reduce edge or text spacing, use Series C, or use narrow D3-2.


CODE: D3-2
 SIZE: VAR x 18"
 STANDARD

* Center entire legend package (text, arrow) horizontally on each panel or sub-panel.


For post-mount use on roadways with a posted speed of 45 mph or greater.

For destinations other than street names, use D1-1.

For opposite arrow, reverse spacing.



D3-2(conventional road - 8");
 3.00" Radius, 1.00" Border, White on Green;
 Arrow 8" Type D1 - 13.00" 180°; "000th Ave" D;



D3-2(conventional road - 8"); 3.00" Radius, 1.00" Border, White on Green;
 "Street Name Rd" D; Arrow 8" Type D1 - 13.00" 0°;

ALL DIMENSIONS ARE IN INCHES



COLORS:
 LEGEND & BORDER - WHITE (REFL)
 BACKGROUND - GREEN (REFL)

ARIZONA DEPARTMENT OF TRANSPORTATION
 TRAFFIC ENGINEERING GROUP


DRAWN: R. C. MOEUR DATE: NOVEMBER / 2015

APPROVED: SIGNATURE ON FILE

Sign width varies based on street name(s). Sign width varies in even foot increments.
 If sign width is an issue, reduce edge or text spacing, use Series C, or use narrow D3-2.
 On multi-line signs, horizontally center destination text groupings relative to one another.
 * Center entire legend package (text, arrow) horizontally on each panel or sub-panel.

CODE: D3-2
 SIZE: VAR x 36"
 STANDARD

For post-mount use on roadways with a posted speed of 45 mph or greater.
 For destinations other than street names, use D1-2.



D3-2(conventional road - 8");
 3.00" Radius, 1.00" Border, White on Green;
 Arrow 8" Type D1 - 13.00" 180°; "Alpha Ave" D;
 3.00" Radius, 1.00" Border, White on Green;
 "Bravo Blvd" D; Arrow 8" Type D1 - 13.00" 0°;

ALL DIMENSIONS ARE IN INCHES



COLORS:
 LEGEND & BORDER - WHITE (REFL)
 BACKGROUND - GREEN (REFL)

ARIZONA DEPARTMENT OF TRANSPORTATION
 TRAFFIC ENGINEERING GROUP

DRAWN: R. C. MOEUR DATE: NOVEMBER / 2015

APPROVED: SIGNATURE ON FILE

Sign width varies based on destination(s). Sign width varies in 6" increments.


If sign width is an issue, use Series B.

CODE: D3-2


SIZE: VAR x 18"
STD-NARROW

* Center entire legend package (shields, text, arrow) horizontally on each panel or sub-panel.

For post-mount use on roadways with a posted speed of 45 mph or higher and a width-constrained condition (narrow median, etc.)



D3-2 (conventional road - 8" - narrow);
3.00" Radius, 1.00" Border, White on Green;
"000th" C; "Ave" C 50% spacing;



D3-2 (conventional road - 8" - narrow);
3.00" Radius, 1.00" Border, White on Green;
"Street Name Rd" C 50% spacing;

ALL DIMENSIONS ARE IN INCHES



COLORS:

LEGEND & BORDER - WHITE (REFL)
BACKGROUND - GREEN (REFL)

ARIZONA DEPARTMENT OF TRANSPORTATION
TRAFFIC ENGINEERING GROUP

DRAWN:

R. C. MOEUR

DATE:

NOVEMBER / 2015

APPROVED:

SIGNATURE ON FILE

Sign width varies based on destination(s). Sign width varies in 6" increments.

If sign width is an issue, use Series B.

CODE: D3-2


SIZE: VAR x 18"
STD-NARROW

* Center entire legend package (shields, text, arrow) horizontally on each panel or sub-panel.

For post-mount use on roadways with a posted speed of 45 mph or higher and a width-constrained condition (narrow median, etc.)

For destinations other than street names, use D1-1.

For opposite arrow, reverse spacing.



D3-2 (conventional road - 8" - narrow);
3.00" Radius, 1.00" Border, White on Green;
Arrow 6" Type D1 - 9.75" 180°; "000th" C;
"Ave" C 50% spacing;



D3-2 (conventional road - 8" - narrow);
3.00" Radius, 1.00" Border, White on Green;
"Street Name Rd" C 50% spacing; Arrow 6" Type D1 - 9.75" 0°;

ALL DIMENSIONS ARE IN INCHES



COLORS:

LEGEND & BORDER - WHITE (REFL)
BACKGROUND - GREEN (REFL)

ARIZONA DEPARTMENT OF TRANSPORTATION
TRAFFIC ENGINEERING GROUP

DRAWN:
R. C. MOEUR

DATE:
NOVEMBER / 2015

APPROVED:
SIGNATURE ON FILE

Sign width varies based on destination(s). Sign width varies in 6" increments.

If sign width is an issue, use Series B.

On multi-line signs, horizontally center destination text groupings relative to one another.


* Center entire legend package (shields, text, arrow) horizontally on each panel or sub-panel.

CODE: D3-2

SIZE: VAR x 36"
STD-NARROW

For post-mount use on roadways with a posted speed of 45 mph or higher and a width-constrained condition (narrow median, etc.)

For destinations other than street names, use D1-2.



D3-2 (conventional road - 8" - narrow);
3.00" Radius, 1.00" Border, White on Green;
Arrow 6" Type D1 - 9.75" 180°;
"Alpha Ave" C 50% spacing;
3.00" Radius, 1.00" Border, White on Green;
"Bravo Blvd" C 50% spacing;
Arrow 6" Type D1 - 9.75" 0°;

ALL DIMENSIONS ARE IN INCHES



COLORS:

LEGEND & BORDER - WHITE (REFL)
BACKGROUND - GREEN (REFL)

ARIZONA DEPARTMENT OF TRANSPORTATION
TRAFFIC ENGINEERING GROUP

DRAWN:
R. C. MOEUR

DATE:
NOVEMBER / 2015

APPROVED:
SIGNATURE ON FILE

Sign width varies based on street name. Sign width varies in even foot increments.


If sign width is an issue, reduce edge or text spacing or use Series D.

CODE: D3-2


SIZE: VAR x 24"
RAMP-XRD

* Center entire legend package (text, arrow) horizontally on each panel or sub-panel.

For post-mount use on freeway ramps, crossroads, and frontage roads.



D3-2 (ramp - crossroad);
6.00" Radius, 1.00" Border, White on Green;
"000th Ave" E;



D3-2 (ramp - crossroad);
6.00" Radius, 1.00" Border, White on Green;
"Street Name Rd" E;

ALL DIMENSIONS ARE IN INCHES



COLORS:

LEGEND & BORDER - WHITE (REFL)
BACKGROUND - GREEN (REFL)

ARIZONA DEPARTMENT OF TRANSPORTATION
TRAFFIC ENGINEERING GROUP

DRAWN:

R. C. MOEUR

DATE:

NOVEMBER / 2015

APPROVED:

SIGNATURE ON FILE

Sign width varies based on street name. Sign width varies in even foot increments.

If sign width is an issue, reduce edge or text spacing or use Series D.

CODE: D3-2


SIZE: VAR x 24"
RAMP-XRD

* Center entire legend package (text, arrow) horizontally on each panel or sub-panel.


For post-mount use on freeway ramps, crossroads, and frontage roads.

For destinations other than street names, use D1-1.


For opposite arrow, reverse spacing.



D3-2 (ramp - crossroad);
6.00" Radius, 1.00" Border, White on Green;
Arrow 8" Type D1 - 13.00" 180°; "000th Ave" E;



D3-2 (ramp - crossroad); 6.00" Radius, 1.00" Border, White on Green;
"Street Name Rd" E; Arrow 8" Type D1 - 13.00" 0°;



D3-2 (ramp - crossroad); 6.00" Radius, 1.00" Border, White on Green;
Arrow 8" Type D1 - 13.00" 180°; "Frontage Rd" E;
Arrow 8" Type D1 - 13.00" 0°;

ALL DIMENSIONS ARE IN INCHES



COLORS:
LEGEND & BORDER - WHITE (REFL)
BACKGROUND - GREEN (REFL)

ARIZONA DEPARTMENT OF TRANSPORTATION
TRAFFIC ENGINEERING GROUP

DRAWN: R. C. MOEUR DATE: NOVEMBER / 2015

APPROVED: SIGNATURE ON FILE

Sign width varies based on street name(s). Sign width varies in even foot increments.

If sign width is an issue, reduce edge or text spacing or use Series D.

On multi-line signs, horizontally center destination text groupings relative to one another.


* Center entire legend package (text, arrow) horizontally on each panel or sub-panel.

CODE: D3-2

SIZE: VAR x 48"
RAMP-XRD

For post-mount use on freeway ramps, crossroads, and frontage roads.

For destinations other than street names, use D1-2.



D3-2 (ramp - crossroad);

6.00" Radius, 1.00" Border, White on Green;

Arrow 8" Type D1 - 13.00" 180°; "Alpha Ave" E;

6.00" Radius, 1.00" Border, White on Green;

"Bravo Blvd" E; Arrow 8" Type D1 - 13.00" 0°;

ALL DIMENSIONS ARE IN INCHES



COLORS:

LEGEND & BORDER - WHITE (REFL)
BACKGROUND - GREEN (REFL)

ARIZONA DEPARTMENT OF TRANSPORTATION
TRAFFIC ENGINEERING GROUP

DRAWN:

R. C. MOEUR

DATE:

NOVEMBER / 2015

APPROVED:

SIGNATURE ON FILE