


Sign width varies by destination(s). Sign width varies in even foot increments.  
 If sign width is an issue, reduce edge or text spacing or use Series D.  
 Arrows are to be centered over each lane.  
 \* Center entire legend package horizontally on each panel or sub-panel.

**CODE:** E6-101ad  
**SIZE:** Varies x 144"  
 Freeway

For use at major interchanges.  
 Use with E1-5 series exit number plaque.  
 If multiple route shields are used, space horizontally at 18".



E6-101ad (freeway);  
 12.00" Radius, 2.00" Border, White on Green;  
 State Highway 00 M1-5c; "Destination" E; "1/4" E; "MILE" E;  
 12.00" Radius, 2.00" Border, White on Green;  
 Down Arrow 13.33-16-20" - 22.00" 270°;

Distance	A	B
1/4 MILE	22.20	39.41
1/2 MILE	23.63	39.41
3/4 MILE	26.95	39.41
1 MILE	5.35	39.41
2 MILES	14.34	51.44

**Colors:**  
 Legend & Border: White (Reflective)  
 Background: Green (Reflective)

**All dimensions are in inches**


**Designed By:** R. C. Moeur

**Issue Date:** December 2016

Sign width varies by destination(s). Sign width varies in even foot increments.  
 If sign width is an issue, reduce edge or text spacing or use Series D.  
 Arrows are to be centered over each lane.  
 \* Center entire legend package horizontally on each panel or sub-panel.

**CODE:** E6-101ad  
**SIZE:** Varies x 144"  
 Freeway

For use at major interchanges.  
 Use with E1-5 series exit number plaque.



E6-101ad (freeway);  
 12.00" Radius, 2.00" Border, White on Green;  
 State Highway 00 M1-5c; "WEST" E; "Destination" E; "1/2" E;  
 "MILE" E;  
 12.00" Radius, 2.00" Border, White on Green;  
 Down Arrow 13.33-16-20" - 22.00" 270°;

Distance	A	B
¼ MILE	22.20	39.41
½ MILE	23.63	39.41
¾ MILE	26.95	39.41
1 MILE	5.35	39.41
2 MILES	14.34	51.44

**Colors:**  
 Legend & Border: White (Reflective)  
 Background: Green (Reflective)

**All dimensions are in inches**


**Designed By:** R. C. Moeur

**Issue Date:** December 2016

Sign width varies by destination(s). Sign width varies in even foot increments.  
 If sign width is an issue, reduce edge or text spacing or use Series D.  
 Arrows are to be centered over each lane.  
 \* Center entire legend package horizontally on each panel or sub-panel.

**CODE:** E6-101ad  
**SIZE:** Varies x 144"  
 Freeway

For use at major interchanges.  
 Use with E1-5 series exit number plaque.



E6-101ad (freeway);  
 12.00" Radius, 2.00" Border, White on Green;  
 US 00 M1-4c; "SOUTH" E; State Highway 00 M1-5c;  
 "Destination" E; "3/4" E; "MILE" E;  
 12.00" Radius, 2.00" Border, White on Green;  
 Down Arrow 13.33-16-20" - 22.00" 270°;

Distance	A	B
1/4 MILE	22.20	39.41
1/2 MILE	23.63	39.41
3/4 MILE	26.95	39.41
1 MILE	5.35	39.41
2 MILES	14.34	51.44

**Colors:**  
 Legend & Border: White (Reflective)  
 Background: Green (Reflective)

**All dimensions are in inches**


**Designed By:** R. C. Moeur

**Issue Date:** December 2016

Sign width varies by destination(s). Sign width varies in even foot increments.  
 If sign width is an issue, reduce edge or text spacing or use Series D.  
 Arrows are to be centered over each lane.  
 \* Center entire legend package horizontally on each panel or sub-panel.

**CODE:** E6-101ad  
**SIZE:** Varies x 144"  
 Freeway

For use at major interchanges.  
 Use with E1-5 series exit number plaque.  
 If multiple route shields are used, space horizontally at 18".



E6-101ad (freeway);  
 12.00" Radius, 2.00" Border, White on Green;  
 "TO" E; State Highway 00 M1-5c; "WEST" E; "Destination" E;  
 "1/2" E; "MILE" E;  
 12.00" Radius, 2.00" Border, White on Green;  
 Down Arrow 13.33-16-20" - 22.00" 270°;

Distance	A	B
¼ MILE	22.20	39.41
½ MILE	23.63	39.41
¾ MILE	26.95	39.41
1 MILE	5.35	39.41
2 MILES	14.34	51.44

**Colors:**  
 Legend & Border: White (Reflective)  
 Background: Green (Reflective)

**All dimensions are in inches**


**Designed By:** R. C. Moeur

**Issue Date:** December 2016

Sign width varies by destination(s). Sign width varies in even foot increments.  
 If sign width is an issue, reduce edge or text spacing or use Series D.  
 Arrows are to be centered over each lane.  
 \* Center entire legend package horizontally on each panel or sub-panel.

**CODE:** E6-101ad  
**SIZE:** Varies x 144"  
 Freeway

For use at major interchanges.  
 Use with E1-5 series exit number plaque.



E6-101ad (freeway);  
 12.00" Radius, 2.00" Border, White on Green;  
 US 00 M1-4c; "TO" E; State Highway 00 M1-5c; "Destination" E;  
 "1/4" E; "MILE" E;  
 12.00" Radius, 2.00" Border, White on Green;  
 Down Arrow 13.33-16-20" - 22.00" 270°;

Distance	A	B
1/4 MILE	22.20	39.41
1/2 MILE	23.63	39.41
3/4 MILE	26.95	39.41
1 MILE	5.35	39.41
2 MILES	14.34	51.44

**Colors:**  
 Legend & Border: White (Reflective)  
 Background: Green (Reflective)

**All dimensions are in inches**

**Designed By:** R. C. Moer

**Issue Date:** December 2016

Sign width varies by shield and cardinal direction(s). Sign width varies in even foot increments.

If sign width is an issue, reduce edge or text spacing or use Series D.


Arrows are to be centered over each lane.

\* Center entire legend package horizontally on each panel or sub-panel.

**CODE:** E6-101ad

**SIZE:** Varies x 144"  
Freeway

For use at major interchanges.  
Use with E1-5 series exit number plaque.



E6-101ad (freeway);

12.00" Radius, 2.00" Border, White on Green;

"NORTH" E; US 00 M1-4c; State Highway 00 M1-5c; "EAST" E;

"Destination" E; "1/2" E; "MILE" E;

12.00" Radius, 2.00" Border, White on Green;

Down Arrow 13.33-16-20" - 22.00" 270°;

Distance	A	B
¼ MILE	22.20	39.41
½ MILE	23.63	39.41
¾ MILE	26.95	39.41
1 MILE	5.35	39.41
2 MILES	14.34	51.44

**Colors:**

Legend & Border: White (Reflective)

Background: Green (Reflective)

**All dimensions are in inches**

**Designed By:** R. C. Moeur


**Issue Date:** December 2016

Sign width varies by destination(s). Sign width varies in even foot increments.  
 If sign width is an issue, reduce edge or text spacing or use Series D.  
 Arrows are to be centered over each lane.

**CODE:** E6-101ad  
**SIZE:** Varies x 144"  
 Freeway

\* Center entire legend package horizontally on each panel or sub-panel.

For use at intermediate and minor interchanges.  
 Use with E1-5 series exit number plaque.  
 If multiple route shields are used, space horizontally at 15".



E6-101ad (freeway);  
 12.00" Radius, 2.00" Border, White on Green;  
 State Highway 00 M1-5c; "Destination" E; "1/4" E;  
 "MILE" E;  
 12.00" Radius, 2.00" Border, White on Green;  
 Down Arrow 13.33-16-20" - 22.00" 270°;

Distance	A	B
1/4 MILE	18.50	32.84
1/2 MILE	19.70	32.84
3/4 MILE	22.46	32.84
1 MILE	4.46	32.84
2 MILES	11.95	42.87

**Colors:**  
 Legend & Border: White (Reflective)  
 Background: Green (Reflective)

**All dimensions are in inches**


**Designed By:** R. C. Moeur

**Issue Date:** December 2016

Sign width varies by destination(s). Sign width varies in even foot increments.  
 If sign width is an issue, reduce edge or text spacing or use Series D.  
 Arrows are to be centered over each lane.  
 \* Center entire legend package horizontally on each panel or sub-panel.

**CODE:** E6-101ad  
**SIZE:** Varies x 144"  
 Freeway

For use at intermediate and minor interchanges.  
 Use with E1-5 series exit number plaque.



E6-101ad (freeway);  
 12.00" Radius, 2.00" Border, White on Green;  
 State Highway 00 M1-5c; "NORTH" E;  
 "Destination" E; "1/2" E; "MILE" E;  
 12.00" Radius, 2.00" Border, White on Green;  
 Down Arrow 13.33-16-20" - 22.00" 270°;

Distance	A	B
¼ MILE	18.50	32.84
½ MILE	19.70	32.84
¾ MILE	22.46	32.84
1 MILE	4.46	32.84
2 MILES	11.95	42.87

**Colors:**  
 Legend & Border: White (Reflective)  
 Background: Green (Reflective)

**All dimensions are in inches**


**Designed By:** R. C. Moeur

**Issue Date:** December 2016

Sign width varies by destination(s). Sign width varies in even foot increments.  
 If sign width is an issue, reduce edge or text spacing or use Series D.  
 Arrows are to be centered over each lane.  
 \* Center entire legend package horizontally on each panel or sub-panel.

**CODE:** E6-101ad  
**SIZE:** Varies x 144"  
 Freeway

For use at intermediate and minor interchanges.  
 Use with E1-5 series exit number plaque.



E6-101ad (freeway);  
 12.00" Radius, 2.00" Border, White on Green;  
 US 00 M1-4c; "SOUTH" E; State Highway 00 M1-5c;  
 "Destination" E; "3/4" E; "MILE" E;  
 12.00" Radius, 2.00" Border, White on Green;  
 Down Arrow 13.33-16-20" - 22.00" 270°;

Distance	A	B
¼ MILE	18.50	32.84
½ MILE	19.70	32.84
¾ MILE	22.46	32.84
1 MILE	4.46	32.84
2 MILES	11.95	42.87


**Colors:**  
 Legend & Border: White (Reflective)  
 Background: Green (Reflective)

**All dimensions are in inches**  
**Designed By:** R. C. Moeur  
**Issue Date:** December 2016

Sign width varies by destination(s). Sign width varies in even foot increments.  
 If sign width is an issue, reduce edge or text spacing or use Series D.  
 Arrows are to be centered over each lane.  
 \* Center entire legend package horizontally on each panel or sub-panel.

**CODE:** E6-101ad  
**SIZE:** Varies x 144"  
 Freeway

For use at intermediate and minor interchanges.  
 Use with E1-5 series exit number plaque.  
 If multiple route shields are used, space horizontally at 15".



E6-101ad (freeway);  
 12.00" Radius, 2.00" Border, White on Green;  
 "TO" E; State Highway 00 M1-5c; "WEST" E;  
 "Destination" E; "3/4" E; "MILE" E;  
 12.00" Radius, 2.00" Border, White on Green;  
 Down Arrow 13.33-16-20" - 22.00" 270°;

Distance	A	B
1/4 MILE	18.50	32.84
1/2 MILE	19.70	32.84
3/4 MILE	22.46	32.84
1 MILE	4.46	32.84
2 MILES	11.95	42.87

**Colors:**  
 Legend & Border: White (Reflective)  
 Background: Green (Reflective)

**All dimensions are in inches**

**Designed By:** R. C. Moer


**Issue Date:** December 2016



Sign width varies by destination(s). Sign width varies in even foot increments.  
 If sign width is an issue, reduce edge or text spacing or use Series D.  
 Arrows are to be centered over each lane.  
 \* Center entire legend package horizontally on each panel or sub-panel.

**CODE:** E6-101ad  
**SIZE:** Varies x 144"  
 Freeway

For use at intermediate and minor interchanges.  
 Use with E1-5 series exit number plaque.



E6-101ad (freeway);  
 12.00" Radius, 2.00" Border, White on Green;  
 "NORTH" E; US 00 M1-4c; State Highway 00 M1-5c; "EAST" E; "Destination" E;  
 "1/4" E; "MILE" E;  
 12.00" Radius, 2.00" Border, White on Green;  
 Down Arrow 13.33-16-20" - 22.00" 270°;

Distance	A	B
1/4 MILE	18.50	32.84
1/2 MILE	19.70	32.84
3/4 MILE	22.46	32.84
1 MILE	4.46	32.84
2 MILES	11.95	42.87

**Colors:**  
 Legend & Border: White (Reflective)  
 Background: Green (Reflective)

**All dimensions are in inches**

**Designed By:** R. C. Moeur

**Issue Date:** December 2016