


Match sign width to exit number plaque if needed. Sign width varies in even foot increments.
 If sign width is an issue, reduce edge or text spacing or use Series D.
 On multi-line signs, horizontally center destination text groupings relative to one another.
 * Center entire legend package horizontally on each panel or sub-panel.

CODE: E6-101edx
SIZE: Varies x 120"
 Freeway

Arrows are to be centered over each lane.
 Use with E1-5 series exit number plaque.
 If multiple route shields are used, space horizontally at 18".



E6-101edx (freeway - 36" shield)

12.00" Radius, 2.00" Border, White on Green;
 State Highway 00 M1-5c; "1/4" E;
 "MILE" E;
 12.00" Radius, 2.00" Border, Black on Yellow;
 "EXIT" E specified length;
 Down Arrow 13.33-16-20" - 22.00" 270°;
 "ONLY" E specified length;

Distance	A	B
1/4 MILE	22.20	39.41
1/2 MILE	23.63	39.41
3/4 MILE	26.95	39.41
1 MILE	5.35	39.41
2 MILES	14.34	51.44

Colors:

Upper Panel: Legend & Border: White (Reflective)
 Background: Green (Reflective)
 Lower Panel: Legend & Border: Black (Non-reflective)
 Background: Yellow (Reflective)

All dimensions are in inches


Designed By: R. C. Moeur

Issue Date: December 2016

Match sign width to exit number plaque if needed. Sign width varies in even foot increments.
 If sign width is an issue, reduce edge or text spacing or use Series D.
 On multi-line signs, horizontally center destination text groupings relative to one another.
 * Center entire legend package horizontally on each panel or sub-panel.

CODE: E6-101edx
SIZE: Varies x 132"
 Freeway

Arrows are to be centered over each lane.
 Use with E1-5 series exit number plaque.
 If multiple route shields are used, space horizontally at 18".



E6-101edx (freeway - 48" shield option)

- 12.00" Radius, 2.00" Border, White on Green;
- State Highway 00 M1-5c; "1/4" E;
- "MILE" E;
- 12.00" Radius, 2.00" Border, Black on Yellow;
- "EXIT" E specified length;
- Down Arrow 13.33-16-20" - 22.00" 270°;
- "ONLY" E specified length;

Distance	A	B
1/4 MILE	22.20	39.41
1/2 MILE	23.63	39.41
3/4 MILE	26.95	39.41
1 MILE	5.35	39.41
2 MILES	14.34	51.44

Colors:

Upper Panel: Legend & Border: White (Reflective)
 Background: Green (Reflective)
 Lower Panel: Legend & Border: Black (Non-reflective)
 Background: Yellow (Reflective)

All dimensions are in inches


Designed By: R. C. Moeur

Issue Date: December 2016

Sign width varies by shield and cardinal direction(s). Sign width varies in even foot increments.
 If sign width is an issue, reduce edge or text spacing or use Series D.
 On multi-line signs, horizontally center destination text groupings relative to one another.
 * Center entire legend package horizontally on each panel or sub-panel.

CODE: E6-101edx
SIZE: Varies x 120"
 Freeway

Arrows are to be centered over each lane.
 Use with E1-5 series exit number plaque.



E6-101edx (freeway - 36" shield)

12.00" Radius, 2.00" Border, White on Green;
 State Highway 00 M1-5c; "WEST" E; "1/2" E;
 "MILE" E;
 12.00" Radius, 2.00" Border, Black on Yellow;
 "EXIT" E specified length;
 Down Arrow 13.33-16-20" - 22.00" 270°;
 "ONLY" E specified length;

Distance	A	B
¼ MILE	22.20	39.41
½ MILE	23.63	39.41
¾ MILE	26.95	39.41
1 MILE	5.35	39.41
2 MILES	14.34	51.44

Colors:

Upper Panel: Legend & Border: White (Reflective)
 Background: Green (Reflective)
 Lower Panel: Legend & Border: Black (Non-reflective)
 Background: Yellow (Reflective)

All dimensions are in inches


Designed By: R. C. Moer

Issue Date: December 2016

Sign width varies by shield and cardinal direction(s). Sign width varies in even foot increments.
 If sign width is an issue, reduce edge or text spacing or use Series D.
 On multi-line signs, horizontally center destination text groupings relative to one another.
 * Center entire legend package horizontally on each panel or sub-panel.

CODE: E6-101edx
SIZE: Varies x 132"
 Freeway

Arrows are to be centered over each lane.
 Use with E1-5 series exit number plaque.



E6-101edx (freeway - 48" shield option)

12.00" Radius, 2.00" Border, White on Green;
 State Highway 00 M1-5c; "WEST" E; "1/2" E;
 "MILE" E;
 12.00" Radius, 2.00" Border, Black on Yellow;
 "EXIT" E specified length;
 Down Arrow 13.33-16-20" - 22.00" 270°;
 "ONLY" E specified length;

Distance	A	B
¼ MILE	22.20	39.41
½ MILE	23.63	39.41
¾ MILE	26.95	39.41
1 MILE	5.35	39.41
2 MILES	14.34	51.44

Colors:

Upper Panel: Legend & Border: White (Reflective)
 Background: Green (Reflective)
 Lower Panel: Legend & Border: Black (Non-reflective)
 Background: Yellow (Reflective)

All dimensions are in inches


Designed By: R. C. Moeur

Issue Date: December 2016

Sign width varies by shield and cardinal direction(s). Sign width varies in even foot increments.
 If sign width is an issue, reduce edge or text spacing or use Series D.
 On multi-line signs, horizontally center destination text groupings relative to one another.
 * Center entire legend package horizontally on each panel or sub-panel.

CODE: E6-101edx
SIZE: Varies x 120"
 Freeway

Arrows are to be centered over each lane.
 Use with E1-5 series exit number plaque.



E6-101edx (fwy Var 36" shield);
 12.00" Radius, 2.00" Border, White on Green;
 US 00 M1-4c; "SOUTH" E; State Highway 00 M1-5c; "3/4" E;
 "MILE" E;
 12.00" Radius, 2.00" Border, Black on Yellow;
 Down Arrow 13.33-16-20" - 22.00" 270°; "EXIT ONLY" E;
 Down Arrow 13.33-16-20" - 22.00" 270°;

Distance	A	B
1/4 MILE	22.20	39.41
1/2 MILE	23.63	39.41
3/4 MILE	26.95	39.41
1 MILE	5.35	39.41
2 MILES	14.34	51.44

Colors:

Upper Panel: Legend & Border: White (Reflective)
 Background: Green (Reflective)
 Lower Panel: Legend & Border: Black (Non-reflective)
 Background: Yellow (Reflective)

All dimensions are in inches


Designed By: R. C. Moeur

Issue Date: December 2016

Sign width varies by shield and cardinal direction(s). Sign width varies in even foot increments.
 If sign width is an issue, reduce edge or text spacing or use Series D.
 On multi-line signs, horizontally center destination text groupings relative to one another.
 * Center entire legend package horizontally on each panel or sub-panel.

CODE: E6-101edx
SIZE: Varies x 132"
 Freeway

Arrows are to be centered over each lane.
 Use with E1-5 series exit number plaque.



Varies
 Varies*
 Var* 48 or 60 18 A 18 B Varies*
 Var* 48 or 60 18 Varies 18 48 or 60 Var*
 12 48 12 9 18 9 12 12 42 18 12 15 15 66 48 12 96 132
 7 22 7 12 12 12 7 22 7 36 36 7
 Var 32 Var 48" shield option) 47.32 32 Var
 E6-101edx(freeway
 12.00" Radius, 2.00" Border, White on Green;
 US 00 M1-4c; "SOUTH" E; State Highway 00 M1-5c; "3/4" E; "MILE" E;
 12.00" Radius, 2.00" Border, Black on Yellow;
 Down Arrow 13.33-16-20" - 22.00" 270°; "EXIT ONLY" E;
 Down Arrow 13.33-16-20" - 22.00" 270°;

Distance	A	B
1/4 MILE	22.20	39.41
1/2 MILE	23.63	39.41
3/4 MILE	26.95	39.41
1 MILE	5.35	39.41
2 MILES	14.34	51.44

Colors:

Upper Panel: Legend & Border: White (Reflective)
 Background: Green (Reflective)
 Lower Panel: Legend & Border: Black (Non-reflective)
 Background: Yellow (Reflective)

All dimensions are in inches


Designed By: R. C. Moeur

Issue Date: December 2016

Sign width varies by shield(s). Sign width varies in even foot increments.
 If sign width is an issue, reduce edge or text spacing or use Series D.
 On multi-line signs, horizontally center destination text groupings relative to one another.
 * Center entire legend package horizontally on each panel or sub-panel.

CODE: E6-101edx
SIZE: Varies x 120"
 Freeway

Arrows are to be centered over each lane.
 Use with E1-5 series exit number plaque.



E6-101edx (freeway - 36" shield)

- 12.00" Radius, 2.00" Border, White on Green;
- US 00 M1-4c; "TO" E; State Highway 00 M1-5c;
- "3/4" E; "MILE" E;
- 12.00" Radius, 2.00" Border, Black on Yellow;
- "EXIT" E specified length;
- Down Arrow 13.33-16-20" - 22.00" 270°;
- "ONLY" E specified length;

Distance	A	B
1/4 MILE	22.20	39.41
1/2 MILE	23.63	39.41
3/4 MILE	26.95	39.41
1 MILE	5.35	39.41
2 MILES	14.34	51.44

Colors:

Upper Panel: Legend & Border: White (Reflective)
 Background: Green (Reflective)
 Lower Panel: Legend & Border: Black (Non-reflective)
 Background: Yellow (Reflective)

All dimensions are in inches


Designed By: R. C. Moeur

Issue Date: December 2016

Sign width varies by shield(s). Sign width varies in even foot increments.
 If sign width is an issue, reduce edge or text spacing or use Series D.
 On multi-line signs, horizontally center destination text groupings relative to one another.
 * Center entire legend package horizontally on each panel or sub-panel.

CODE: E6-101edx
SIZE: Varies x 132"
 Freeway

Arrows are to be centered over each lane.
 Use with E1-5 series exit number plaque.



E6-101edx (freeway - 48" shield option)

- ; 12.00" Radius, 2.00" Border, White on Green;
- US 00 M1-4c; "TO" E; State Highway 00 M1-5c; "3/4" E;
- "MILE" E;
- 12.00" Radius, 2.00" Border, Black on Yellow;
- "EXIT" E specified length;
- Down Arrow 13.33-16-20" - 22.00" 270°;
- "ONLY" E specified length;

Distance	A	B
1/4 MILE	22.20	39.41
1/2 MILE	23.63	39.41
3/4 MILE	26.95	39.41
1 MILE	5.35	39.41
2 MILES	14.34	51.44

Colors:

Upper Panel: Legend & Border: White (Reflective)
 Background: Green (Reflective)
 Lower Panel: Legend & Border: Black (Non-reflective)
 Background: Yellow (Reflective)

All dimensions are in inches


Designed By: R. C. Moeur

Issue Date: December 2016

Sign width varies by shield and cardinal direction(s). Sign width varies in even foot increments.
 If sign width is an issue, reduce edge or text spacing or use Series D.
 On multi-line signs, horizontally center destination text groupings relative to one another.
 * Center entire legend package horizontally on each panel or sub-panel.

CODE: E6-101edx
SIZE: Varies x 120"
 Freeway

Arrows are to be centered over each lane.
 Use with E1-5 series exit number plaque.



12.00" Radius, 2.00" Border, White on Green;
 "TO" E; State Highway 00 M1-5c; "WEST" E; "1/2" E;
 "MILE" E;
 12.00" Radius, 2.00" Border, Black on Yellow;
 "EXIT" E specified length;
 Down Arrow 13.33-16-20" - 22.00" 270°;
 "ONLY" E specified length;

Distance	A	B
¼ MILE	22.20	39.41
½ MILE	23.63	39.41
¾ MILE	26.95	39.41
1 MILE	5.35	39.41
2 MILES	14.34	51.44

Colors:

Upper Panel: Legend & Border: White (Reflective)
 Background: Green (Reflective)
 Lower Panel: Legend & Border: Black (Non-reflective)
 Background: Yellow (Reflective)

All dimensions are in inches


Designed By: R. C. Moeur

Issue Date: December 2016

Sign width varies by shield and cardinal direction(s). Sign width varies in even foot increments.
 If sign width is an issue, reduce edge or text spacing or use Series D.
 On multi-line signs, horizontally center destination text groupings relative to one another.
 * Center entire legend package horizontally on each panel or sub-panel.

CODE: E6-101edx
SIZE: Varies x 132"
 Freeway

Arrows are to be centered over each lane.
 Use with E1-5 series exit number plaque.



E6-101edx (freeway - 48" shield option)

- 12.00" Radius, 2.00" Border, White on Green;
- "TO" E; State Highway 00 M1-5c; "WEST" E; "1/2" E; "MILE" E;
- 12.00" Radius, 2.00" Border, Black on Yellow;
- "EXIT" E specified length;
- Down Arrow 13.33-16-20" - 22.00" 270°;
- "ONLY" E specified length;

Distance	A	B
¼ MILE	22.20	39.41
½ MILE	23.63	39.41
¾ MILE	26.95	39.41
1 MILE	5.35	39.41
2 MILES	14.34	51.44

Colors:

Upper Panel: Legend & Border: White (Reflective)
 Background: Green (Reflective)
 Lower Panel: Legend & Border: Black (Non-reflective)
 Background: Yellow (Reflective)

All dimensions are in inches


Designed By: R. C. Moeur

Issue Date: December 2016

Sign width varies by shield and cardinal direction(s). Sign width varies in even foot increments.
 If sign width is an issue, reduce edge or text spacing or use Series D.
 On multi-line signs, horizontally center destination text groupings relative to one another.
 * Center entire legend package horizontally on each panel or sub-panel.

CODE: E6-101edx
SIZE: Varies x 120"
 Freeway

Arrows are to be centered over each lane.
 Use with E1-5 series exit number plaque.



E6-101edx (freeway - 36" shield);
 12.00" Radius, 2.00" Border, White on Green;
 "NORTH" E; US 00 M1-4c; State Highway 00 M1-5c; "EAST" E; "1/2" E; "MILE" E;
 12.00" Radius, 2.00" Border, Black on Yellow;
 Down Arrow 13.33-16-20" - 22.00" 270°; "EXIT" E;
 Down Arrow 13.33-16-20" - 22.00" 270°; "ONLY" E;
 Down Arrow 13.33-16-20" - 22.00" 270°;

Distance	A	B
1/4 MILE	22.20	39.41
1/2 MILE	23.63	39.41
3/4 MILE	26.95	39.41
1 MILE	5.35	39.41
2 MILES	14.34	51.44

Colors:

Upper Panel: Legend & Border: White (Reflective)
 Background: Green (Reflective)
 Lower Panel: Legend & Border: Black (Non-reflective)
 Background: Yellow (Reflective)

All dimensions are in inches



Designed By: R. C. Moeur

Issue Date: December 2016

Sign width varies by shield and cardinal direction(s). Sign width varies in even foot increments.
 If sign width is an issue, reduce edge or text spacing or use Series D.
 On multi-line signs, horizontally center destination text groupings relative to one another.
 * Center entire legend package horizontally on each panel or sub-panel.

CODE: E6-101edx
SIZE: Varies x 132"
 Freeway

Arrows are to be centered over each lane.
 Use with E1-5 series exit number plaque.



E6-101edx (freeway - 48" shield option);
 12.00" Radius, 2.00" Border, White on Green;
 "NORTH" E; US 00 M1-4c; State Highway 00 M1-5c; "EAST" E; "1/2" E; "MILE" E;
 12.00" Radius, 2.00" Border, Black on Yellow;
 Down Arrow 13.33-16-20" - 22.00" 270°; "EXIT" E;
 Down Arrow 13.33-16-20" - 22.00" 270°; "ONLY" E;
 Down Arrow 13.33-16-20" - 22.00" 270°;

Distance	A	B
¼ MILE	22.20	39.41
½ MILE	23.63	39.41
¾ MILE	26.95	39.41
1 MILE	5.35	39.41
2 MILES	14.34	51.44

Colors:

Upper Panel: Legend & Border: White (Reflective)
 Background: Green (Reflective)
 Lower Panel: Legend & Border: Black (Non-reflective)
 Background: Yellow (Reflective)


All dimensions are in inches

Designed By: R. C. Moeur


Issue Date: December 2016

Match width of E6 series sign panel.
Center arrows above each lane. Adjust spacing as needed.


CODE: E11-1 sub-panels
for E6 series signs
SIZE: Varies x 36"
Freeway



E11-1 Exit Only panel (one-lane exit);
12.00" Radius, 2.00" Border, Black on Yellow;
"EXIT" E specified length;
Down Arrow 13.33-16-20" - 22.00" 270°;
"ONLY" E specified length;



E11-1 Exit Only panel two-lane exit);
12.00" Radius, 2.00" Border, Black on Yellow;
Down Arrow 13.33-16-20" - 22.00" 270°;
"EXIT ONLY" E;
Down Arrow 13.33-16-20" - 22.00" 270°;



E11-1 Exit Only panel (three-lane exit);
12.00" Radius, 2.00" Border, Black on Yellow;
Down Arrow 13.33-16-20" - 22.00" 270°; "EXIT" E;
Down Arrow 13.33-16-20" - 22.00" 270°; "ONLY" E;
Down Arrow 13.33-16-20" - 22.00" 270°;

Colors:

Legend & Border: Black (Non-reflective)
Background: Yellow (Reflective)

All dimensions are in inches


Designed By: R. C. Moeur

Issue Date: December 2016


Match width of E6 series sign panel.

Green/yellow border should be above the lane line separating the option and exit-only lanes.
Center arrows above each lane. Adjust spacing as needed.

CODE: Exit Only sub-panels for E6 series signs
SIZE: Varies x 36"
Freeway



E6 Exit Only panel (one lane option, one lane exit);
12.00" Radius, 2.00" Border, White on Green;
Down Arrow 13.33-16-20" - 22.00" 270°;
12.00" Radius, 2.00" Border, Black on Yellow;
"EXIT" E specified length;
Down Arrow 13.33-16-20" - 22.00" 270°;
"ONLY" E specified length;



E6 Exit Only panel (one lane option, two lane exit);
12.00" Radius, 2.00" Border, White on Green;
Down Arrow 13.33-16-20" - 22.00" 270°;
12.00" Radius, 2.00" Border, Black on Yellow;
Down Arrow 13.33-16-20" - 22.00" 270°; "EXIT ONLY" E;
Down Arrow 13.33-16-20" - 22.00" 270°;

Colors:

Legend & Border: Black (Non-reflective) or White (Reflective)
Background: Yellow or Green (Reflective)

All dimensions are in inches

Designed By: R. C. Moeur

Issue Date: December 2016