


CODE: R1-5aL  
 SIZE: 36" x 48"  
 STANDARD



R01-05aL(36x48-STD)WHT;  
 2.25" Radius, 0.88" Border, 0.63" Indent, Black on White;  
 R1-2 yield symbol (16"); "HERE" C; Arrow-Left;  
 "TO" C; "PEDESTRIANS" C specified length;

ALL DIMENSIONS ARE IN INCHES



**COLORS:**

- LEGEND & BORDER - BLACK (NON-REFL)
- YIELD SYMBOL - RED (REFL)
- ARROW - BLACK (NON-REFL)
- BACKGROUND - WHITE (REFL)

ARIZONA DEPARTMENT OF TRANSPORTATION  
 TRAFFIC ENGINEERING GROUP

DRAWN:

L. LOPEZ

DATE:

OCTOBER / 2012

APPROVED:

SIGNATURE ON FILE

CODE: R1-5aR

SIZE: 36" x 48"  
STANDARD



R01-05aR(36x48-STD)WHT;

2.25" Radius, 0.88" Border, 0.63" Indent, Black on White;

R1-2 yield symbol (16"); "HERE" C; Arrow-Right;

"TO" C; "PEDESTRIANS" C specified length;

ALL DIMENSIONS ARE IN INCHES



**COLORS:**

- LEGEND & BORDER - BLACK (NON-REFL)
- YIELD SYMBOL - RED (REFL)
- ARROW - BLACK (NON-REFL)
- BACKGROUND - WHITE (REFL)

ARIZONA DEPARTMENT OF TRANSPORTATION  
TRAFFIC ENGINEERING GROUP

DRAWN:


L. LOPEZ

DATE:

OCTOBER / 2012

APPROVED:

SIGNATURE ON FILE



R1-2 (for use on R1-5a); 19.77" corner to corner 1.13" Radius, 2.75" Border, Red on White; "YIELD" C;

