


CODE: R3-5U
SIZE: 24" x 24"
MINIMUM



R03-05U(24x24-MIN)WHT;
1.500" Radius, 0.625" Border, 0.375" Indent, Black on White;
U - Arrow, 2.5" Stroke; "ONLY", D;

Colors:

Arrow, Legend & Border: Black (Non-Reflective)
Background: White (Reflective)


All dimensions are in inches

Designed By: L. LOPEZ

Issue Date: August 2023

CODE: R3-5U

SIZE: 24" x 30"
STANDARD



R03-05U(24x30-STD)WHT;
1.500" Radius, 0.625" Border, 0.375" Indent, Black on White;
U - Arrow, 2.5" Stroke; "ONLY", D;

Colors:

Arrow, Legend & Border: Black (Non-Reflective)


Background: White (Reflective)

All dimensions are in inches

Designed By: L. LOPEZ

Issue Date: August 2023

ADOT STANDARD ARROW HEAD DETAILS



$A = \text{Arrow Shaft Stroke Width}$

$B = 1.15 \times A$

$C = 2.025 \times A$

$D = 0.16169 \times A$

$E = 0.2 \times A$

$\alpha = 17.92^\circ$

$\phi = 34.519^\circ$

$\alpha = 69.038^\circ$

ARIZONA DEPARTMENT OF TRANSPORTATION
TRAFFIC ENGINEERING GROUP

DRAWN:

L. LOPEZ

DATE:

AUGUST/2019