CODE: R3-8RR

SIZE: 30" x 30"
STANDARD



R03-08RR(30x30-STD)WHT;
1.875" Radius, 0.750" Border, 0.500" Indent, Black on White;
R - Arrow, 2.5" Stroke; “ONLY” C; R - Arrow, 2.5" Stroke; “ONLY” C;

ALL DIMENSIONS ARE IN INCHES

ADOT

COLORS:

ARROWS, LEGEND & BORDER - BLACK (NON-REFL)
BACKGROUND - WHITE (REFL)

ARIZONA DEPARTMENT OF TRANSPORTATION
TRAFFIC ENGINEERING GROUP

DRAWN:	DATE:
L. LOPEZ	JULY / 2015

APPROVED: SIGNATURE ON FILE

CODE: R3-8RR

SIZE: 48" x 48"
SPECIAL



R03-08LL(48x48-SPCL)WHT;
3.000" Radius, 1.250" Border, 0.750" Indent, Black on White;
R - Arrow, 4" Stroke; “ONLY” D specified length; R - Arrow, 4" Stroke;
“ONLY” D specified length;

ALL DIMENSIONS ARE IN INCHES

ADOT

COLORS:

ARROWS, LEGEND & BORDER - BLACK (NON-REFL)
BACKGROUND - WHITE (REFL)

ARIZONA DEPARTMENT OF TRANSPORTATION
TRAFFIC ENGINEERING GROUP

DRAWN:	DATE:
L. LOPEZ	JULY / 2015

APPROVED:
SIGNATURE ON FILE

ARROW CODE: L & R

Mirror for R Arrow 2.5" & 4" Stroke



2.5" Stroke



4" Stroke

** For arrowhead dimensions, see ADOT STANDARD ARROW HEAD DETAILS.

All dimensions are in inches. Length and width dimensions can be rounded to the nearest 1/8 inch.

ARIZONA DEPARTMENT OF TRANSPORTATION TRAFFIC ENGINEERING GROUP	
DRAWN: L. LOPEZ	DATE: JULY/2015

ADOT STANDARD ARROW HEAD DETAILS



A = Arrow Shaft Stroke Width

B = 1.15 x A

C = 2.025 x A

D = 0.16169 x A

E = 0.2 x A

⊞ = 17.92°

∅ = 34.519°

∢ = 68.038°

ARIZONA DEPARTMENT OF TRANSPORTATION TRAFFIC ENGINEERING GROUP	
DRAWN: L. LOPEZ	DATE: JULY/2015